



Depth of Field Tables in Feet for Compact Prime CP.3 Lenses for

Lenses	MFT Format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
CP.3 15 mm/T2.9	■	■	■
CP.3 18 mm/T2.9	■	■	■
CP.3 21 mm/T2.9	■	■	■
CP.3 25 mm/T2.1	■	■	■
CP.3 28 mm/T2.1	■	■	■
CP.3 35 mm/T2.1	■	■	■
CP.3 50 mm/T2.1	■	■	■
CP.3 85 mm/T2.1	■	■	■
CP.3 100 mm/T2.1 CF	■	■	■
CP.3 135 mm/T2.1	■	■	■



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	14' 1/4"	INF	10' 11 3/4"	INF	9' 10 1/2"	INF
30'	9' 8 1/2"	INF	8' 2 1/4"	INF	7' 6 3/4"	INF
15'	7' 5 1/4"	INF	6' 6 1/4"	INF	6' 1 1/2"	INF
10'	6' 1/4"	33' 3"	5' 5"	136' 9 1/4"	5' 1 3/4"	INF
8'	5' 3 1/4"	17' 8 3/4"	4' 9 3/4"	29' 4 1/4"	4' 7 1/4"	INF
6'	4' 4 1/4"	9' 11 3/4"	4' 1/2"	12' 8 1/2"	3' 10 3/4"	73' 7 1/2"
5'	3' 10"	7' 4 3/4"	3' 7"	8' 9"	3' 5 3/4"	19' 7 1/2"
4' 6"	3' 6 1/2"	6' 3 3/4"	3' 4"	7' 3"	3' 3"	13' 2 1/4"
4'	3' 2 3/4"	5' 4"	3' 3/4"	5' 11 1/2"	3'	9' 4 1/4"
3' 6"	2' 11"	4' 5 1/4"	2' 9 1/2"	4' 10 1/4"	2' 8 3/4"	6' 9 3/4"
3'	2' 7"	3' 7 1/2"	2' 5 3/4"	3' 10 3/4"	2' 5"	5'
1' 6"	1' 5"	1' 7 1/4"	1' 4 3/4"	1' 7 3/4"	1' 4 1/2"	1' 9"
1' 5"	1' 4"	1' 6"	1' 3 3/4"	1' 6 1/2"	1' 3 3/4"	1' 7 3/4"
1' 4"	1' 3 1/4"	1' 5"	1' 3"	1' 5 1/4"	1' 3"	1' 6 1/4"
1' 3"	1' 2 1/4"	1' 3 3/4"	1' 2 1/4"	1' 4"	1' 2"	1' 4 3/4"
1' 2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/4"	1' 2 3/4"	1' 1 1/4"	1' 3 1/2"
1' 1"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/2"	1' 2 1/4"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 1"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	7' 6 1/2"	INF	5' 2 3/4"	INF	3' 7"	INF
30'	6' 1 3/4"	INF	4' 6 1/2"	INF	3' 3 1/4"	INF
15'	5' 2"	INF	4' 1/4"	INF	3'	INF
10'	4' 5 3/4"	INF	3' 7"	INF	2' 9 1/4"	INF
8'	4' 3/4"	INF	3' 4"	INF	2' 7 1/2"	INF
6'	3' 6 1/4"	INF	2' 11 3/4"	INF	2' 5"	INF
5'	3' 2 1/4"	INF	2' 8 3/4"	INF	2' 3 1/4"	INF
4' 6"	8,00	947' 1 1/2"	11,00	INF	16,00	INF
4'	2' 9 1/4"	29' 6 1/2"	2' 5 1/4"	INF	2' 3/4"	INF
3' 6"	2' 6 1/2"	13' 2"	2' 3 1/4"	INF	1' 11 1/2"	INF
3'	2' 3 1/2"	7' 7"	2' 3/4"	21' 4 3/4"	1' 9 3/4"	INF
2' 9"	2' 1 3/4"	5' 11 3/4"	1' 11 1/2"	11' 10"	1' 8 3/4"	INF
2' 6"	2'	4' 9 1/4"	1' 10 1/4"	7' 8 1/2"	1' 7 3/4"	57' 2 1/2"
2' 3"	1' 10 1/4"	3' 9 3/4"	1' 8 3/4"	5' 5"	1' 6 3/4"	12' 11 1/4"
2'	1' 8 1/4"	3' 3/4"	1' 7"	3' 11 1/4"	1' 5 1/2"	6' 7"
1' 11"	1' 7 3/4"	2' 10 1/4"	1' 6 1/2"	3' 6 3/4"	1' 5"	5' 6 1/2"
1' 10"	1' 7"	2' 7 3/4"	1' 6"	3' 2 3/4"	1' 4 1/2"	4' 8 1/2"
1' 9"	1' 6 1/4"	2' 5 1/4"	1' 5 1/4"	2' 11 1/4"	1' 4"	4' 3/4"
1' 8"	1' 5 1/2"	2' 3 1/4"	1' 4 3/4"	2' 8"	1' 3 1/2"	3' 6 1/4"
1' 7"	1' 4 3/4"	2' 1"	1' 4"	2' 5"	1' 3"	3' 3/4"
1' 6"	1' 4 1/4"	1' 11 1/4"	1' 3 1/2"	2' 2 1/4"	1' 2 1/2"	2' 8 1/4"
1' 5"	1' 3 1/4"	1' 9 1/4"	1' 2 3/4"	1' 11 3/4"	1' 2"	2' 4 1/2"
1' 4"	1' 2 1/2"	1' 7 1/2"	1' 2"	1' 9 1/2"	1' 1 1/4"	2' 1"
1' 3"	1' 1 3/4"	1' 6"	1' 1 1/4"	1' 7 1/2"	1' 3/4"	1' 10"
1' 2"	1' 1"	1' 4 1/4"	1' 3/4"	1' 5 1/2"	1'	1' 7 1/2"
1' 1"	1' 1/4"	1' 2 3/4"	1'	1' 3 3/4"	11 1/2"	1' 5 1/4"
1'	11 1/4"	1' 1 1/2"	11"	1' 2"	10 3/4"	1' 3"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	2' 6 1/2"	INF
30'	2' 4 1/2"	INF
15'	2' 3"	INF
10'	2' 1 1/2"	INF
8'	2' 3/4"	INF
6'	1' 11 1/4"	INF
5'	1' 10"	INF
4' 6"	1' 9 1/2"	INF
4'	1' 8 3/4"	INF
3' 6"	1' 7 3/4"	INF
3'	1' 6 3/4"	INF
2' 9"	1' 6"	INF
2' 6"	1' 5 1/4"	INF
2' 3"	1' 4 1/2"	INF
2'	1' 3 1/2"	INF
1' 11"	1' 3 1/4"	34' 4 1/2"
1' 10"	1' 2 3/4"	15' 6 1/2"
1' 9"	1' 2 1/2"	9' 8 3/4"
1' 8"	1' 2"	6' 11"
1' 7"	1' 1 3/4"	5' 2 3/4"
1' 6"	1' 1 1/4"	4' 1 1/2"
1' 5"	1' 3/4"	3' 4 1/4"
1' 4"	1' 1/2"	2' 9 1/4"
1' 3"	1'	2' 3 3/4"
1' 2"	11 1/2"	1' 11 1/2"
1' 1"	10 3/4"	1' 7 3/4"
1'	10 1/4"	1' 5"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	20' 3 1/4"	INF	14' 10 3/4"	INF	11' 11"	INF
200'	18' 5 1/2"	INF	13' 11"	INF	11' 3 1/2"	INF
100'	16' 11 1/2"	INF	13' 1/2"	INF	10' 8 3/4"	INF
60'	15' 3 1/2"	INF	12' 1/2"	INF	10' 1/2"	INF
50'	14' 6 3/4"	INF	11' 7 1/4"	INF	9' 8 3/4"	INF
40'	13' 7 1/4"	INF	11'	INF	9' 3 3/4"	INF
30'	12' 3 1/4"	INF	10' 1 1/4"	INF	8' 8 1/4"	INF
25'	11' 4 1/2"	INF	9' 6"	INF	8' 2 3/4"	INF
20'	10' 3"	1558' 1"	8' 8 1/2"	INF	7' 7 3/4"	INF
19'	9' 11 3/4"	296' 9 1/2"	8' 6 1/4"	INF	7' 6"	INF
18'	9' 8 1/2"	156' 3"	8' 4"	INF	7' 4 1/4"	INF
17'	9' 5"	102' 2 1/4"	8' 1 1/2"	INF	7' 2 1/4"	INF
16'	9' 1 1/2"	73' 6 1/2"	7' 10 3/4"	INF	7'	INF
15'	8' 9 1/2"	55' 9 3/4"	7' 7 3/4"	230' 7 1/4"	6' 9 3/4"	INF
14'	8' 5 1/2"	43' 9 1/4"	7' 4 3/4"	107' 3 1/2"	6' 7 1/2"	INF
13'	8' 1"	35' 1/2"	7' 1 1/2"	66' 4 1/4"	6' 4 3/4"	INF
12'	7' 8 1/2"	28' 5"	6' 10"	45' 11"	6' 2"	INF
11'	7' 3 1/2"	23' 2 3/4"	6' 6"	33' 8"	5' 10 3/4"	INF
10'	6' 10 1/4"	19' 3/4"	6' 2"	25' 6"	5' 7 1/2"	344' 9 1/4"
9' 6"	6' 7 1/2"	17' 3 1/4"	5' 11 3/4"	22' 4 1/4"	5' 5 1/2"	116' 11"
9'	6' 4 1/2"	15' 7 1/2"	5' 9 1/4"	19' 8"	5' 3 3/4"	67' 5"
8' 6"	6' 1 3/4"	14' 1 3/4"	5' 7"	17' 4"	5' 1 3/4"	45' 9 1/4"
8'	5' 10 1/2"	12' 9 1/4"	5' 4 1/2"	15' 3 1/2"	4' 11 1/2"	33' 7 1/2"
7' 9"	5' 9"	12' 1 1/2"	5' 3"	14' 4 1/2"	4' 10 1/2"	29' 4 1/4"
7' 6"	5' 7 1/2"	11' 6"	5' 1 3/4"	13' 6"	4' 9 1/4"	25' 10 1/4"
7' 3"	5' 5 3/4"	10' 10 3/4"	5' 1/2"	12' 8 1/4"	4' 8 1/4"	22' 11"
7'	5' 4"	10' 4"	4' 11"	11' 10 3/4"	4' 7"	20' 5 1/2"
6' 9"	5' 2 1/4"	9' 9 1/4"	4' 9 1/2"	11' 2"	4' 5 3/4"	18' 3 3/4"
6' 6"	5' 3/4"	9' 3"	4' 8"	10' 5 3/4"	4' 4 1/2"	16' 5 3/4"
6' 3"	4' 10 3/4"	8' 8 3/4"	4' 6 1/2"	9' 9 3/4"	4' 3 1/4"	14' 10 1/4"
6'	4' 9"	8' 2 3/4"	4' 5"	9' 2 1/4"	4' 1 3/4"	13' 5 1/4"
5' 9"	4' 7 1/4"	7' 9"	4' 3 1/2"	8' 7"	4' 1/2"	12' 2"
5' 6"	4' 5 1/4"	7' 3 1/2"	4' 2"	8' 1/4"	3' 11"	11' 1/4"
5' 3"	4' 3 1/2"	6' 10 1/4"	4' 1/4"	7' 5 3/4"	3' 9 1/2"	10'
5'	8,00	6' 5"	11,00	6' 11 1/2"	16,00	9' 1"
4' 9"	3' 11 1/2"	6'	3' 8 3/4"	6' 5 1/2"	3' 6 1/2"	8' 2 3/4"
4' 6"	3' 9 1/2"	5' 7"	3' 7"	6'	3' 5"	7' 5 1/2"
4' 3"	3' 7 1/4"	5' 2 1/4"	3' 5 1/4"	5' 6 1/2"	3' 3 1/4"	6' 9"
4'	3' 5 1/4"	4' 9 3/4"	3' 3 1/4"	5' 1 1/4"	3' 1 1/2"	6' 1 1/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
3' 9"	3' 3"	4' 5 1/4"	3' 1 1/4"	4' 8 1/4"	2' 11 3/4"	5' 6"
3' 6"	3' 3/4"	4' 1"	2' 11 1/4"	4' 3 1/2"	2' 10"	4' 11 1/2"
3' 3"	2' 10 1/2"	3' 9"	2' 9 1/4"	3' 10 3/4"	2' 8"	4' 5 1/4"
3'	2' 8 1/4"	3' 4 3/4"	2' 7 1/4"	3' 6 1/2"	2' 6"	3' 11 1/2"
2' 9"	2' 6"	3' 1"	2' 5"	3' 2 1/4"	2' 4"	3' 6"
2' 6"	2' 3 1/2"	2' 9"	2' 2 3/4"	2' 10"	2' 2"	3' 1"
2' 3"	2' 1"	2' 5 1/2"	2' 1/2"	2' 6"	1' 11 3/4"	2' 8 1/4"
2'	1' 10 1/2"	2' 1 3/4"	1' 10"	2' 2 1/4"	1' 9 1/2"	2' 4"
1' 11"	1' 9 3/4"	2' 1/2"	1' 9 1/4"	2' 1"	1' 8 3/4"	2' 2 1/2"
1' 10"	1' 8 3/4"	1' 11 1/2"	1' 8 1/4"	1' 11 3/4"	1' 8"	2' 1"
1' 9"	1' 8"	1' 10 1/4"	1' 7 1/2"	1' 10 3/4"	1' 7 1/4"	1' 11 3/4"
1' 8"	1' 7"	1' 9"	1' 6 3/4"	1' 9 1/2"	1' 6 1/2"	1' 10 1/4"
1' 7"	1' 6 1/4"	1' 8"	1' 5 3/4"	1' 8 1/4"	1' 5 1/2"	1' 9"
1' 6"	1' 5 1/4"	1' 6 3/4"	1' 5"	1' 7"	1' 4 3/4"	1' 7 3/4"
1' 5"	1' 4 1/4"	1' 5 3/4"	1' 4 1/4"	1' 6"	1' 4"	1' 6 1/2"
1' 4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/4"	1' 4 3/4"	1' 3"	1' 5 1/4"
1' 3"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4"
1' 2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/4"	1' 2 3/4"
1' 1"	1' 3/4"	1' 1 1/4"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 1/2"	1' 1/2"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	9' 1"	INF	6' 6"	INF	4' 7"	INF
200'	8' 8 1/2"	INF	6' 3 3/4"	INF	4' 6"	INF
100'	8' 4 1/2"	INF	6' 1 3/4"	INF	4' 5"	INF
60'	7' 11 1/2"	INF	5' 11 1/4"	INF	4' 3 3/4"	INF
50'	7' 9 1/4"	INF	5' 10"	INF	4' 3"	INF
40'	7' 6"	INF	5' 8 1/4"	INF	4' 2 1/4"	INF
30'	7' 1 1/4"	INF	5' 5 1/4"	INF	4' 3/4"	INF
25'	6' 9 1/2"	INF	5' 3 1/4"	INF	3' 11 1/2"	INF
20'	6' 4 3/4"	INF	5' 1/2"	INF	3' 10"	INF
19'	6' 3 1/2"	INF	4' 11 3/4"	INF	3' 9 3/4"	INF
18'	6' 2 1/4"	INF	4' 11"	INF	3' 9 1/4"	INF
17'	6' 1"	INF	4' 10 1/4"	INF	3' 8 3/4"	INF
16'	5' 11 1/2"	INF	4' 9 1/4"	INF	3' 8 1/4"	INF
15'	5' 10"	INF	4' 8 1/4"	INF	3' 7 3/4"	INF
14'	5' 8 1/4"	INF	4' 7 1/4"	INF	3' 7"	INF
13'	5' 6 1/4"	INF	4' 6"	INF	3' 6 1/4"	INF
12'	5' 4 1/4"	INF	4' 4 1/2"	INF	3' 5 1/2"	INF
11'	5' 1 3/4"	INF	4' 3"	INF	3' 4 1/2"	INF
10'	4' 11 1/4"	INF	4' 1 1/4"	INF	3' 3 1/2"	INF
9' 6"	4' 9 3/4"	INF	4' 1/2"	INF	3' 3"	INF
9'	4' 8 1/2"	INF	3' 11 1/2"	INF	3' 2 1/4"	INF
8' 6"	4' 6 3/4"	INF	3' 10 1/4"	INF	3' 1 3/4"	INF
8'	4' 5 1/4"	INF	3' 9 1/4"	INF	3' 1"	INF
7' 9"	4' 4 1/4"	INF	3' 8 1/2"	INF	3' 1/2"	INF
7' 6"	4' 3 1/2"	INF	3' 8"	INF	3' 1/4"	INF
7' 3"	4' 2 1/2"	INF	3' 7 1/4"	INF	2' 11 3/4"	INF
7'	4' 1 1/2"	153' 2 1/4"	3' 6 1/2"	INF	2' 11 1/4"	INF
6' 9"	4' 1/2"	153' 1"	3' 6"	INF	2' 10 3/4"	INF
6' 6"	3' 11 1/2"	77' 9"	3' 5 1/4"	INF	2' 10 1/4"	INF
6' 3"	3' 10 1/2"	50' 9 1/4"	3' 4 1/2"	INF	2' 9 3/4"	INF
6'	3' 9 1/2"	36' 10 3/4"	3' 3 1/2"	INF	2' 9 1/4"	INF
5' 9"	3' 8 1/4"	28' 5 1/2"	3' 2 3/4"	INF	2' 8 3/4"	INF
5' 6"	3' 7"	22' 9 1/4"	3' 2"	INF	2' 8 1/4"	INF
5' 3"	3' 6"	18' 8 1/4"	3' 1"	INF	2' 7 1/2"	INF
5'	3' 4 3/4"	15' 7 1/4"	3'	240' 4 1/2"	2' 6 3/4"	INF
4' 9"	3' 3 1/4"	13' 2 1/2"	2' 11"	61' 2"	2' 6 1/4"	INF
4' 6"	3' 2"	11' 3 1/4"	2' 10"	33' 5 1/2"	2' 5 1/2"	INF
4' 3"	3' 1/2"	9' 8 1/4"	2' 9"	22' 2 3/4"	2' 4 1/2"	INF
4'	2' 11 1/4"	8' 4 1/2"	2' 7 3/4"	16' 1 1/2"	2' 3 3/4"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
3' 9"	2' 9 1/2"	7' 3"	2' 6 1/2"	12' 3 3/4"	2' 3"	396' 10"
3' 6"	2' 8"	6' 3 1/2"	2' 5 1/4"	9' 8 1/4"	2' 2"	38' 9 1/2"
3' 3"	2' 6 1/4"	5' 5 1/2"	2' 4"	7' 9 1/4"	2' 1"	19' 1/4"
3'	2' 4 3/4"	4' 8 3/4"	2' 2 1/2"	6' 4"	1' 11 3/4"	11' 11 1/4"
2' 9"	2' 2 3/4"	4' 1"	2' 1"	5' 2 1/4"	1' 10 3/4"	8' 3 1/2"
2' 6"	2' 1"	3' 6"	1' 11 1/4"	4' 3 1/4"	1' 9 1/4"	6' 1"
2' 3"	1' 11"	3'	1' 9 3/4"	3' 6"	1' 8"	4' 7"
2'	1' 9"	2' 6 1/2"	1' 7 3/4"	2' 10 1/2"	1' 6 1/2"	3' 6"
1' 11"	1' 8 1/4"	2' 4 3/4"	1' 7 1/4"	2' 8 1/4"	1' 6"	3' 2 1/2"
1' 10"	1' 7 1/2"	2' 3"	1' 6 1/2"	2' 6"	1' 5 1/2"	2' 11 1/4"
1' 9"	1' 6 3/4"	2' 1 1/2"	1' 6"	2' 4"	1' 4 3/4"	2' 8 1/2"
1' 8"	1' 6"	1' 11 3/4"	1' 5 1/4"	2' 2"	1' 4 1/4"	2' 5 3/4"
1' 7"	1' 5 1/4"	1' 10 1/4"	1' 4 1/2"	2'	1' 3 3/4"	2' 3 1/4"
1' 6"	1' 4 1/2"	1' 8 3/4"	1' 3 3/4"	1' 10 1/4"	1' 3"	2' 3/4"
1' 5"	1' 3 3/4"	1' 7 1/2"	1' 3 1/4"	1' 8 3/4"	1' 2 1/2"	1' 10 3/4"
1' 4"	1' 2 3/4"	1' 6"	1' 2 1/2"	1' 7"	1' 1 3/4"	1' 8 3/4"
1' 3"	1' 2"	1' 4 3/4"	1' 1 3/4"	1' 5 1/2"	1' 1 1/4"	1' 6 3/4"
1' 2"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 4"	1' 1/2"	1' 5"
1' 1"	1' 1/4"	1' 2"	1'	1' 2 1/2"	11 3/4"	1' 3 1/4"
1'	11 1/2"	1' 3/4"	11 1/4"	1' 1 1/4"	11"	1' 1 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	3' 3 1/4"	INF
200'	3' 2 3/4"	INF
100'	3' 2 1/4"	INF
60'	3' 1 1/2"	INF
50'	3' 1 1/4"	INF
40'	3' 3/4"	INF
30'	3'	INF
25'	2' 11 1/2"	INF
20'	2' 10 3/4"	INF
19'	2' 10 1/2"	INF
18'	2' 10 1/4"	INF
17'	2' 10"	INF
16'	2' 9 3/4"	INF
15'	2' 9 1/2"	INF
14'	2' 9"	INF
13'	2' 8 3/4"	INF
12'	2' 8 1/4"	INF
11'	2' 7 3/4"	INF
10'	2' 7"	INF
9' 6"	2' 6 3/4"	INF
9'	2' 6 1/2"	INF
8' 6"	2' 6"	INF
8'	2' 5 1/2"	INF
7' 9"	2' 5 1/4"	INF
7' 6"	2' 5"	INF
7' 3"	2' 4 3/4"	INF
7'	2' 4 1/2"	INF
6' 9"	2' 4 1/4"	INF
6' 6"	2' 4"	INF
6' 3"	2' 3 3/4"	INF
6'	2' 3 1/4"	INF
5' 9"	2' 3"	INF
5' 6"	2' 2 1/2"	INF
5' 3"	2' 2 1/4"	INF
5'	2' 1 3/4"	INF
4' 9"	2' 1 1/4"	INF
4' 6"	2' 3/4"	INF
4' 3"	2' 1/4"	INF
4'	1' 11 3/4"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
3' 9"	1' 11"	INF
3' 6"	1' 10 1/2"	INF
3' 3"	1' 9 3/4"	INF
3'	1' 9"	INF
2' 9"	1' 8"	68' 9 1/4"
2' 6"	1' 7"	16' 1 1/4"
2' 3"	1' 6"	8' 4"
2'	1' 5"	5' 2 1/2"
1' 11"	1' 4 1/2"	4' 6 1/2"
1' 10"	1' 4"	4'
1' 9"	1' 3 1/2"	3' 6 1/4"
1' 8"	1' 3 1/4"	3' 1 1/2"
1' 7"	1' 2 3/4"	2' 9 1/4"
1' 6"	1' 2 1/4"	2' 5 3/4"
1' 5"	1' 1 1/2"	2' 2 1/2"
1' 4"	1' 1"	1' 11 1/2"
1' 3"	1' 1/2"	1' 9"
1' 2"	1'	1' 6 3/4"
1' 1"	11 1/4"	1' 4 1/2"
1'	10 1/2"	1' 2 3/4"

COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	27' 5 1/4"	INF	22' 11 3/4"	INF	23' 7 1/2"	INF
30'	14' 6"	INF	13' 2 1/4"	INF	13' 4 3/4"	INF
15'	9' 10 1/4"	32' 3 3/4"	9' 3"	50' 1 3/4"	9' 4"	INF
10'	7' 5 1/2"	15' 4 1/4"	7' 1 1/2"	18' 4 1/2"	7' 2"	61' 7 1/4"
8'	6' 3 3/4"	11' 1/4"	6' 3/4"	12' 5 1/2"	6' 1 1/4"	23' 4 1/2"
6'	5' 1/4"	7' 6"	4' 10 1/2"	8' 1 1/4"	4' 10 3/4"	11' 6"
5'	4' 3 3/4"	5' 11 1/2"	4' 2 1/2"	6' 4"	4' 2 3/4"	8' 2"
4' 6"	3' 11 1/2"	5' 3"	3' 10 1/4"	5' 6 1/2"	3' 10 1/2"	6' 10 1/4"
4'	3' 6 3/4"	4' 6 3/4"	3' 6"	4' 9 1/4"	3' 6"	5' 8 1/2"
3' 6"	3' 2"	3' 11"	3' 1 1/2"	4' 3/4"	3' 1 1/2"	4' 8 1/4"
2' 9"	2' 6 3/4"	2' 11 3/4"	2' 6 1/4"	3' 3/4"	2' 6 1/4"	3' 4 1/2"
2' 6"	2' 4"	2' 8 1/4"	2' 3 3/4"	2' 9"	2' 3 3/4"	3'
2' 3"	2' 1 1/2"	2' 4 3/4"	2' 1 1/4"	2' 5 1/4"	2' 1 1/4"	2' 7 1/2"
1' 11"	1' 10"	2' 1/4"	1' 9 3/4"	2' 1/2"	1' 9 3/4"	2' 2"
1' 10"	1' 9"	1' 11"	1' 9"	1' 11 1/4"	1' 9"	2' 3/4"
1' 9"	1' 8 1/4"	1' 10"	1' 8"	1' 10 1/4"	1' 8"	1' 11 1/4"
1' 8"	1' 7 1/4"	1' 8 3/4"	1' 7 1/4"	1' 9"	1' 7 1/4"	1' 10"
1' 7"	1' 6 1/4"	1' 7 3/4"	1' 6 1/4"	1' 8"	1' 6 1/4"	1' 8 3/4"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/4"	1' 6 3/4"	1' 5 1/4"	1' 7 1/2"
1' 5"	1' 4 1/2"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"	1' 4 1/2"	1' 6 1/4"
1' 4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 5"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 4"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 3/4"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/4"
10"	10"	10"	10"	10 1/4"	10"	10 1/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	19' 6"	INF	12' 10 1/2"	INF	8' 1 3/4"	INF
30'	11' 11 3/4"	INF	9' 1 3/4"	INF	6' 6 1/4"	INF
15'	8' 7 3/4"	INF	7' 1 1/4"	INF	5' 5 1/4"	INF
10'	6' 9 1/4"	INF	5' 9 1/2"	INF	4' 8"	INF
8'	5' 9 3/4"	INF	5' 1 1/4"	INF	4' 2 1/2"	INF
6'	4' 8 1/2"	22' 5 1/2"	4' 3"	INF	3' 7 1/2"	INF
5'	4' 1"	12' 4 1/4"	3' 8 3/4"	29' 2 1/2"	3' 3 1/4"	INF
4' 6"	3' 9"	9' 6"	3' 5 1/2"	16' 10 1/4"	3' 3/4"	INF
4'	3' 5"	7' 4 1/2"	3' 2"	11' 1/4"	2' 10"	29' 7"
3' 6"	3' 3/4"	5' 8 3/4"	2' 10 1/2"	7' 7 3/4"	2' 7"	13' 2 1/2"
2' 9"	2' 5 3/4"	3' 10 1/4"	2' 4 1/4"	4' 7"	2' 2 1/4"	6'
2' 6"	2' 3 1/2"	3' 4 1/4"	2' 2 1/4"	3' 10 1/4"	2' 1/2"	4' 9 1/4"
2' 3"	2' 1"	2' 10 1/2"	2'	3' 2 3/4"	1' 10 1/2"	3' 10"
1' 11"	1' 9 1/2"	2' 3 3/4"	1' 9"	2' 6 1/4"	1' 7 3/4"	2' 10 1/4"
1' 10"	1' 8 3/4"	2' 2 1/4"	1' 8"	2' 4 1/2"	1' 7 1/4"	2' 7 3/4"
1' 9"	1' 7 3/4"	2' 3/4"	1' 7 1/4"	2' 2 3/4"	1' 6 1/2"	2' 5 1/2"
1' 8"	1' 7"	1' 11 1/4"	1' 6 1/2"	2' 1"	1' 5 3/4"	2' 3 1/4"
1' 7"	1' 6"	1' 9 3/4"	1' 5 3/4"	1' 11 1/4"	1' 5"	2' 1 1/4"
1' 6"	1' 5 1/4"	1' 8 1/2"	1' 4 3/4"	1' 9 1/2"	1' 4 1/4"	1' 11 1/4"
1' 5"	1' 4 1/4"	1' 7"	1' 4"	1' 8"	1' 3 1/2"	1' 9 1/4"
1' 4"	1' 3 1/2"	1' 5 3/4"	1' 3 1/4"	1' 6 1/2"	1' 2 3/4"	1' 7 1/2"
1' 3"	1' 2 1/2"	1' 4 1/2"	1' 2 1/4"	1' 5"	1' 2"	1' 6"
1' 2"	1' 1 1/2"	1' 3 1/4"	1' 1 1/2"	1' 3 3/4"	1' 1"	1' 4 1/4"
1' 1"	1' 3/4"	1' 2"	1' 1/2"	1' 2 1/4"	1' 1/4"	1' 2 3/4"
1'	11 3/4"	1' 3/4"	11 1/2"	1' 1"	11 1/2"	1' 1 1/2"
11"	10 3/4"	11 1/2"	10 3/4"	11 3/4"	10 1/2"	1'
10"	9 3/4"	10 1/2"	9 3/4"	10 1/2"	9 3/4"	10 3/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	5' 4"	INF
30'	4' 7 1/2"	INF
15'	4' 3/4"	INF
10'	3' 7 3/4"	INF
8'	3' 4 1/2"	INF
6'	3'	INF
5'	2' 9"	INF
4'6	2' 7 1/4"	INF
4'	2' 5 1/2"	INF
3'6	2' 3 1/4"	INF
3'	1' 11 3/4"	10' 8"
2'9	1' 10 1/4"	7' 2 3/4"
2'6	1' 8 3/4"	5' 2 1/4"
2'3	1' 6 1/2"	3' 5 3/4"
2'	1' 6"	3' 2"
23"	1' 5 1/4"	2' 10 1/2"
22"	1' 4 3/4"	2' 7 1/2"
21"	1' 4"	2' 4 1/2"
20"	1' 3 1/2"	2' 2"
19"	1' 2 3/4"	1' 11 1/2"
18"	1' 2"	1' 9 1/4"
17"	1' 1 1/4"	1' 7 1/4"
16"	1' 1/2"	1' 5 1/2"
15"	11 3/4"	1' 3 3/4"
14"	11"	1' 2"
13"	10 1/4"	1' 1/2"
12"	9 1/2"	11"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	55' 7 1/2"	INF	51' 3 3/4"	INF	38' 3 3/4"	INF
40'	23' 5"	156' 7 3/4"	22' 7 1/2"	INF	19' 8 1/2"	INF
20'	14' 10"	31' 7"	14' 6 1/4"	46' 7 1/2"	13' 3 1/4"	124' 4 1/2"
13'	10' 7 1/2"	16' 11 3/4"	10' 5 1/2"	20' 5 3/4"	9' 9 3/4"	28' 1/2"
10'	8' 6 3/4"	12' 2"	8' 5 1/2"	13' 10"	8' 1/4"	16' 10 1/4"
8'	7' 3/4"	9' 3 3/4"	7'	10' 2 3/4"	6' 8 1/2"	11' 9 1/4"
7'	6' 3 1/4"	7' 11 1/2"	6' 2 3/4"	8' 7 1/2"	6'	9' 8 1/4"
6'	5' 5 1/2"	6' 8 1/4"	5' 5"	7' 1 1/2"	5' 3"	7' 10"
5'	4' 7 1/2"	5' 5 1/2"	4' 7 1/4"	5' 9"	4' 5 3/4"	6' 2 1/4"
4' 6"	4' 2 1/2"	4' 10 1/4"	4' 2 1/4"	5' 1"	4' 1"	5' 5"
4'	3' 9 1/4"	4' 3 1/4"	3' 9"	4' 5 1/4"	3' 8"	4' 8 1/4"
3' 6"	3' 4"	3' 8 1/2"	3' 3 3/4"	3' 10"	3' 3"	4'
3' 3"	3' 1 1/4"	3' 5"	3' 1"	3' 6 1/4"	3' 1/2"	3' 8"
3'	2' 10 1/2"	3' 1 3/4"	2' 10 1/4"	3' 2 3/4"	2' 9 3/4"	3' 4 1/4"
2' 9"	2' 7 3/4"	2' 10 1/2"	2' 7 3/4"	2' 11 1/4"	2' 7 1/4"	3' 1/2"
2' 6"	2' 5"	2' 7 1/4"	2' 5"	2' 7 3/4"	2' 4 1/2"	2' 8 3/4"
2' 3"	2' 2 1/4"	2' 4"	2' 2 1/4"	2' 4 1/2"	2' 1 3/4"	2' 5"
2'	1' 11 1/2"	2' 3/4"	1' 11 1/4"	2' 1"	1' 11 1/4"	2' 1 1/2"
1' 11"	1' 10 1/2"	1' 11 1/2"	1' 10 1/2"	2'	1' 10 1/4"	2' 1/2"
1' 10"	1' 9 1/2"	1' 10 1/2"	1' 9 1/2"	1' 10 3/4"	1' 9 1/4"	1' 11 1/4"
1' 9"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 9 3/4"	1' 8 1/4"	1' 10 1/4"
1' 8"	1' 7 1/2"	1' 8 1/2"	1' 7 1/2"	1' 8 3/4"	1' 7 1/2"	1' 9"
1' 7"	1' 6 3/4"	1' 7 1/2"	1' 6 1/2"	1' 7 1/2"	1' 6 1/2"	1' 8"
1' 6"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"
1' 5"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"
1' 4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 1/2"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"
1'	1'	1'	1'	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11"	11"	11 1/4"	11"	11 1/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	26' 2"	INF	17' 7 1/2"	INF	11' 11 3/4"	INF
40'	15' 11 1/2"	INF	12' 4 1/2"	INF	9' 4"	INF
20'	11' 5 3/4"	INF	9' 6 1/4"	INF	7' 7 1/2"	INF
13'	8' 9 3/4"	50' 9 1/2"	7' 7 1/2"	INF	6' 4 1/2"	INF
10'	7' 4 1/4"	22' 11 1/4"	6' 6 1/4"	44' 3 1/4"	5' 7 1/4"	INF
8'	6' 2 3/4"	14' 4 3/4"	5' 7 1/2"	20' 5 3/4"	4' 11 1/4"	49' 7 1/2"
7'	5' 7 1/2"	11' 4 1/2"	5' 1 1/2"	14' 9 3/4"	4' 6 3/4"	25' 6"
6'	4' 11 3/4"	8' 10 1/2"	4' 7"	10' 9 3/4"	4' 1 1/2"	15' 5 3/4"
5'	4' 3 1/4"	6' 9 1/2"	4'	7' 10 1/4"	3' 7 3/4"	9' 11 3/4"
4' 6"	3' 11"	5' 10 1/2"	3' 8 1/4"	6' 7 1/2"	3' 4 3/4"	8' 1"
4'	3' 6 1/2"	5' 1/4"	3' 4 1/4"	5' 6 3/4"	3' 1 1/4"	6' 6 1/4"
3' 6"	3' 1 3/4"	4' 3"	3'	4' 7 1/4"	2' 9 3/4"	5' 2 3/4"
3' 3"	2' 11 1/4"	3' 10 1/2"	2' 9 3/4"	4' 2"	2' 7 3/4"	4' 7 3/4"
3'	2' 9"	3' 6"	2' 7 3/4"	3' 9"	2' 6"	4' 1 1/2"
2' 9"	2' 6 1/2"	3' 2"	2' 5 1/4"	3' 4 1/4"	2' 4"	3' 7 3/4"
2' 6"	2' 4"	2' 10"	2' 3"	2' 11 3/4"	2' 1 3/4"	3' 2 1/4"
2' 3"	2' 1 1/4"	2' 6"	2' 3/4"	2' 7 1/4"	1' 11 3/4"	2' 9 1/4"
2'	1' 10 3/4"	2' 2 1/4"	1' 10 1/4"	2' 3 1/4"	1' 9 1/2"	2' 4 3/4"
1' 11"	1' 9 3/4"	2' 1"	1' 9 1/4"	2' 1 3/4"	1' 8 3/4"	2' 3 1/4"
1' 10"	1' 9"	1' 11 3/4"	1' 8 1/2"	2' 1/2"	1' 7 3/4"	2' 1 3/4"
1' 9"	1' 8"	1' 10 1/2"	1' 7 3/4"	1' 11 1/4"	1' 7"	2' 1/4"
1' 8"	1' 7 1/4"	1' 9 1/2"	1' 6 3/4"	1' 10"	1' 6 1/4"	1' 10 3/4"
1' 7"	1' 6 1/4"	1' 8 1/4"	1' 6"	1' 8 3/4"	1' 5 1/2"	1' 9 1/2"
1' 6"	1' 5 1/4"	1' 7"	1' 5"	1' 7 1/2"	1' 4 3/4"	1' 8 1/4"
1' 5"	1' 4 1/2"	1' 6"	1' 4 1/4"	1' 6 1/4"	1' 3 3/4"	1' 6 3/4"
1' 4"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5"	1' 3"	1' 5 1/2"
1' 3"	1' 2 1/2"	1' 3 3/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/4"
1' 2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"
1' 1"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	8' 3"	INF	5' 9 1/4"	INF
40'	6' 11 1/4"	INF	5' 1 1/4"	INF
20'	5' 11 1/2"	INF	4' 7"	INF
13'	5' 2 1/4"	INF	4' 1 1/2"	INF
10'	4' 8"	INF	3' 9 1/2"	INF
8'	4' 2 1/2"	INF	3' 6"	INF
7'	3' 11 1/4"	INF	3' 3 3/4"	INF
6'	3' 7 1/2"	40' 2 1/4"	3' 1 1/4"	INF
5'	3' 3"	16' 3 3/4"	2' 10"	203' 7 3/4"
4' 6"	3' 1/2"	11' 8 1/4"	2' 8 1/4"	33' 3 3/4"
4'	2' 10"	8' 7 1/2"	2' 6"	16' 3 1/2"
3' 6"	2' 7"	6' 5 1/2"	2' 3 3/4"	9' 10"
3' 3"	2' 5 1/2"	5' 7 1/4"	2' 2 3/4"	7' 11"
3'	2' 3 3/4"	4' 10"	2' 1 1/4"	6' 5 1/4"
2' 9"	2' 2"	4' 2"	2'	5' 3 1/2"
2' 6"	2' 1/4"	3' 7"	1' 10 1/2"	4' 4 1/4"
2' 3"	1' 10 1/2"	3' 3/4"	1' 8 3/4"	3' 6 3/4"
2'	1' 8 1/2"	2' 7"	1' 7 1/4"	2' 11"
1' 11"	1' 7 3/4"	2' 5 1/4"	1' 6 1/2"	2' 8 3/4"
1' 10"	1' 7"	2' 3 1/2"	1' 6"	2' 6 1/2"
1' 9"	1' 6 1/4"	2' 1 3/4"	1' 5 1/2"	2' 4 1/2"
1' 8"	1' 5 1/2"	2' 1/4"	1' 4 3/4"	2' 2 1/2"
1' 7"	1' 4 3/4"	1' 10 3/4"	1' 4"	2' 1/2"
1' 6"	1' 4"	1' 9 1/4"	1' 3 1/2"	1' 10 3/4"
1' 5"	1' 3 1/4"	1' 7 3/4"	1' 2 3/4"	1' 9"
1' 4"	1' 2 1/2"	1' 6 1/4"	1' 2"	1' 7 1/4"
1' 3"	1' 1 3/4"	1' 4 3/4"	1' 1 1/4"	1' 5 3/4"
1' 2"	1' 1"	1' 3 1/2"	1' 1/2"	1' 4 1/4"
1' 1"	1' 1/4"	1' 2 1/4"	11 3/4"	1' 2 3/4"
1'	11 1/4"	1' 1"	11"	1' 1 1/2"
11"	10 1/2"	11 3/4"	10 1/4"	1'



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	68' 3 1/2"	INF	38' 6 3/4"	INF	46' 1/4"	INF
30'	20' 11 3/4"	53' 3/4"	17' 1/4"	46' 10 3/4"	18' 3 3/4"	INF
15'	12' 4 3/4"	19' 3/4"	10' 11"	18' 2 1/2"	11' 5"	28' 2 1/4"
10'	8' 9 1/2"	11' 7 1/4"	8' 1/2"	11' 3 3/4"	8' 3 3/4"	14' 4 3/4"
8'	7' 2 1/2"	8' 11 3/4"	6' 8 1/2"	8' 9 1/2"	6' 10 3/4"	10' 6 1/4"
6'	5' 6 3/4"	6' 6 1/4"	5' 3 1/4"	6' 5"	5' 4 1/2"	7' 3 1/4"
5'	4' 8 1/4"	5' 4 1/4"	4' 5 3/4"	5' 3 1/2"	4' 6 3/4"	5' 10"
4'6	4' 3"	4' 9 1/4"	4' 1"	4' 8 3/4"	4' 1 3/4"	5' 1 3/4"
4'	3' 9 3/4"	4' 2 1/2"	3' 8"	4' 2"	3' 8 3/4"	4' 6"
3'6	3' 4 1/4"	3' 8"	3' 3"	3' 7 1/2"	3' 3 1/2"	3' 10 1/2"
3'	2' 10 3/4"	3' 1 1/4"	2' 10"	3' 1"	2' 10 1/4"	3' 3"
2'9	2' 8"	2' 10"	2' 7 1/4"	2' 10"	2' 7 1/2"	2' 11 1/2"
2'6	2' 5 1/4"	2' 7"	2' 4 1/2"	2' 6 3/4"	2' 4 3/4"	2' 8"
2'3	2' 2 1/4"	2' 3 3/4"	2' 2"	2' 3 1/2"	2' 2"	2' 4 1/2"
2'	1' 11 1/2"	2' 1/2"	1' 11 1/4"	2' 1/2"	1' 11 1/4"	2' 1 1/4"
23"	1' 10 1/2"	1' 11 1/2"	1' 10 1/4"	1' 11 1/2"	1' 10 1/4"	2'
22"	1' 9 1/2"	1' 10 1/2"	1' 9 1/4"	1' 10 1/4"	1' 9 1/2"	1' 11"
21"	1' 8 3/4"	1' 9 1/2"	1' 8 1/2"	1' 9 1/4"	1' 8 1/2"	1' 9 3/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 1/2"	1' 8 1/4"	1' 7 1/2"	1' 8 3/4"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 1/2"	1' 7 1/4"	1' 6 1/2"	1' 7 3/4"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 1/2"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
15"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"
14"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2"	1' 1 3/4"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 3/4"	1' 1"	1' 3/4"	1' 1 1/4"
12"	1'	1'	11 3/4"	1'	1'	1' 1/4"
11"	11"	11"	11"	11"	11"	11 1/4"
10"	10"	10"	10"	10"	10"	10"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	4		5,6		11	
feet	from	to	from	to	from	to
INF	49' 10"	INF	35' 7 3/4"	INF	21' 9 1/4"	INF
30'	18' 10 1/4"	INF	16' 5 1/4"	INF	12' 9"	INF
15'	11' 7 1/2"	84' 11 1/2"	10' 8 1/4"	INF	9' 1/4"	INF
10'	8' 5"	21' 7 1/4"	7' 11"	43' 1 1/2"	6' 11 3/4"	INF
8'	6' 11 1/2"	13' 10 1/4"	6' 7 1/2"	20' 2 3/4"	5' 11 1/2"	42' 6 1/2"
6'	5' 5"	8' 8"	5' 2 1/2"	10' 8 3/4"	4' 9 3/4"	14' 8 1/2"
5'	4' 7"	6' 8 1/4"	4' 5 1/4"	7' 9 3/4"	4' 1 3/4"	9' 8"
4'6	4' 2"	5' 9 1/2"	4' 1/2"	6' 7 1/4"	3' 9 3/4"	7' 10 1/4"
4'	3' 9"	4' 11 1/2"	3' 7 3/4"	5' 6 1/2"	3' 5 1/2"	6' 4 1/2"
3'6	3' 3 3/4"	4' 2 1/4"	3' 2 3/4"	4' 7"	3' 1"	5' 1 1/2"
3'	2' 10 1/4"	3' 5 3/4"	2' 9 3/4"	3' 8 3/4"	2' 8 1/4"	4' 1"
2'9	2' 7 1/2"	3' 1 3/4"	2' 7"	3' 4"	2' 6"	3' 7 1/4"
2'6	2' 4 3/4"	2' 9 3/4"	2' 4 1/2"	2' 11 1/2"	2' 3 1/2"	3' 2"
2'3	2' 2"	2' 5 3/4"	2' 1 3/4"	2' 7 1/4"	2' 1"	2' 9"
2'	1' 11 1/4"	2' 2"	1' 11"	2' 3 1/4"	1' 10 1/2"	2' 4 1/2"
23"	1' 10 1/2"	2' 1"	1' 10 1/4"	2' 1 3/4"	1' 9 3/4"	2' 3"
22"	1' 9 1/2"	1' 11 3/4"	1' 9 1/4"	2' 1/2"	1' 8 3/4"	2' 1 1/2"
21"	1' 8 1/2"	1' 10 1/2"	1' 8 1/4"	1' 11 1/4"	1' 8"	2'
20"	1' 7 1/2"	1' 9 1/4"	1' 7 1/2"	1' 10"	1' 7"	1' 10 3/4"
19"	1' 6 1/2"	1' 8 1/4"	1' 6 1/2"	1' 8 3/4"	1' 6 1/4"	1' 9 1/4"
18"	1' 5 3/4"	1' 7"	1' 5 1/2"	1' 7 1/2"	1' 5 1/4"	1' 8"
17"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6 1/4"	1' 4 1/4"	1' 6 3/4"
16"	1' 3 3/4"	1' 4 3/4"	1' 3 3/4"	1' 5"	1' 3 1/2"	1' 5 1/2"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 4"	1' 2 1/2"	1' 4 1/4"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 3/4"	1' 1 1/2"	1' 3"
13"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 3/4"
12"	1'	1' 1/4"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"
11"	11"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
10"	10"	10 1/4"	10"	10 1/4"	9 3/4"	10 1/4"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	13' 4 3/4"	INF	8' 7 1/2"	INF
30'	9' 4 3/4"	INF	6' 9 3/4"	INF
15'	7' 2 3/4"	INF	5' 7 1/2"	INF
10'	5' 10 1/2"	INF	4' 9 1/2"	INF
8'	5' 1 3/4"	INF	4' 3 1/2"	INF
6'	4' 3 1/4"	28' 3 1/2"	3' 8 1/4"	INF
5'	3' 9"	13' 11 1/2"	3' 3 3/4"	36' 10 1/4"
4'6"	3' 5 3/4"	10' 5 1/4"	3' 1"	19' 3"
4'	3' 2 1/4"	7' 11 1/4"	2' 10 1/4"	12' 1/2"
3'6"	2' 10 1/2"	6' 3/4"	2' 7 1/4"	8' 1 3/4"
3'	2' 6 1/2"	4' 7 1/2"	2' 4"	5' 8 1/4"
2'9"	2' 4 1/4"	4' 1/4"	2' 2 1/4"	4' 9 1/4"
2'6"	2' 2 1/4"	3' 5 1/2"	2' 1/2"	4'
2'3"	2'	2' 11 3/4"	1' 10 1/2"	3' 4"
2'	1' 9 3/4"	2' 6 1/4"	1' 8 1/2"	2' 9 1/4"
23"	1' 9"	2' 4 1/2"	1' 7 3/4"	2' 7 1/4"
22"	1' 8"	2' 3"	1' 7 1/4"	2' 5 1/4"
21"	1' 7 1/4"	2' 1 1/4"	1' 6 1/2"	2' 3 1/4"
20"	1' 6 1/2"	1' 11 3/4"	1' 5 3/4"	2' 1 1/2"
19"	1' 5 3/4"	1' 10 1/4"	1' 5"	1' 11 3/4"
18"	1' 4 3/4"	1' 8 3/4"	1' 4 1/4"	1' 10"
17"	1' 4"	1' 7 1/2"	1' 3 1/2"	1' 8 1/2"
16"	1' 3"	1' 6"	1' 2 3/4"	1' 6 3/4"
15"	1' 2 1/4"	1' 4 3/4"	1' 1 3/4"	1' 5 1/4"
14"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 4"
13"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/2"
12"	11 1/2"	1' 3/4"	11 1/4"	1' 1 1/4"
11"	10 3/4"	11 3/4"	10 1/2"	1'
10"	9 3/4"	10 1/2"	9 3/4"	10 3/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	107' 5"	INF	133' 11 1/4"	INF	122' 10 1/4"	INF
50'	34' 3"	93' 1"	36' 6 1/4"	364' 4"	35' 7 3/4"	INF
25'	20' 4 1/2"	32' 5"	21' 1 3/4"	43' 6 1/2"	20' 10 1/4"	74' 4 1/2"
15'	13' 2 3/4"	17' 4"	13' 6 1/2"	20' 1/2"	13' 5"	24' 7 3/4"
10'	9' 2 1/4"	10' 11 1/2"	9' 4"	11' 11 1/2"	9' 3 1/2"	13' 5 1/4"
8'	7' 5 3/4"	8' 7 1/4"	7' 7"	9' 2 1/4"	7' 6 1/2"	10' 1/4"
7'	6' 7 1/4"	7' 5 1/4"	6' 8 1/4"	7' 10 1/2"	6' 7 3/4"	8' 5 3/4"
6'	5' 8 1/2"	6' 3 3/4"	5' 9 1/4"	6' 7 1/2"	5' 9"	7' 1/4"
5'	4' 9 3/4"	5' 2 1/2"	4' 10"	5' 5"	4' 10"	5' 8 1/4"
4'6	4' 4"	4' 8"	4' 4 1/2"	4' 10"	4' 4 1/4"	5' 1/2"
4'	3' 10 1/2"	4' 1 1/2"	3' 10 3/4"	4' 3"	3' 10 3/4"	4' 5"
3'9	3' 7 3/4"	3' 10 1/2"	3' 8"	3' 11 1/2"	3' 7 3/4"	4' 1 1/4"
3'6	3' 5"	3' 7 1/4"	3' 5"	3' 8 1/4"	3' 5"	3' 9 1/2"
3'3	3' 2"	3' 4"	3' 2 1/4"	3' 5"	3' 2 1/4"	3' 6"
3'	2' 11 1/4"	3' 3/4"	2' 11 1/4"	3' 1 1/2"	2' 11 1/4"	3' 2 1/2"
2'9	2' 8 1/4"	2' 9 3/4"	2' 8 1/2"	2' 10 1/4"	2' 8 1/2"	2' 11"
2'6	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 7"	2' 5 1/2"	2' 7 3/4"
2'3	2' 2 1/2"	2' 3 1/2"	2' 2 3/4"	2' 3 3/4"	2' 2 1/2"	2' 4 1/4"
2'	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 1"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"	1' 10 3/4"	1' 11 3/4"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 10 3/4"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 1/2"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 5"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 4"	1' 4"	1' 4"	1' 4 1/4"	1' 4"	1' 4 1/4"
15"	1' 3"	1' 3"	1' 3"	1' 3 1/4"	1' 3"	1' 3 1/4"
14"	1' 2"	1' 2"	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 1"	1' 1"	1' 1"	1' 1 1/4"
12"	1'	1'	1'	1'	1'	1' 1/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	82' 7"	INF	49' 5 3/4"	INF	29' 9"	INF
50'	31' 3 1/4"	INF	25'	INF	18' 9 1/2"	INF
25'	19' 3 1/2"	345' 8 3/4"	16' 8 3/4"	INF	13' 8 3/4"	INF
15'	12' 9 1/4"	33' 1 1/2"	11' 7 1/4"	55' 10"	10' 1 1/4"	INF
10'	8' 11 3/4"	15' 6 1/2"	8' 4 3/4"	19' 1 1/2"	7' 7 1/4"	26' 11 1/4"
8'	7' 4"	11' 1 1/2"	6' 11 1/2"	12' 9 3/4"	6' 4 3/4"	15' 10"
7'	6' 6"	9' 3"	6' 2 1/4"	10' 4 1/4"	5' 9"	12' 2 3/4"
6'	5' 7 1/2"	7' 6 1/2"	5' 4 3/4"	8' 3 1/4"	5' 1"	9' 4 3/4"
5'	4' 9"	6'	4' 7"	6' 5 1/4"	4' 4 1/4"	7' 1"
4'6	4' 3 1/2"	5' 3 1/4"	4' 2"	5' 7 1/4"	3' 11 3/4"	6' 1"
4'	3' 10"	4' 7"	3' 8 3/4"	4' 10"	3' 7"	5' 2"
3'9	3' 7 1/4"	4' 3"	3' 6 1/4"	4' 5 1/2"	3' 4 3/4"	4' 9"
3'6	3' 4 1/2"	3' 11 1/4"	3' 3 3/4"	4' 1 1/4"	3' 2 1/4"	4' 4"
3'3	3' 1 3/4"	3' 7 1/4"	3' 1"	3' 9"	2' 11 3/4"	3' 11 1/2"
3'	2' 11"	3' 3 1/2"	2' 10 1/4"	3' 5"	2' 9 1/4"	3' 7"
2'9	2' 8 1/4"	3'	2' 7 1/2"	3' 1"	2' 6 3/4"	3' 2 1/2"
2'6	2' 5 1/4"	2' 8 1/4"	2' 4 3/4"	2' 9 1/4"	2' 4 1/4"	2' 10 1/2"
2'3	2' 2 1/2"	2' 4 3/4"	2' 2"	2' 5 1/2"	2' 1 1/2"	2' 6 1/4"
2'	1' 11 1/2"	2' 1 1/4"	1' 11 1/4"	2' 1 3/4"	1' 11"	2' 2 1/2"
23"	1' 10 1/2"	2' 1/4"	1' 10 1/2"	2' 3/4"	1' 10"	2' 1 1/4"
22"	1' 9 3/4"	1' 11"	1' 9 1/2"	1' 11 1/2"	1' 9"	2'
21"	1' 8 3/4"	1' 10"	1' 8 1/2"	1' 10 1/4"	1' 8 1/4"	1' 10 3/4"
20"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9 1/4"	1' 7 1/4"	1' 9 1/2"
19"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/4"
18"	1' 5 3/4"	1' 6 3/4"	1' 5 3/4"	1' 7"	1' 5 1/2"	1' 7 1/4"
17"	1' 4 3/4"	1' 5 1/2"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6"
16"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 4 3/4"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 3/4"
14"	1' 2"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"
13"	1' 1"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
12"	1'	1' 1/4"	1'	1' 1/4"	11 3/4"	1' 1/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	18' 9 3/4"	INF	12' 4 1/2"	INF
50'	13' 9 1/2"	INF	10' 1/4"	INF
25'	10' 10 1/2"	INF	8' 5"	INF
15'	8' 6"	INF	6' 11 1/4"	INF
10'	6' 8"	61' 6"	5' 8 1/4"	INF
8'	5' 8 3/4"	23' 5 1/2"	5'	74' 1/2"
7'	5' 2 1/2"	16' 3 1/4"	4' 7 1/4"	30' 7 1/4"
6'	4' 8"	11' 6 3/4"	4' 2"	17' 2"
5'	4' 1/2"	8' 2 3/4"	3' 8 1/4"	10' 7 3/4"
4'6	3' 8 3/4"	6' 10 3/4"	3' 5"	8' 5 3/4"
4'	3' 4 1/2"	5' 8 3/4"	3' 1 1/2"	6' 9 1/4"
3'9	3' 2 1/2"	5' 2 1/2"	2' 11 3/4"	6' 1/2"
3'6	3' 1/4"	4' 8 3/4"	2' 10"	5' 4 1/2"
3'3	2' 10 1/4"	4' 3"	2' 8"	4' 9 1/4"
3'	2' 8"	3' 9 3/4"	2' 6"	4' 2 3/4"
2'9	2' 5 1/2"	3' 4 3/4"	2' 4"	3' 8 1/2"
2'6	2' 3 1/4"	3' 1/4"	2' 2"	3' 3"
2'3	2' 3/4"	2' 7 3/4"	1' 11 3/4"	2' 9 3/4"
2'	1' 10 1/4"	2' 3 1/2"	1' 9 1/2"	2' 5"
23"	1' 9 1/2"	2' 2"	1' 8 3/4"	2' 3 1/2"
22"	1' 8 1/2"	2' 3/4"	1' 8"	2' 2"
21"	1' 7 3/4"	1' 11 1/2"	1' 7 1/4"	2' 1/2"
20"	1' 7"	1' 10 1/4"	1' 6 1/4"	1' 11"
19"	1' 6"	1' 8 3/4"	1' 5 1/2"	1' 9 1/2"
18"	1' 5 1/4"	1' 7 1/2"	1' 4 3/4"	1' 8 1/4"
17"	1' 4 1/4"	1' 6 1/2"	1' 4"	1' 7"
16"	1' 3 1/4"	1' 5 1/4"	1' 3"	1' 5 1/2"
15"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/4"
14"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"
13"	1' 3/4"	1' 1 3/4"	1' 1/2"	1' 2"
12"	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	227' 2 1/2"	INF	394' 6 1/2"	INF	702' 4"	INF
50'	41' 3/4"	63' 11 3/4"	44' 4 3/4"	97' 7 1/2"	46' 8"	259' 5 3/4"
30'	26' 6 1/2"	34' 6"	27' 10 3/4"	42' 3 1/2"	28' 9 1/4"	57' 9 1/2"
20'	18' 5"	21' 10 1/2"	19' 1/2"	24' 9"	19' 5 1/4"	29' 3 3/4"
15'	14' 1 1/4"	16' 1/4"	14' 5 1/2"	17' 6"	14' 8 1/4"	19' 7 1/2"
12'	11' 5"	12' 7 3/4"	11' 7 3/4"	13' 6 1/4"	11' 9 1/2"	14' 9"
10'	9' 7 1/4"	10' 5 1/4"	9' 9"	11' 1/4"	9' 10 1/4"	11' 10"
9'	8' 8"	9' 4 1/4"	8' 9 3/4"	9' 9 3/4"	8' 10 1/2"	10' 5 1/4"
8'	7' 9"	8' 3 1/4"	7' 10 1/4"	8' 7 3/4"	7' 11"	9' 1 1/4"
7'	6' 9 3/4"	7' 2 1/2"	6' 10 1/2"	7' 5 3/4"	6' 11 1/4"	7' 10"
6'6"	6' 4"	6' 8 1/4"	6' 4 3/4"	6' 11"	6' 5 1/4"	7' 2 1/2"
6'	5' 10 1/4"	6' 1 3/4"	5' 11"	6' 4"	5' 11 1/4"	6' 7"
5'6"	5' 4 1/2"	5' 7 1/2"	5' 5 1/4"	5' 9 1/2"	5' 5 1/2"	5' 11 3/4"
5'	4' 10 3/4"	5' 1 1/4"	4' 11 1/4"	5' 2 3/4"	4' 11 1/2"	5' 4 3/4"
4'9"	4' 8"	4' 10"	4' 8 1/4"	4' 11 1/2"	4' 8 1/2"	5' 1 1/4"
4'6"	4' 5"	4' 7"	4' 5 1/2"	4' 8 1/4"	4' 5 3/4"	4' 9 3/4"
4'3"	4' 2 1/4"	4' 3 3/4"	4' 2 1/2"	4' 5"	4' 2 3/4"	4' 6 1/4"
4'	3' 11 1/4"	4' 3/4"	3' 11 1/2"	4' 1 3/4"	3' 11 3/4"	4' 2 3/4"
3'9"	3' 8 1/4"	3' 9 3/4"	3' 8 1/2"	3' 10 1/2"	3' 8 3/4"	3' 11 1/2"
3'6"	3' 5 1/2"	3' 6 1/2"	3' 5 3/4"	3' 7 1/4"	3' 5 3/4"	3' 8 1/4"
3'3"	3' 2 1/2"	3' 3 1/2"	3' 2 3/4"	3' 4"	3' 2 3/4"	3' 4 3/4"
3'	2' 11 1/2"	3' 1/2"	2' 11 3/4"	3' 1"	2' 11 3/4"	3' 1 1/2"
2'9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 3/4"	2' 8 3/4"	2' 10 1/4"
2'6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"	2' 6"	2' 7"
2'3"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 3"	2' 3 3/4"
2	1' 11 3/4"	2' 1/4"	2'	2' 1/4"	2'	2' 1/2"
23"	1' 10 3/4"	1' 11 1/4"	1' 11"	1' 11 1/4"	1' 11"	1' 11 1/2"
22"	1' 9 3/4"	1' 10 1/4"	1' 10"	1' 10 1/4"	1' 10"	1' 10 1/2"
21"	1' 9"	1' 9"	1' 9"	1' 9 1/4"	1' 9"	1' 9 1/2"
20"	1' 8"	1' 8"	1' 8"	1' 8 1/4"	1' 8"	1' 8 1/2"
19"	1' 7"	1' 7"	1' 7"	1' 7 1/4"	1' 7"	1' 7 1/4"
18"	1' 6"	1' 6"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	349' 3 1/2"	INF	146' 2 1/4"	INF	73' 4 1/2"	INF
50'	43' 9"	INF	37' 3 3/4"	INF	29' 10"	INF
30'	27' 7 1/2"	88' 2"	24' 11 1/4"	205' 11 3/4"	21' 4 1/2"	INF
20'	18' 11"	35' 5 1/4"	17' 7 1/2"	45' 11"	15' 9 1/4"	72' 2 1/2"
15'	14' 4 1/2"	22' 2 1/4"	13' 7 1/2"	25' 10"	12' 6"	32' 5"
12'	11' 7 1/4"	16' 1 3/4"	11' 1 1/4"	17' 11 3/4"	10' 4 1/4"	20' 11"
10'	9' 8 3/4"	12' 8 1/4"	9' 4 1/2"	13' 9 1/2"	8' 10"	15' 5"
9'	8' 9 1/4"	11' 1 1/4"	8' 6"	11' 11 1/4"	8' 3/4"	13' 1 1/2"
8'	7' 9 3/4"	9' 7 1/4"	7' 7 1/4"	10' 2 1/2"	7' 3"	11' 3/4"
7'	6' 10 1/4"	8' 2 1/4"	6' 8 1/4"	8' 7 1/2"	6' 5"	9' 2 1/2"
6'6"	6' 4 1/2"	7' 6"	6' 2 3/4"	7' 10 1/4"	6'	8' 4 1/4"
6'	5' 10 3/4"	6' 10"	5' 9 1/4"	7' 1 1/2"	5' 7"	7' 6 1/4"
5'6"	5' 5"	6' 2 1/4"	5' 3 3/4"	6' 5"	5' 1 3/4"	6' 9"
5'	4' 11 1/4"	5' 6 3/4"	4' 10 1/4"	5' 9"	4' 8 1/2"	6'
4'9"	4' 8 1/4"	5' 3"	4' 7 1/4"	5' 5"	4' 5 3/4"	5' 7 1/2"
4'6"	4' 5 1/4"	4' 11 1/4"	4' 4 1/2"	5' 1"	4' 3 1/4"	5' 3 1/4"
4'3"	4' 2 1/2"	4' 7 1/2"	4' 1 3/4"	4' 9 1/4"	4' 1/2"	4' 11 1/4"
4'	3' 11 1/2"	4' 4"	3' 10 3/4"	4' 5 1/4"	3' 9 3/4"	4' 7"
3'9"	3' 8 1/2"	4' 1/2"	3' 8"	4' 1 3/4"	3' 7"	4' 3"
3'6"	3' 5 1/2"	3' 9"	3' 5"	3' 10"	3' 4 1/4"	3' 11 1/4"
3'3"	3' 2 3/4"	3' 5 1/2"	3' 2 1/4"	3' 6 1/4"	3' 1 1/2"	3' 7 1/2"
3'	2' 11 3/4"	3' 2"	2' 11 1/4"	3' 2 3/4"	2' 10 3/4"	3' 3 3/4"
2'9"	2' 8 3/4"	2' 10 3/4"	2' 8 1/2"	2' 11 1/4"	2' 8"	3'
2'6"	2' 5 3/4"	2' 7 1/2"	2' 5 1/2"	2' 7 3/4"	2' 5 1/4"	2' 8 1/2"
2'3"	2' 2 3/4"	2' 4"	2' 2 3/4"	2' 4 1/2"	2' 2 1/4"	2' 4 3/4"
2	1' 11 3/4"	2' 3/4"	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/2"
23"	1' 11"	1' 11 3/4"	1' 10 3/4"	2'	1' 10 1/2"	2' 1/4"
22"	1' 10"	1' 10 3/4"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11 1/4"
21"	1' 9"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"	1' 8 1/2"	1' 10"
20"	1' 8"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"	1' 7 3/4"	1' 9"
19"	1' 7"	1' 7 1/2"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"
18"	1' 6"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 3/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	42' 3 3/4"	INF	26' 3 1/2"	INF
50'	23' 1/4"	INF	17' 4"	INF
30'	17' 8"	INF	14' 1 1/2"	INF
20'	13' 8"	329' 9"	11' 5 3/4"	INF
15'	11' 2"	49' 8 1/2"	9' 7 3/4"	192' 2 1/2"
12'	9' 5"	26' 10 1/2"	8' 4"	44' 7 1/2"
10'	8' 1 3/4"	18' 5"	7' 4"	25' 2 3/4"
9'	7' 5 3/4"	15' 2 3/4"	6' 9 1/2"	19' 6 3/4"
8'	6' 9 1/2"	12' 6 1/4"	6' 2 1/2"	15' 3 1/2"
7'	6' 3/4"	10' 2 1/4"	5' 7 1/4"	11' 11"
6'6"	5' 8 1/4"	9' 1 1/2"	5' 3 1/2"	10' 6"
6'	5' 3 1/2"	8' 1 3/4"	4' 11 1/2"	9' 2 3/4"
5'6"	4' 11"	7' 2 3/4"	4' 7 1/4"	8' 3/4"
5'	4' 6 1/4"	6' 4 1/2"	4' 3 1/4"	7'
4'9"	4' 3 3/4"	5' 11 1/2"	4' 1"	6' 6"
4'6"	4' 1 1/4"	5' 6 3/4"	3' 10 3/4"	6' 1/4"
4'3"	3' 10 3/4"	5' 2 1/4"	3' 8 1/2"	5' 7"
4'	3' 8 1/4"	4' 9 3/4"	3' 6 1/4"	5' 1 3/4"
3'9"	3' 5 3/4"	4' 5 1/4"	3' 4"	4' 8 3/4"
3'6"	3' 3 1/4"	4' 1"	3' 1 3/4"	4' 3 3/4"
3'3"	3' 1/2"	3' 9"	2' 11 1/4"	3' 11 1/4"
3'	2' 10"	3' 5"	2' 8 3/4"	3' 6 3/4"
2'9"	2' 7 1/4"	3' 1"	2' 6 1/4"	3' 2 1/2"
2'6"	2' 4 1/2"	2' 9 1/4"	2' 3 3/4"	2' 10 1/4"
2'3"	2' 2"	2' 5 1/2"	2' 1 1/4"	2' 6 1/4"
2'	1' 11 1/4"	2' 1 3/4"	1' 10 3/4"	2' 2 1/2"
23"	1' 10 1/4"	2' 3/4"	1' 9 3/4"	2' 1 1/4"
22"	1' 9 1/4"	1' 11 1/2"	1' 9"	2'
21"	1' 8 1/4"	1' 10 1/4"	1' 8"	1' 10 3/4"
20"	1' 7 1/2"	1' 9 1/4"	1' 7"	1' 9 1/2"
19"	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/2"
18"	1' 5 1/2"	1' 7"	1' 5 1/4"	1' 7 1/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	598' 6 3/4"	INF	555' 1 3/4"	INF	461' 10"	INF
200'	150' 1/4"	300' 1 3/4"	147' 1 1/2"	INF	139' 7 3/4"	INF
100'	85' 9 1/4"	119' 11 1/2"	84' 9 3/4"	137' 4 1/2"	82' 3 1/4"	174' 4 1/2"
60'	54' 7"	66' 7 1/2"	54' 2 1/4"	71' 7 3/4"	53' 1 3/4"	80' 6"
40'	37' 6 1/4"	42' 9 3/4"	37' 4 1/4"	44' 10"	36' 10 1/4"	48' 1 1/2"
30'	28' 7 1/4"	31' 6 1/2"	28' 5 3/4"	32' 7 1/2"	28' 2 1/4"	34' 3 3/4"
25'	24' 1/4"	26' 3/4"	23' 11 1/4"	26' 9 1/2"	23' 8 3/4"	27' 11"
20'	19' 4 1/2"	20' 8"	19' 3 3/4"	21' 1 1/2"	19' 2 1/4"	21' 9 3/4"
17'	16' 6 1/2"	17' 5 3/4"	16' 6"	17' 9 1/2"	16' 5"	18' 3 1/4"
15'	14' 7 3/4"	15' 4 1/2"	14' 7 1/2"	15' 7 1/4"	14' 6 1/2"	15' 11 3/4"
14'	13' 8 1/4"	14' 3 3/4"	13' 8"	14' 6 1/4"	13' 7 1/4"	14' 10 1/4"
13'	12' 8 3/4"	13' 3 1/4"	12' 8 1/2"	13' 5 1/2"	12' 7 3/4"	13' 8 3/4"
12'	11' 9 1/4"	12' 2 3/4"	11' 9"	12' 4 1/2"	11' 8 1/2"	12' 7 1/4"
11'	10' 9 3/4"	11' 2 1/4"	10' 9 1/2"	11' 3 3/4"	10' 9"	11' 6"
10'	9' 10 1/4"	10' 2"	9' 10"	10' 3 1/4"	9' 9 1/2"	10' 5"
9'6"	9' 4 1/4"	9' 7 3/4"	9' 4 1/4"	9' 8 3/4"	9' 3 3/4"	9' 10 1/2"
9'	8' 10 1/2"	9' 1 1/2"	8' 10 1/2"	9' 2 1/2"	8' 10"	9' 4"
8'6"	8' 4 3/4"	8' 7 1/4"	8' 4 1/2"	8' 8 1/4"	8' 4 1/4"	8' 9 1/2"
8'	7' 10 3/4"	8' 1 1/4"	7' 10 3/4"	8' 2"	7' 10 1/2"	8' 3"
7'9"	7' 8"	7' 10"	7' 7 3/4"	7' 10 3/4"	7' 7 1/2"	8'
7'6"	7' 5"	7' 7"	7' 5"	7' 7 3/4"	7' 4 3/4"	7' 8 3/4"
7'3"	7' 2"	7' 4"	7' 2"	7' 4 1/2"	7' 1 3/4"	7' 5 1/2"
7'	6' 11"	7' 1"	6' 11"	7' 1 1/2"	6' 10 3/4"	7' 2 1/4"
6'9"	6' 8 1/4"	6' 9 3/4"	6' 8"	6' 10 1/4"	6' 8"	6' 11 1/4"
6'6"	6' 5 1/4"	6' 6 3/4"	6' 5 1/4"	6' 7 1/4"	6' 5"	6' 8"
6'3"	6' 2 1/4"	6' 3 3/4"	6' 2 1/4"	6' 4 1/4"	6' 2"	6' 4 3/4"
6'	5' 11 1/4"	6' 3/4"	5' 11 1/4"	6' 1"	5' 11 1/4"	6' 1 3/4"
5'9"	5' 8 1/2"	5' 9 1/2"	5' 8 1/4"	5' 10"	5' 8 1/4"	5' 10 1/2"
5'6"	5' 5 1/2"	5' 6 1/2"	5' 5 1/2"	5' 7"	5' 5 1/4"	5' 7 1/2"
5'3"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 3/4"	5' 2 1/4"	5' 4 1/4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/2"	5' 3/4"	4' 11 1/2"	5' 1"
4'9"	4' 8 1/2"	4' 9 1/2"	4' 8 1/2"	4' 9 3/4"	4' 8 1/2"	4' 10"
4'6"	4' 5 3/4"	4' 6 1/4"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 7"
4'3"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"
4'	8,00	4' 1/4"	11,00	4' 1/2"	16,00	4' 3/4"
3'9"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"	3' 8 3/4"	3' 9 1/2"
3'6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
3'3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	323' 9"	INF	211' 3 1/2"	INF	136' 6 1/2"	INF
200'	123' 8 3/4"	INF	102' 10 1/4"	INF	81' 3 1/4"	INF
100'	76' 5 3/4"	252' 2 3/4"	67' 11 3/4"	INF	57' 10 1/4"	INF
60'	50' 8 1/4"	93' 9 3/4"	46' 9 3/4"	117' 6 1/4"	41' 9 1/2"	174' 4"
40'	35' 7 3/4"	52' 6 1/2"	33' 8 1/2"	59' 2 1/2"	31' 1/4"	70' 9"
30'	27' 6"	36' 6"	26' 4"	39' 6 3/4"	24' 8"	44' 4 3/4"
25'	23' 2 3/4"	29' 4"	22' 4 3/4"	31' 3 1/4"	21' 2 1/2"	34' 2 1/4"
20'	18' 10 1/4"	22' 7 3/4"	18' 3 3/4"	23' 9 1/2"	17' 6"	25' 5 1/4"
17'	16' 2"	18' 10 1/2"	15' 9 1/4"	19' 7 3/4"	15' 2"	20' 9"
15'	14' 4 1/4"	16' 5"	14' 1/2"	17'	13' 6 3/4"	17' 9 3/4"
14'	13' 5 1/4"	15' 2 3/4"	13' 2"	15' 8 3/4"	12' 9"	16' 5"
13'	12' 6 1/4"	14' 1/2"	12' 3 1/4"	14' 5 1/2"	11' 11"	15' 1/2"
12'	11' 7"	12' 10 1/2"	11' 4 1/2"	13' 2 3/4"	11' 3/4"	13' 8 1/2"
11'	10' 7 3/4"	11' 8 3/4"	10' 5 3/4"	12' 1/4"	10' 2 1/2"	12' 5"
10'	9' 8 1/2"	10' 7 1/4"	9' 6 3/4"	10' 10"	9' 4 1/4"	11' 1 3/4"
9'6"	9' 3"	10' 1/2"	9' 1 1/4"	10' 3"	8' 11"	10' 6 1/4"
9'	8' 9 1/4"	9' 5 3/4"	8' 7 3/4"	9' 8"	8' 5 3/4"	9' 11"
8'6"	8' 3 1/2"	8' 11"	8' 2 1/4"	9' 1"	8' 1/2"	9' 3 3/4"
8'	7' 9 3/4"	8' 4 1/2"	7' 8 3/4"	8' 6 1/4"	7' 7"	8' 8 1/2"
7'9"	7' 7"	8' 1 1/4"	7' 6"	8' 2 3/4"	7' 4 1/4"	8' 4 3/4"
7'6"	7' 4"	7' 9 3/4"	7' 3"	7' 11 1/4"	7' 1 3/4"	8' 1 1/4"
7'3"	7' 1 1/4"	7' 6 1/2"	7' 1/4"	7' 8"	6' 11"	7' 9 3/4"
7'	6' 10 1/4"	7' 3 1/4"	6' 9 1/2"	7' 4 1/2"	6' 8 1/4"	7' 6 1/4"
6'9"	6' 7 1/2"	7'	6' 6 3/4"	7' 1 1/4"	6' 5 1/2"	7' 2 3/4"
6'6"	6' 4 1/2"	6' 8 3/4"	6' 3 3/4"	6' 10"	6' 2 3/4"	6' 11 1/4"
6'3"	6' 1 3/4"	6' 5 1/2"	6' 1"	6' 6 1/2"	6'	6' 8"
6'	5' 10 3/4"	6' 2 1/2"	5' 10 1/4"	6' 3 1/4"	5' 9 1/4"	6' 4 1/2"
5'9"	5' 8"	5' 11 1/4"	5' 7 1/4"	6'	5' 6 1/2"	6' 1"
5'6"	5' 5"	5' 8"	5' 4 1/2"	5' 8 3/4"	5' 3 3/4"	5' 9 3/4"
5'3"	5' 2"	5' 4 3/4"	5' 1 1/2"	5' 5 1/2"	5' 1"	5' 6 1/4"
5'	4' 11 1/4"	5' 1 1/2"	4' 10 3/4"	5' 2 1/4"	4' 10"	5' 3"
4'9"	4' 8 1/4"	4' 10 1/2"	4' 8"	4' 11"	4' 7 1/4"	4' 11 3/4"
4'6"	4' 5 1/4"	4' 7 1/4"	4' 5"	4' 7 3/4"	4' 4 1/2"	4' 8 1/4"
4'3"	4' 2 1/2"	4' 4"	4' 2"	4' 4 1/2"	4' 1 3/4"	4' 5"
4'	3' 11 1/2"	4' 1"	3' 11 1/4"	4' 1 1/4"	3' 10 3/4"	4' 1 3/4"
3'9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10 1/4"	3' 8"	3' 10 1/2"
3'6"	3' 5 1/2"	3' 6 3/4"	3' 5 1/2"	3' 7"	3' 5"	3' 7 1/4"
3'3"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4 1/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	90' 5 3/4"	INF	60' 11 3/4"	INF
200'	62' 5"	INF	46' 10"	INF
100'	47' 7 3/4"	INF	38' 1/4"	INF
60'	36' 2 1/2"	INF	30' 4 3/4"	INF
40'	27' 10 1/4"	97' 1 1/4"	24' 3 1/2"	201' 11 3/4"
30'	22' 7 3/4"	53' 5 1/4"	20' 2 3/4"	74' 7 3/4"
25'	19' 8 1/4"	39' 3 1/2"	17' 10 1/4"	49' 7 1/2"
20'	16' 5 1/2"	28' 1 1/2"	15' 2"	33' 1/4"
17'	14' 4 3/4"	22' 6"	13' 4 3/4"	25' 6"
15'	12' 11 1/4"	19' 1"	12' 1 1/2"	21' 2 1/4"
14'	12' 2 1/4"	17' 5 3/4"	11' 5 3/4"	19' 2 3/4"
13'	11' 5 1/4"	15' 11 1/4"	10' 9 1/2"	17' 4 1/2"
12'	10' 7 3/4"	14' 5 1/4"	10' 1 1/4"	15' 7 1/4"
11'	9' 10 1/4"	13'	9' 4 3/4"	13' 11 1/4"
10'	9' 3/4"	11' 7 1/2"	8' 8"	12' 4 1/4"
9'6"	8' 7 3/4"	10' 11 1/4"	8' 3 1/2"	11' 7"
9'	8' 2 3/4"	10' 3 1/4"	7' 11"	10' 10"
8'6"	7' 9 3/4"	9' 7 1/2"	7' 6 1/4"	10' 1 1/2"
8'	7' 4 3/4"	8' 11 3/4"	7' 1 1/2"	9' 5"
7'9"	7' 2 1/4"	8' 8"	6' 11 1/4"	9' 3/4"
7'6"	6' 11 1/2"	8' 4 1/4"	6' 8 3/4"	8' 8 1/2"
7'3"	6' 9"	8' 1/2"	6' 6 1/2"	8' 4 1/2"
7'	6' 6 1/2"	7' 8 3/4"	6' 4"	8' 1/2"
6'9"	6' 3 3/4"	7' 5"	6' 1 1/2"	7' 8 1/2"
6'6"	6' 1 1/4"	7' 1 1/2"	5' 11"	7' 4 1/2"
6'3"	5' 10 1/2"	6' 9 3/4"	5' 8 3/4"	7' 3/4"
6'	5' 8"	6' 6 1/4"	5' 6 1/4"	6' 8 3/4"
5'9"	5' 5 1/4"	6' 2 3/4"	5' 3 3/4"	6' 5"
5'6"	5' 2 1/2"	5' 11 1/4"	5' 1"	6' 1 1/4"
5'3"	5'	5' 7 1/2"	4' 10 1/2"	5' 9 1/2"
5'	4' 9 1/4"	5' 4 1/4"	4' 8"	5' 5 3/4"
4'9"	4' 6 1/2"	5' 3/4"	4' 5 1/4"	5' 2 1/4"
4'6"	4' 3 3/4"	4' 9 1/4"	4' 2 3/4"	4' 10 1/2"
4'3"	4' 1"	4' 5 3/4"	4'	4' 7"
4'	3' 10 1/4"	4' 2 1/2"	3' 9 1/2"	4' 3 1/2"
3'9"	3' 7 1/2"	3' 11 1/4"	3' 6 3/4"	4'
3'6"	3' 4 3/4"	3' 7 3/4"	3' 4"	3' 8 1/2"
3'3"	3' 2"	3' 4 1/2"	3' 1 1/2"	3' 5 1/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	786' 5 1/4"	INF	778' 4 3/4"	INF	539' 11 1/4"	INF
300'	217' 4"	INF	216' 8 1/4"	INF	193' 1/4"	INF
250'	189' 10 1/4"	366' 2 1/4"	189' 4 1/4"	INF	171' 1/2"	INF
200'	159' 7"	267' 11 3/4"	159' 2 3/4"	346' 2 3/4"	146' 1"	INF
190'	153' 1 3/4"	250' 3 1/2"	152' 10"	317' 3"	140' 8 1/4"	INF
180'	146' 7 1/4"	233' 2 1/2"	146' 3 3/4"	290' 3 1/4"	135' 1 1/2"	INF
170'	139' 10 3/4"	216' 8 1/4"	139' 7 1/2"	265' 1"	129' 5"	346' 6 1/4"
160'	133' 3/4"	200' 8 1/4"	132' 9 3/4"	241' 6"	123' 6 3/4"	307' 3 1/4"
150'	126' 1"	185' 2 1/4"	125' 10 1/4"	219' 4 1/2"	117' 6 1/4"	272' 3 1/2"
140'	118' 11 1/4"	170' 2"	118' 9"	198' 7"	111' 3 1/2"	240' 11 1/2"
130'	111' 7 3/4"	155' 7 1/4"	111' 5 3/4"	179' 1/4"	104' 10 3/4"	212' 8 3/4"
120'	104' 2 1/2"	141' 5 3/4"	104' 3/4"	160' 6 3/4"	98' 3 1/2"	187' 1 1/2"
110'	96' 7"	127' 9 1/4"	96' 5 1/2"	143' 1 1/4"	91' 5 3/4"	163' 10"
100'	88' 9 1/2"	114' 5 1/2"	88' 8 1/4"	126' 7 1/4"	84' 5 3/4"	142' 6 1/2"
90'	80' 10"	101' 6 1/2"	80' 8 3/4"	110' 11 1/2"	77' 2 3/4"	123'
80'	72' 8 1/4"	88' 11 3/4"	72' 7 1/4"	96' 1 1/2"	69' 9"	105' 1/4"
70'	64' 4"	76' 9 1/4"	64' 3 1/4"	82' 1/4"	62' 1/2"	88' 4 3/4"
60'	55' 9 1/2"	64' 10 3/4"	55' 9"	68' 7 1/4"	54' 3/4"	72' 11 3/4"
50'	47' 3/4"	53' 4"	47' 1/4"	55' 9 3/4"	45' 9 3/4"	58' 8"
45'	42' 7 1/4"	47' 8 1/4"	42' 7"	49' 7 3/4"	41' 7"	51' 10 3/4"
40'	38' 1 1/4"	42' 1 1/4"	38' 1"	43' 7 1/4"	37' 3 1/2"	45' 4"
35'	33' 6 1/2"	36' 7 1/4"	33' 6 1/4"	37' 8 3/4"	32' 11"	39'
30'	28' 11"	31' 2"	28' 11"	31' 11 3/4"	28' 5 1/2"	32' 10 1/2"
29'	28'	30' 1"	27' 11 3/4"	30' 10"	27' 6 3/4"	31' 8 1/4"
28'	27' 3/4"	29'	27' 1/2"	29' 8 1/2"	26' 7 3/4"	30' 5 3/4"
27'	26' 1 1/2"	27' 11 1/4"	26' 1 1/2"	28' 7"	25' 9"	29' 3 1/2"
26'	25' 2 1/4"	26' 10 1/4"	25' 2 1/4"	27' 5 1/2"	24' 10"	28' 1 1/2"
25'	24' 3"	25' 9 1/2"	24' 3"	26' 4 1/4"	23' 11"	26' 11 1/2"
24'	23' 3 3/4"	24' 8 3/4"	23' 3 3/4"	25' 2 3/4"	23'	25' 9 1/2"
23'	22' 4 1/2"	23' 8"	22' 4 1/4"	24' 1 1/2"	22' 1"	24' 7 3/4"
22'	21' 5"	22' 7 1/4"	21' 5"	23' 1/4"	21' 2"	23' 6"
21'	20' 5 3/4"	21' 6 3/4"	20' 5 1/2"	21' 11 1/4"	20' 3"	22' 4 1/4"
20'	19' 6 1/4"	20' 6"	19' 6 1/4"	20' 10"	19' 3 3/4"	21' 2 1/2"
19'	18' 6 3/4"	19' 5 1/2"	18' 6 3/4"	19' 9"	18' 4 1/2"	20' 1"
18'	8,00	18' 4 3/4"	11,00	18' 8"	16,00	18' 11 3/4"
17'	16' 8"	17' 4 1/4"	16' 7 3/4"	17' 7 1/4"	16' 6"	17' 10 1/4"
16'	15' 8 1/4"	16' 3 3/4"	15' 8 1/4"	16' 6 1/4"	15' 6 3/4"	16' 9 1/4"
15'	14' 8 3/4"	15' 3 1/4"	14' 8 3/4"	15' 5 1/2"	14' 7 1/4"	15' 8"
14' 6"	14' 3"	14' 9"	14' 3"	14' 11 1/4"	14' 1 3/4"	15' 1 1/2"
14'	13' 9 1/4"	14' 3"	13' 9 1/4"	14' 4 3/4"	13' 8"	14' 7"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	368' 8 1/4"	INF	250' 8 1/2"	INF	169' 11"	INF
300'	165' 7"	INF	136' 9 1/4"	INF	108' 8"	INF
250'	149' 2"	INF	125' 4 1/2"	INF	101' 4 1/4"	INF
200'	129' 10"	INF	111' 5 1/4"	INF	92' 3/4"	INF
190'	125' 6 1/2"	INF	108' 3 1/4"	INF	89' 10 3/4"	INF
180'	121' 1 1/2"	INF	104' 11 1/2"	INF	87' 7 1/4"	INF
170'	116' 6 1/4"	INF	101' 6"	INF	85' 2 1/4"	INF
160'	111' 8 3/4"	INF	97' 10 1/4"	INF	82' 7 1/4"	INF
150'	106' 9 1/4"	INF	94' 1/4"	INF	79' 10 1/2"	INF
140'	101' 7 1/2"	336' 8 1/2"	90' 1/4"	INF	76' 11 1/2"	INF
130'	96' 3"	283' 11 1/2"	85' 9 1/2"	INF	73' 10 1/4"	INF
120'	90' 8"	240' 1"	81' 4"	INF	70' 6 1/4"	INF
110'	84' 10 1/4"	203' 1/4"	76' 7 1/2"	300' 5 3/4"	66' 11 1/2"	INF
100'	78' 9 1/2"	171' 3 1/2"	71' 7 3/4"	235' 8 3/4"	63' 1 3/4"	INF
90'	72' 5 1/2"	143' 9 3/4"	66' 4 1/2"	186' 7 1/4"	59' 1/4"	312' 5 3/4"
80'	65' 10 1/4"	119' 9 1/2"	60' 9 1/2"	148' 1/4"	54' 6 3/4"	217' 5"
70'	58' 11 1/4"	98' 7 1/4"	54' 10 1/4"	116' 11 1/4"	49' 9"	156' 3 1/2"
60'	51' 8 1/4"	79' 9 1/2"	48' 6 1/2"	91' 4 1/2"	44' 6"	113' 8 1/4"
50'	44' 1 1/4"	62' 11 3/4"	41' 9 1/2"	69' 11 1/2"	38' 9 1/4"	82' 3 1/4"
45'	40' 2 1/4"	55' 2 3/4"	38' 3"	60' 6"	35' 8 1/2"	69' 5 3/4"
40'	36' 1 3/4"	47' 10 1/4"	34' 7"	51' 9"	32' 6"	58' 2"
35'	32' 1/4"	40' 10 1/4"	30' 9 1/2"	43' 7 3/4"	29' 1 1/2"	48' 1 1/4"
30'	27' 9 1/2"	34' 2"	26' 10 1/2"	36' 1 1/4"	25' 7 1/4"	39' 1"
29'	26' 11 1/4"	32' 10 1/2"	26' 3/4"	34' 7 3/4"	24' 10 1/2"	37' 4 3/4"
28'	26' 3/4"	31' 7"	25' 3"	33' 2 3/4"	24' 1 1/2"	35' 8 3/4"
27'	25' 2 1/2"	30' 3 3/4"	24' 5 1/4"	31' 9 3/4"	23' 4 3/4"	34' 1 1/4"
26'	24' 4"	29' 3/4"	23' 7 1/2"	30' 5 1/4"	22' 7 3/4"	32' 6 1/4"
25'	23' 5 1/2"	27' 9 3/4"	22' 9 1/2"	29' 3/4"	21' 10 1/2"	30' 11 1/2"
24'	22' 7"	26' 7"	21' 11 1/2"	27' 8 1/2"	21' 1 1/2"	29' 5 1/4"
23'	21' 8 1/4"	25' 4 1/4"	21' 1 1/2"	26' 4 1/2"	20' 4"	27' 11 1/4"
22'	20' 9 1/2"	24' 1 3/4"	20' 3 1/2"	25' 3/4"	19' 6 3/4"	26' 5 1/2"
21'	19' 11"	22' 11 1/4"	19' 5 1/4"	23' 9 1/4"	18' 9 1/4"	25' 1/4"
20'	19'	21' 9"	18' 7"	22' 6"	17' 11 3/4"	23' 7 1/4"
19'	18' 1 1/4"	20' 6 3/4"	17' 8 1/2"	21' 2 3/4"	17' 2"	22' 2 1/2"
18'	17' 2 1/4"	19' 4 3/4"	16' 10"	19' 11 3/4"	16' 4 1/4"	20' 10 1/4"
17'	16' 3 1/2"	18' 2 3/4"	15' 11 1/2"	18' 9"	15' 6 1/4"	19' 6"
16'	15' 4 1/4"	17' 1"	15' 1"	17' 6 1/2"	14' 8 1/4"	18' 2 1/4"
15'	14' 5 1/4"	15' 11 1/4"	14' 2 1/4"	16' 4"	13' 10"	16' 10 3/4"
14' 6"	13' 11 3/4"	15' 4 1/2"	13' 9"	15' 9"	13' 5"	16' 3 1/4"
14'	13' 6 1/4"	14' 9 3/4"	13' 3 1/2"	15' 1 3/4"	13'	15' 7 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
13' 6"	13' 1/2"	14' 3"	12' 10 1/4"	14' 6 3/4"	12' 6 3/4"	15'
13'	12' 7"	13' 8 1/4"	12' 4 3/4"	13' 11 3/4"	12' 1 1/2"	14' 4 3/4"
12' 6"	12' 1 1/4"	13' 1 3/4"	11' 11 1/4"	13' 4 3/4"	11' 8 1/4"	13' 9 1/4"
12'	11' 7 3/4"	12' 7"	11' 5 3/4"	12' 10"	11' 3"	13' 2"
11' 6"	11' 2"	12' 1/2"	11' 1/4"	12' 3"	10' 9 3/4"	12' 6 3/4"
11'	10' 8 1/2"	11' 5 3/4"	10' 6 3/4"	11' 8 1/4"	10' 4 1/2"	11' 11 1/2"
10' 6"	10' 2 3/4"	10' 11 1/4"	10' 1 1/4"	11' 1 1/2"	9' 11 1/4"	11' 4 1/2"
10'	9' 9"	10' 4 3/4"	9' 7 3/4"	10' 6 3/4"	9' 5 3/4"	10' 9 1/2"
9' 9"	9' 6 1/4"	10' 1 1/2"	9' 5"	10' 3 1/4"	9' 3 1/4"	10' 6"
9' 6"	9' 3 1/4"	9' 10 1/4"	9' 2 1/4"	10'	9' 1/2"	10' 2 1/2"
9' 3"	9' 1/2"	9' 7"	8' 11 1/4"	9' 8 3/4"	8' 9 3/4"	9' 11"
9'	8' 9 3/4"	9' 3 3/4"	8' 8 1/2"	9' 5 1/4"	8' 7"	9' 7 1/2"
8' 9"	8' 6 3/4"	9' 1/2"	8' 5 3/4"	9' 2"	8' 4 1/4"	9' 4"
8' 6"	8' 4"	8' 9 1/4"	8' 3"	8' 10 3/4"	8' 1 1/2"	9' 1/2"
8' 3"	8' 1"	8' 6 1/4"	8' 1/4"	8' 7 1/2"	7' 10 3/4"	8' 9 1/4"
8'	7' 10 1/4"	8' 3"	7' 9 1/4"	8' 4"	7' 8"	8' 5 3/4"
7' 9"	7' 7 1/4"	7' 11 3/4"	7' 6 1/2"	8' 3/4"	7' 5 1/4"	8' 2 1/4"
7' 6"	7' 4 1/2"	7' 8 1/2"	7' 3 3/4"	7' 9 1/2"	7' 2 1/2"	7' 11"
7' 3"	7' 1 1/2"	7' 5 1/4"	7' 3/4"	7' 6 1/4"	6' 11 3/4"	7' 7 3/4"
7'	6' 10 1/2"	7' 2 1/4"	6' 10"	7' 3"	6' 9"	7' 4 1/4"
6' 9"	6' 7 3/4"	6' 11"	6' 7"	6' 11 3/4"	6' 6 1/4"	7' 1"
6' 6"	6' 4 3/4"	6' 7 3/4"	6' 4 1/4"	6' 8 1/2"	6' 3 1/2"	6' 9 3/4"
6' 3"	6' 2"	6' 4 3/4"	6' 1 1/2"	6' 5 1/2"	6' 3/4"	6' 6 1/4"
6'	5' 11"	6' 1 1/2"	5' 10 1/2"	6' 2 1/4"	5' 9 3/4"	6' 3"
5' 9"	5' 8"	5' 10 1/2"	5' 7 3/4"	5' 11"	5' 7"	5' 11 3/4"
5' 6"	5' 5 1/4"	5' 7 1/4"	5' 4 3/4"	5' 7 3/4"	5' 4 1/4"	5' 8 1/2"
5' 3"	5' 2 1/4"	5' 4 1/4"	5' 2"	5' 4 1/2"	5' 1 1/2"	5' 5 1/4"
5'	4' 11 1/4"	5' 1"	4' 11"	5' 1 1/2"	4' 10 1/2"	5' 2"
4' 9"	4' 8 1/2"	4' 10"	4' 8"	4' 10 1/4"	4' 7 3/4"	4' 10 3/4"
4' 6"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7 1/4"	4' 4 3/4"	4' 7 1/2"
4' 3"	4' 2 1/2"	4' 3 3/4"	4' 2 1/4"	4' 4"	4' 2"	4' 4 1/2"
4'	3' 11 1/2"	4' 3/4"	3' 11 1/2"	4' 3/4"	3' 11"	4' 1 1/4"
3' 9"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"
3' 6"	3' 5 3/4"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"
3' 3"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"
3'	2' 11 3/4"	3' 1/4"	2' 11 3/4"	3' 1/2"	2' 11 1/2"	3' 1/2"
2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/2"
2' 6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	115' 3 1/2"	INF	79'	INF
300'	83' 5 1/4"	INF	62' 8"	INF
250'	79' 1"	INF	60' 2 1/4"	INF
200'	73' 3 3/4"	INF	56' 9 1/2"	INF
190'	71' 11 1/4"	INF	55' 11 3/4"	INF
180'	70' 5 3/4"	INF	55' 1"	INF
170'	68' 10 3/4"	INF	54' 1 1/4"	INF
160'	67' 2 1/2"	INF	53' 3/4"	INF
150'	65' 4 3/4"	INF	51' 11 1/4"	INF
140'	63' 5"	INF	50' 8 1/4"	INF
130'	61' 3 3/4"	INF	49' 4"	INF
120'	59'	INF	47' 10"	INF
110'	56' 6"	INF	46' 2 1/4"	INF
100'	53' 9"	INF	44' 4"	INF
90'	50' 9"	INF	42' 3 1/4"	INF
80'	47' 5"	INF	39' 11 1/2"	INF
70'	43' 9"	288' 9"	37' 3 3/4"	INF
60'	39' 7 3/4"	170' 5"	34' 3 3/4"	INF
50'	35' 1/2"	108' 3 1/2"	30' 9 3/4"	194' 3"
45'	32' 6 1/4"	87' 1 1/2"	28' 10 1/4"	135' 1 1/2"
40'	29' 10 1/4"	70'	26' 9"	97' 10 3/4"
35'	27'	55' 10 3/4"	24' 5 1/4"	72' 3 1/4"
30'	23' 11 1/4"	44' 1/2"	21' 11"	53' 7"
29'	23' 3 3/4"	41' 11"	21' 4 1/2"	50' 5 1/4"
28'	22' 8"	39' 10"	20' 10"	47' 5 1/2"
27'	22'	37' 9 3/4"	20' 3 1/4"	44' 7 1/4"
26'	21' 4"	35' 10 1/2"	19' 8 1/2"	41' 11"
25'	20' 8"	33' 11 3/4"	19' 1 3/4"	39' 4"
24'	19' 11 3/4"	32' 1 3/4"	18' 6 3/4"	36' 10 3/4"
23'	19' 3 1/2"	30' 4 1/4"	17' 11 1/2"	34' 6 1/2"
22'	18' 7"	28' 7 1/2"	17' 4 1/4"	32' 3 3/4"
21'	17' 10 1/2"	26' 11 1/4"	16' 8 3/4"	30' 2"
20'	17' 1 3/4"	25' 3 1/2"	16' 1 1/4"	28' 1 1/2"
19'	16' 5"	23' 8 1/2"	15' 5 1/4"	26' 2"
18'	15' 8"	22' 1 3/4"	14' 9 1/2"	24' 3 1/4"
17'	14' 11"	20' 7 3/4"	14' 1 1/4"	22' 5 3/4"
16'	14' 1 3/4"	19' 2"	13' 5"	20' 8 3/4"
15'	13' 4 1/4"	17' 9"	12' 8 1/2"	19' 3/4"
14' 6"	12' 11 1/2"	17' 1/2"	12' 4 1/4"	18' 3"
14'	12' 6 3/4"	16' 4 1/4"	12'	17' 5 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
13' 6"	12' 2"	15' 8"	11' 7 1/2"	16' 8 1/4"
13'	11' 9"	14' 11 3/4"	11' 3 1/4"	15' 11"
12' 6"	11' 4 1/4"	14' 3 3/4"	10' 10 3/4"	15' 2"
12'	10' 11 1/4"	13' 8"	10' 6 1/4"	14' 5"
11' 6"	10' 6 1/4"	13' 1/4"	10' 1 1/2"	13' 8 1/4"
11'	10' 1 1/4"	12' 4 1/2"	9' 9"	12' 11 3/4"
10' 6"	9' 8 1/4"	11' 8 3/4"	9' 4 1/4"	12' 3 1/2"
10'	9' 3 1/4"	11' 1 1/4"	8' 11 1/2"	11' 7 1/4"
9' 9"	9' 1/2"	10' 9 1/2"	8' 9 1/4"	11' 3"
9' 6"	8' 10"	10' 5 3/4"	8' 6 3/4"	10' 11"
9' 3"	8' 7 1/2"	10' 2 1/4"	8' 4 1/4"	10' 7"
9'	8' 4 3/4"	9' 10 1/2"	8' 2"	10' 3"
8' 9"	8' 2 1/4"	9' 7"	7' 11 1/2"	9' 11 1/4"
8' 6"	7' 11 3/4"	9' 3 1/4"	7' 9"	9' 7 1/4"
8' 3"	7' 9"	8' 11 3/4"	7' 6 1/2"	9' 3 1/2"
8'	7' 6 1/4"	8' 8"	7' 4"	8' 11 1/2"
7' 9"	7' 3 3/4"	8' 4 1/2"	7' 1 1/2"	8' 7 3/4"
7' 6"	7' 1"	8' 1"	6' 11"	8' 4"
7' 3"	6' 10 1/2"	7' 9 1/2"	6' 8 1/2"	8' 1/4"
7'	6' 7 3/4"	7' 6"	6' 6"	7' 8 1/2"
6' 9"	6' 5"	7' 2 1/2"	6' 3 1/4"	7' 4 3/4"
6' 6"	6' 2 1/4"	6' 11"	6' 3/4"	7' 1 1/4"
6' 3"	5' 11 3/4"	6' 7 3/4"	5' 10 1/4"	6' 9 1/2"
6'	5' 9"	6' 4 1/4"	5' 7 1/2"	6' 6"
5' 9"	5' 6 1/4"	6' 3/4"	5' 5"	6' 2 1/2"
5' 6"	5' 3 1/2"	5' 9 1/2"	5' 2 1/4"	5' 11"
5' 3"	5' 3/4"	5' 6 1/4"	4' 11 3/4"	5' 7 1/2"
5'	4' 10"	5' 2 3/4"	4' 9"	5' 4"
4' 9"	4' 7"	4' 11 1/2"	4' 6 1/4"	5' 1/2"
4' 6"	4' 4 1/4"	4' 8 1/4"	4' 3 1/2"	4' 9"
4' 3"	4' 1 1/2"	4' 5"	4' 1"	4' 5 3/4"
4'	3' 10 3/4"	4' 1 3/4"	3' 10 1/4"	4' 2 1/4"
3' 9"	3' 8"	3' 10 1/2"	3' 7 1/2"	3' 11"
3' 6"	3' 5"	3' 7 1/4"	3' 4 3/4"	3' 7 3/4"
3' 3"	3' 2 1/4"	3' 4"	3' 1 3/4"	3' 4 1/2"
3'	2' 11 1/4"	3' 3/4"	2' 11"	3' 1 1/4"
2' 9"	2' 8 1/2"	2' 9 3/4"	2' 8 1/4"	2' 10"
2' 6"	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 6 3/4"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	1499' 3"	INF	1279' 5 3/4"	INF	876' 10"	INF
200'	176' 6 1/2"	235' 2 1/4"	173' 3/4"	255' 9"	163'	285' 5 1/2"
100'	93' 9 1/2"	108' 1/2"	92' 9 3/4"	112' 1 3/4"	89' 10 1/4"	117' 6"
60'	57' 8 3/4"	62' 9 1/2"	57' 4 1/4"	64' 1 3/4"	56' 2 1/2"	65' 10"
40'	38' 11 3/4"	41' 2 1/2"	38' 9 3/4"	41' 9 1/4"	38' 3 1/2"	42' 5 3/4"
30'	29' 5"	30' 8"	29' 4"	30' 11 3/4"	29' 1/2"	31' 4 1/4"
25'	24' 7 1/4"	25' 5 1/2"	24' 6 1/2"	25' 8"	24' 4"	25' 11 1/4"
20'	19' 9"	20' 3 1/2"	19' 8 1/2"	20' 5"	19' 7"	20' 7"
18'	17' 9 1/2"	18' 2 3/4"	17' 9 1/4"	18' 4"	17' 8"	18' 5 3/4"
16'	15' 10"	16' 2 1/4"	15' 9 3/4"	16' 3 1/4"	15' 8 3/4"	16' 4 1/2"
15'	14' 10 1/4"	15' 2"	14' 10"	15' 2 3/4"	14' 9 1/4"	15' 3 3/4"
14'	13' 10 1/2"	14' 1 3/4"	13' 10 1/4"	14' 2 1/2"	13' 9 1/2"	14' 3 1/4"
13'	12' 10 3/4"	13' 1 1/2"	12' 10 1/2"	13' 2"	12' 10"	13' 2 3/4"
12'	11' 11"	12' 1 1/4"	11' 10 3/4"	12' 1 3/4"	11' 10 1/4"	12' 2 1/2"
11'	10' 11"	11' 1"	10' 11"	11' 1 1/2"	10' 10 1/2"	11' 2"
10'	9' 11 1/4"	10' 3/4"	9' 11 1/4"	10' 1 1/4"	9' 10 3/4"	10' 1 3/4"
9' 6"	9' 5 1/4"	9' 6 3/4"	9' 5 1/4"	9' 7"	9' 5"	9' 7 1/2"
9'	8' 11 1/2"	9' 3/4"	8' 11 1/4"	9' 1"	8' 11"	9' 1 1/4"
8' 6"	8' 5 1/2"	8' 6 1/2"	8' 5 1/2"	8' 6 3/4"	8' 5 1/4"	8' 7 1/4"
8'	7' 11 1/2"	8' 1/2"	7' 11 1/2"	8' 3/4"	7' 11 1/4"	8' 1"
7' 6"	7' 5 1/2"	7' 6 1/2"	7' 5 1/2"	7' 6 3/4"	7' 5 1/4"	7' 6 3/4"
7'	6' 11 3/4"	7' 1/2"	6' 11 1/2"	7' 1/2"	6' 11 1/2"	7' 3/4"
6' 9"	6' 8 3/4"	6' 9 1/4"	6' 8 3/4"	6' 9 1/2"	6' 8 1/2"	6' 9 3/4"
6' 6"	6' 5 3/4"	6' 6 1/4"	6' 5 3/4"	6' 6 1/2"	6' 5 1/2"	6' 6 3/4"
6' 3"	6' 2 3/4"	6' 3 1/4"	6' 2 3/4"	6' 3 1/2"	6' 2 1/2"	6' 3 1/2"
6'	5' 11 3/4"	6' 1/4"	5' 11 3/4"	6' 1/2"	5' 11 1/2"	6' 1/2"
5' 9"	5' 8 3/4"	5' 9 1/4"	5' 8 3/4"	5' 9 1/4"	5' 8 3/4"	5' 9 1/2"
5' 6"	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/2"
5' 3"	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/2"
5'	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/4"
4' 9"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"
4' 6"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"
4' 3"	4' 3"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"
4'	4'	4'	4'	4' 1/4"	3' 11 3/4"	4' 1/4"
3' 9"	8,00	3' 9"	11,00	3' 9 1/4"	16,00	3' 9 1/4"
3' 6"	3' 6"	3' 6"	3' 6"	3' 6"	3' 6"	3' 6 1/4"
3' 3"	3' 3"	3' 3"	3' 3"	3' 3"	3' 3"	3' 3"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	602' 4 3/4"	INF	414' 5 1/4"	INF	286' 5 1/4"	INF
200'	150' 4"	340' 6 3/4"	135' 1 1/2"	464' 11 3/4"	118' 1/4"	950' 10 1/2"
100'	85' 10 1/2"	125' 10"	80' 8 1/2"	139' 6 1/2"	74' 3 3/4"	164' 8"
60'	54' 7 3/4"	68' 4 1/4"	52' 6 1/4"	72' 2 1/4"	49' 9"	78' 3 3/4"
40'	37' 6 3/4"	43' 6 1/4"	36' 6 3/4"	45' 1/4"	35' 2 1/2"	47' 3 3/4"
30'	28' 7 1/2"	31' 11"	28' 1/2"	32' 8 1/2"	27' 3"	33' 10 3/4"
25'	24' 1/2"	26' 3 3/4"	23' 7 1/2"	26' 10"	23' 3/4"	27' 7 1/2"
20'	19' 4 3/4"	20' 9 3/4"	19' 1 1/2"	21' 1 3/4"	18' 9"	21' 7 1/2"
18'	17' 6"	18' 7 3/4"	17' 3 1/2"	18' 11"	17'	19' 3 1/2"
16'	15' 7 1/4"	16' 6 1/4"	15' 5 1/4"	16' 8 1/2"	15' 2 1/2"	17'
15'	14' 8"	15' 5 1/4"	14' 6"	15' 7 1/2"	14' 3 1/2"	15' 10 1/2"
14'	13' 8 1/2"	14' 4 1/2"	13' 7"	14' 6 1/2"	13' 4 3/4"	14' 9"
13'	12' 9"	13' 4"	12' 7 1/2"	13' 5 1/2"	12' 5 3/4"	13' 7 3/4"
12'	11' 9 1/2"	12' 3 1/4"	11' 8 1/4"	12' 4 3/4"	11' 6 3/4"	12' 6 1/2"
11'	10' 9 3/4"	11' 2 3/4"	10' 9"	11' 3 3/4"	10' 7 1/2"	11' 5 1/2"
10'	9' 10 1/4"	10' 2 1/4"	9' 9 1/2"	10' 3 1/4"	9' 8 1/4"	10' 4 1/2"
9' 6"	9' 4 1/2"	9' 8"	9' 3 3/4"	9' 8 3/4"	9' 2 3/4"	9' 10"
9'	8' 10 1/2"	9' 1 3/4"	8' 10"	9' 2 1/2"	8' 9"	9' 3 1/2"
8' 6"	8' 4 3/4"	8' 7 1/2"	8' 4 1/4"	8' 8 1/4"	8' 3 1/2"	8' 9"
8'	7' 11"	8' 1 1/2"	7' 10 1/2"	8' 2"	7' 9 3/4"	8' 2 3/4"
7' 6"	7' 5"	7' 7 1/4"	7' 4 1/2"	7' 7 3/4"	7' 4"	7' 8 1/4"
7'	6' 11 1/4"	7' 1"	6' 10 3/4"	7' 1 1/2"	6' 10 1/4"	7' 2"
6' 9"	6' 8 1/4"	6' 10"	6' 8"	6' 10 1/4"	6' 7 1/2"	6' 10 3/4"
6' 6"	6' 5 1/4"	6' 7"	6' 5"	6' 7 1/4"	6' 4 1/2"	6' 7 3/4"
6' 3"	6' 2 1/4"	6' 3 3/4"	6' 2"	6' 4"	6' 1 3/4"	6' 4 1/2"
6'	5' 11 1/2"	6' 3/4"	5' 11 1/4"	6' 1"	5' 10 3/4"	6' 1 1/2"
5' 9"	5' 8 1/2"	5' 9 3/4"	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/4"
5' 6"	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 6 3/4"	5' 5"	5' 7 1/4"
5' 3"	5' 2 1/2"	5' 3 1/2"	5' 2 1/4"	5' 3 3/4"	5' 2"	5' 4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/2"	5' 3/4"	4' 11 1/4"	5' 1"
4' 9"	4' 8 3/4"	4' 9 1/2"	4' 8 1/2"	4' 9 1/2"	4' 8 1/4"	4' 9 3/4"
4' 6"	4' 5 3/4"	4' 6 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"
4' 3"	4' 2 3/4"	4' 3 1/4"	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/2"	3' 11 1/2"	4' 1/2"
3' 9"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"
3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	199' 1 1/2"	INF	139' 2"	INF
200'	100' 1/2"	INF	82' 3 3/4"	INF
100'	66' 9 1/2"	220' 7 3/4"	58' 5 1/4"	425' 5"
60'	46' 3 1/2"	88' 11 3/4"	42' 1 3/4"	110' 2 3/4"
40'	33' 5 1/2"	50' 11 1/2"	31' 3"	57' 2 3/4"
30'	26' 2 1/4"	35' 8 1/2"	24' 10"	38' 7 3/4"
25'	22' 3 3/4"	28' 9 3/4"	21' 4"	30' 8 1/4"
20'	18' 3"	22' 4"	17' 7 1/4"	23' 5 1/4"
18'	16' 7"	19' 10 1/4"	16' 1/2"	20' 8 1/2"
16'	14' 10 1/2"	17' 5 1/4"	14' 5 1/4"	18' 1"
15'	14' 1/4"	16' 3"	13' 7 1/2"	16' 9 3/4"
14'	13' 1 3/4"	15' 1"	12' 9 3/4"	15' 6 3/4"
13'	12' 3 1/4"	13' 11"	11' 11 3/4"	14' 3 3/4"
12'	11' 4 1/2"	12' 9 1/4"	11' 1 1/2"	13' 1 1/4"
11'	10' 5 3/4"	11' 7 3/4"	10' 3 1/4"	11' 11"
10'	9' 6 3/4"	10' 6 1/4"	9' 4 3/4"	10' 9"
9' 6"	9' 1 1/4"	9' 11 1/2"	8' 11 1/2"	10' 2"
9'	8' 7 3/4"	9' 5"	8' 6 1/4"	9' 7"
8' 6"	8' 2 1/4"	8' 10 1/4"	8' 3/4"	9' 1/4"
8'	7' 8 3/4"	8' 3 3/4"	7' 7 1/2"	8' 5 1/2"
7' 6"	7' 3 1/4"	7' 9 1/4"	7' 2"	7' 10 3/4"
7'	6' 9 1/2"	7' 2 3/4"	6' 8 1/2"	7' 4"
6' 9"	6' 6 3/4"	6' 11 1/2"	6' 5 3/4"	7' 3/4"
6' 6"	6' 4"	6' 8 1/2"	6' 3"	6' 9 1/2"
6' 3"	6' 1"	6' 5 1/4"	6' 1/4"	6' 6"
6'	5' 10 1/4"	6' 2"	5' 9 1/2"	6' 2 3/4"
5' 9"	5' 7 1/2"	5' 10 3/4"	5' 6 3/4"	5' 11 1/2"
5' 6"	5' 4 1/2"	5' 7 3/4"	5' 4"	5' 8 1/4"
5' 3"	5' 1 3/4"	5' 4 1/2"	5' 1 1/4"	5' 5"
5'	4' 10 3/4"	5' 1 1/4"	4' 10 1/4"	5' 1 3/4"
4' 9"	4' 8"	4' 10 1/4"	4' 7 1/2"	4' 10 3/4"
4' 6"	4' 5"	4' 7"	4' 4 3/4"	4' 7 1/2"
4' 3"	4' 2 1/4"	4' 4"	4' 1 3/4"	4' 4 1/4"
4'	3' 11 1/4"	4' 3/4"	3' 11"	4' 1"
3' 9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"
3' 6"	3' 5 1/2"	3' 6 1/2"	3' 5 1/4"	3' 6 3/4"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	11' 3 1/2"	INF	8' 10 1/4"	INF	7' 7"	INF
30'	8' 4 1/4"	INF	6' 11 1/2"	INF	6' 2"	INF
15'	6' 7 1/2"	INF	5' 8 3/4"	INF	5' 2 1/4"	INF
10'	5' 5 3/4"	83' 4 3/4"	4' 10 1/2"	INF	4' 5 3/4"	INF
8'	4' 10 1/4"	25' 10 1/2"	4' 4 1/2"	94' 8 1/2"	4' 3/4"	INF
6'	4' 1"	12' 1/2"	3' 9"	17' 10 3/4"	3' 6 1/4"	INF
5'	3' 7 1/2"	8' 5 1/4"	3' 4 1/4"	10' 10 1/4"	3' 2 1/4"	55' 6"
4' 6"	3' 4 1/4"	7' 1/2"	3' 1 3/4"	8' 7 1/4"	3'	23'
4'	3' 1"	5' 9 3/4"	2' 11"	6' 10"	2' 9 1/4"	13' 3 1/4"
3' 6"	2' 9 1/2"	4' 9 1/4"	2' 7 3/4"	5' 4 3/4"	2' 6 1/2"	8' 7 1/4"
3'	2' 5 3/4"	3' 10"	2' 4 1/2"	4' 2 3/4"	2' 3 1/2"	5' 10 1/2"
2' 9"	2' 3 3/4"	3' 5"	2' 2 3/4"	3' 8 1/2"	2' 1 3/4"	4' 10 1/2"
2' 6"	2' 1 3/4"	3' 1/4"	2' 3/4"	3' 3"	2' 1/4"	4' 3/4"
2' 3"	1' 11 3/4"	2' 7 3/4"	1' 10 3/4"	2' 9 3/4"	1' 10 1/4"	3' 4 1/2"
2'	1' 9 1/2"	2' 3 1/2"	1' 8 3/4"	2' 4 3/4"	1' 8 1/4"	2' 9 1/2"
1' 11"	1' 8 3/4"	2' 2"	1' 8"	2' 3 1/4"	1' 7 3/4"	2' 7 1/4"
1' 10"	1' 8"	2' 3/4"	1' 7 1/2"	2' 1 3/4"	1' 7"	2' 5 1/4"
1' 9"	1' 7"	1' 11 1/2"	1' 6 3/4"	2' 1/4"	1' 6 1/4"	2' 3 1/4"
1' 8"	1' 6 1/4"	1' 10 1/4"	1' 6"	1' 11"	1' 5 1/2"	2' 1 1/2"
1' 7"	1' 5 1/2"	1' 8 3/4"	1' 5 1/4"	1' 9 1/2"	1' 5"	1' 11 3/4"
1' 6"	1' 4 3/4"	1' 7 1/2"	1' 4 1/2"	1' 8 1/4"	1' 4 1/4"	1' 10"
1' 5"	1' 4"	1' 6 1/4"	1' 3 1/2"	1' 6 3/4"	1' 3 1/2"	1' 8 1/4"
1' 4"	1' 3"	1' 5 1/4"	1' 2 3/4"	1' 5 1/2"	1' 2 1/2"	1' 6 3/4"
1' 3"	1' 2 1/4"	1' 4"	1' 2"	1' 4 1/4"	1' 1 3/4"	1' 5 1/4"
1' 2"	1' 1 1/4"	1' 2 3/4"	1' 1 1/4"	1' 3"	1' 1"	1' 3 3/4"
1' 1"	1' 1/2"	1' 1 1/2"	1' 1/4"	1' 1 3/4"	1' 1/4"	1' 2 1/2"
1'	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"	11 1/2"	1' 1"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	5' 8 3/4"	INF	4' 1 1/2"	INF	2' 10"	INF
30'	4' 10 3/4"	INF	3' 7 1/2"	INF	2' 7 3/4"	INF
15'	4' 3 1/2"	INF	3' 3 1/2"	INF	2' 5 3/4"	INF
10'	3' 9 3/4"	INF	3' 1 1/4"	INF	2' 4"	INF
8'	3' 6 1/4"	INF	2' 10"	INF	2' 2 3/4"	INF
6'	3' 1 1/4"	INF	2' 7"	INF	2' 1"	INF
5'	2' 10 1/4"	INF	2' 5"	INF	1' 11 3/4"	INF
4' 6"	2' 8 1/4"	INF	2' 3 3/4"	INF	1' 11"	INF
4'	2' 6 1/4"	INF	2' 2 1/4"	INF	1' 10"	INF
3' 6"	2' 4"	33' 4 1/2"	2' 3/4"	INF	1' 9"	INF
3'	2' 1 1/2"	11' 4 3/4"	1' 10 3/4"	INF	1' 7 3/4"	INF
2' 9"	2' 1/4"	8' 1/4"	1' 9 3/4"	51' 9"	1' 7"	INF
2' 6"	1' 10 3/4"	5' 11 1/4"	1' 8 1/2"	14' 11 3/4"	1' 6"	INF
2' 3"	1' 9"	4' 6"	1' 7 1/4"	8' 1/4"	1' 5 1/4"	INF
2'	1' 7 1/2"	3' 5 1/2"	1' 6"	5' 1 1/4"	1' 4 1/4"	15' 11"
1' 11"	1' 6 3/4"	3' 2 1/4"	1' 5 1/2"	4' 5 1/2"	1' 3 3/4"	10' 8"
1' 10"	1' 6 1/4"	2' 11"	1' 5"	3' 11"	1' 3 1/2"	7' 10 1/4"
1' 9"	1' 5 1/2"	2' 8"	1' 4 1/2"	3' 5 3/4"	1' 3"	6' 1 1/4"
1' 8"	1' 5"	2' 5 1/2"	1' 4"	3' 1"	1' 2 1/2"	4' 10 3/4"
1' 7"	1' 4 1/4"	2' 3"	1' 3 1/4"	2' 9"	1' 2 1/4"	4' 1/4"
1' 6"	1' 3 1/2"	2' 3/4"	1' 2 3/4"	2' 5 1/4"	1' 1 3/4"	3' 4 1/2"
1' 5"	1' 3"	1' 10 1/2"	1' 2 1/4"	2' 2 1/4"	1' 1 1/4"	2' 10 1/4"
1' 4"	1' 2 1/4"	1' 8 1/2"	1' 1 1/2"	1' 11 1/4"	1' 3/4"	2' 5 1/4"
1' 3"	1' 1 1/2"	1' 6 3/4"	1' 1"	1' 8 3/4"	1' 1/4"	2' 1"
1' 2"	1' 3/4"	1' 5"	1' 1/4"	1' 6 1/2"	11 3/4"	1' 9 1/2"
1' 1"	1'	1' 3 1/4"	11 1/2"	1' 4 1/2"	11"	1' 6 1/2"
1'	11 1/4"	1' 1 3/4"	10 3/4"	1' 2 1/2"	10 1/2"	1' 4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	2' 1/2"	INF
30'	1' 11 1/2"	INF
15'	1' 10 1/2"	INF
10'	1' 9 1/2"	INF
8'	1' 9"	INF
6'	1' 8"	INF
5'	1' 7 1/4"	INF
4' 6"	1' 6 3/4"	INF
4'	1' 6 1/4"	INF
3' 6"	1' 5 1/2"	INF
3'	1' 4 3/4"	INF
2' 9"	1' 4 1/4"	INF
2' 6"	1' 3 3/4"	INF
2' 3"	1' 3"	INF
2'	1' 2 1/4"	INF
1' 11"	1' 2"	INF
1' 10"	1' 1 3/4"	INF
1' 9"	1' 1 1/2"	INF
1' 8"	1' 1 1/4"	62' 7"
1' 7"	1' 3/4"	14' 11 3/4"
1' 6"	1' 1/2"	8' 1 3/4"
1' 5"	1' 1/4"	5' 5"
1' 4"	11 3/4"	3' 11 1/4"
1' 3"	11 1/4"	3' 1/4"
1' 2"	11"	2' 4 3/4"
1' 1"	10 1/2"	1' 11 1/4"
1'	10"	1' 7"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	16' 3 1/2"	INF	12' 1"	INF	9' 5 1/2"	INF
200'	15' 1 1/4"	INF	11' 5"	INF	9' 3/4"	INF
100'	14' 1"	INF	10' 10"	INF	8' 8 1/2"	INF
60'	12' 11 1/4"	INF	10' 1 3/4"	INF	8' 3"	INF
50'	12' 5"	INF	9' 10"	INF	8' 3/4"	INF
40'	11' 8 3/4"	INF	9' 4 3/4"	INF	7' 9 1/4"	INF
30'	10' 8 3/4"	INF	8' 9"	INF	7' 4"	INF
25'	10' 1/2"	INF	8' 3 1/2"	INF	7'	INF
20'	9' 1 3/4"	INF	7' 8 1/4"	INF	6' 7"	INF
19'	8' 11 1/4"	INF	7' 6 3/4"	INF	6' 5 3/4"	INF
18'	8' 8 3/4"	INF	7' 4 3/4"	INF	6' 4 1/4"	INF
17'	8' 6"	INF	7' 2 3/4"	INF	6' 3"	INF
16'	8' 3"	917' 9 1/4"	7' 3/4"	INF	6' 1 1/4"	INF
15'	7' 11 3/4"	183' 7 1/4"	6' 10 1/2"	INF	5' 11 3/4"	INF
14'	7' 8 1/2"	95' 11"	6' 8"	INF	5' 9 3/4"	INF
13'	7' 5"	61' 10"	6' 5 1/4"	INF	5' 7 3/4"	INF
12'	7' 1"	43' 8 3/4"	6' 2 1/2"	187' 8 3/4"	5' 5 1/2"	INF
11'	6' 8 3/4"	32' 5 3/4"	5' 11 1/4"	74' 11"	5' 3 1/4"	INF
10'	6' 4 1/2"	24' 9 3/4"	5' 7 3/4"	43' 6 1/2"	5' 1/2"	INF
9' 6"	6' 2"	21' 10"	5' 6"	35' 1/2"	4' 11"	INF
9'	5' 11 1/2"	19' 3 1/4"	5' 4"	28' 9 1/2"	4' 9 1/2"	INF
8' 6"	5' 9"	17' 1/4"	5' 2"	24' 1/4"	4' 8"	INF
8'	5' 6 1/4"	15' 3/4"	4' 11 3/4"	20' 2 3/4"	4' 6 1/4"	151' 5 1/2"
7' 9"	5' 5"	14' 2"	4' 10 3/4"	18' 7 1/2"	4' 5 1/4"	90' 10 1/2"
7' 6"	5' 3 1/2"	13' 3 3/4"	4' 9 1/2"	17' 2"	4' 4 1/4"	63' 8 1/2"
7' 3"	5' 2"	12' 6 1/4"	4' 8 1/2"	15' 10 1/4"	4' 3 1/2"	48' 3 1/4"
7'	5' 1/2"	11' 9"	4' 7 1/4"	14' 7 3/4"	4' 2 1/2"	38' 4"
6' 9"	4' 11"	11' 1/2"	4' 6"	13' 6 1/2"	4' 1 1/4"	31' 4 3/4"
6' 6"	4' 9 1/2"	10' 4 1/4"	4' 4 3/4"	12' 6 1/4"	4' 1/4"	26' 3 1/4"
6' 3"	4' 8"	9' 8 1/2"	4' 3 1/4"	11' 6 3/4"	3' 11 1/4"	22' 4"
6'	4' 6 1/4"	9' 1 1/4"	4' 2"	10' 8 1/2"	3' 10"	19' 2 1/2"
5' 9"	4' 4 3/4"	8' 6 1/4"	4' 1/2"	9' 10 3/4"	3' 9"	16' 8 1/4"
5' 6"	4' 3"	7' 11 1/2"	3' 11 1/4"	9' 1 1/2"	3' 7 3/4"	14' 7"
5' 3"	4' 1 1/4"	7' 5"	3' 9 3/4"	8' 5 1/4"	3' 6 1/2"	12' 9 3/4"
5'	8,00	6' 11"	11,00	7' 9 1/4"	16,00	11' 3 3/4"
4' 9"	3' 9 1/2"	6' 5"	3' 6 3/4"	7' 1 3/4"	3' 3 3/4"	10' 1/4"
4' 6"	3' 7 3/4"	5' 11 1/2"	3' 5"	6' 6 3/4"	3' 2 1/2"	8' 10 1/2"
4' 3"	3' 5 3/4"	5' 6"	3' 3 1/4"	6' 1/4"	3' 1"	7' 10 3/4"
4'	3' 3 3/4"	5' 1"	3' 1 3/4"	5' 6 1/4"	2' 11 1/2"	7'



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
3' 9"	3' 1 3/4"	4' 8"	2' 11 3/4"	5' 1/4"	2' 10"	6' 2 1/2"
3' 6"	2' 11 3/4"	4' 3 1/4"	2' 10"	4' 6 3/4"	2' 8 1/4"	5' 6"
3' 3"	2' 9 3/4"	3' 10 3/4"	2' 8 1/4"	4' 1 1/2"	2' 6 3/4"	4' 10 1/2"
3'	2' 7 1/2"	3' 6 1/4"	2' 6 1/4"	3' 8 1/2"	2' 5"	4' 3 1/2"
2' 9"	2' 5 1/4"	3' 2"	2' 4 1/4"	3' 3 3/4"	2' 3"	3' 9"
2' 6"	2' 3"	2' 10"	2' 2"	2' 11 1/4"	2' 1"	3' 3 1/4"
2' 3"	2' 1/2"	2' 6"	1' 11 3/4"	2' 7"	1' 11"	2' 10"
2'	1' 10 1/4"	2' 2 1/4"	1' 9 1/2"	2' 3"	1' 9"	2' 5"
1' 11"	1' 9 1/4"	2' 1"	1' 8 3/4"	2' 1 3/4"	1' 8 1/4"	2' 3 1/2"
1' 10"	1' 8 1/2"	1' 11 3/4"	1' 8"	2' 1/2"	1' 7 1/2"	2' 2"
1' 9"	1' 7 3/4"	1' 10 1/2"	1' 7 1/4"	1' 11"	1' 6 3/4"	2' 1/2"
1' 8"	1' 6 3/4"	1' 9 1/2"	1' 6 1/2"	1' 9 3/4"	1' 6"	1' 11"
1' 7"	1' 6"	1' 8 1/4"	1' 5 1/2"	1' 8 1/2"	1' 5 1/4"	1' 9 3/4"
1' 6"	1' 5"	1' 7"	1' 4 3/4"	1' 7 1/2"	1' 4 1/2"	1' 8 1/4"
1' 5"	1' 4 1/4"	1' 6"	1' 4"	1' 6 1/4"	1' 3 3/4"	1' 7"
1' 4"	1' 3 1/4"	1' 4 3/4"	1' 3"	1' 5"	1' 2 3/4"	1' 5 1/2"
1' 3"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 3 3/4"	1' 2"	1' 4 1/4"
1' 2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"
1' 1"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 1/2"	1' 1/4"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	7' 1 1/2"	INF	5' 1 1/2"	INF	3' 8"	INF
200'	15' 1 1/4"	INF	11' 5"	INF	9' 3/4"	INF
100'	6' 8 1/4"	INF	4' 11"	INF	3' 6 3/4"	INF
60'	6' 5 1/4"	INF	4' 9 1/4"	INF	3' 6"	INF
50'	6' 3 3/4"	INF	4' 8 1/2"	INF	3' 5 1/2"	INF
40'	6' 1 3/4"	INF	4' 7 1/2"	INF	3' 5"	INF
30'	5' 10 1/2"	INF	4' 5 3/4"	INF	3' 4"	INF
25'	5' 8"	INF	4' 4 1/4"	INF	3' 3 1/4"	INF
20'	5' 4 3/4"	INF	4' 2 1/2"	INF	3' 2 1/4"	INF
19'	5' 4"	INF	4' 2"	INF	3' 2"	INF
18'	5' 3"	INF	4' 1 1/2"	INF	3' 1 3/4"	INF
17'	5' 2"	INF	4' 3/4"	INF	3' 1 1/2"	INF
16'	5' 1"	INF	4' 1/4"	INF	3' 1"	INF
15'	4' 11 3/4"	INF	3' 11 1/2"	INF	3' 3/4"	INF
14'	4' 10 1/2"	INF	3' 10 3/4"	INF	3' 1/4"	INF
13'	4' 9 1/4"	INF	3' 10"	INF	2' 11 3/4"	INF
12'	4' 7 3/4"	INF	3' 9"	INF	2' 11 1/4"	INF
11'	4' 6"	INF	3' 7 3/4"	INF	2' 10 1/2"	INF
10'	4' 4"	INF	3' 6 3/4"	INF	2' 9 3/4"	INF
9' 6"	4' 3"	INF	3' 6"	INF	2' 9 1/2"	INF
9'	4' 1 3/4"	INF	3' 5 1/4"	INF	2' 9"	INF
8' 6"	4' 3/4"	INF	3' 4 1/2"	INF	2' 8 1/2"	INF
8'	3' 11 1/2"	INF	3' 3 1/2"	INF	2' 8"	INF
7' 9"	3' 10 3/4"	INF	3' 3"	INF	2' 7 3/4"	INF
7' 6"	3' 10"	INF	3' 2 3/4"	INF	2' 7 1/2"	INF
7' 3"	3' 9 1/4"	INF	3' 2 1/4"	INF	2' 7"	INF
7'	3' 8 1/2"	INF	3' 1 3/4"	INF	2' 6 3/4"	INF
6' 9"	3' 7 3/4"	INF	3' 1"	INF	2' 6 1/2"	INF
6' 6"	3' 7"	INF	3' 1/2"	INF	2' 6"	INF
6' 3"	3' 6"	INF	3'	INF	2' 5 3/4"	INF
6'	3' 5 1/4"	INF	2' 11 1/4"	INF	2' 5 1/4"	INF
5' 9"	3' 4 1/4"	409' 8 3/4"	2' 10 3/4"	INF	2' 5"	INF
5' 6"	3' 3 1/4"	87' 6 1/2"	2' 10"	INF	2' 4 1/2"	INF
5' 3"	3' 2 1/2"	47' 1/2"	2' 9 1/4"	INF	2' 4"	INF
5'	3' 1 1/4"	31' 2 1/4"	2' 8 1/2"	INF	2' 3 1/2"	INF
4' 9"	3' 1/4"	22' 8 3/4"	2' 7 3/4"	INF	2' 3"	INF
4' 6"	2' 11 1/4"	17' 5 1/2"	2' 7"	INF	2' 2 1/2"	INF
4' 3"	2' 10"	13' 10 1/2"	2' 6"	INF	2' 1 3/4"	INF
4'	2' 8 3/4"	11' 3 1/4"	2' 5"	60' 11 1/4"	2' 1"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
3' 9"	2' 7 1/2"	9' 3 1/2"	2' 4"	27' 6 1/2"	2' 1/2"	INF
3' 6"	2' 6"	7' 9"	2' 3"	16' 11 1/2"	1' 11 3/4"	INF
3' 3"	2' 4 1/2"	6' 6"	2' 2"	11' 9"	1' 10 3/4"	INF
3'	2' 3"	5' 5 1/2"	2' 3/4"	8' 7 3/4"	1' 10"	50' 4 1/2"
2' 9"	2' 1 1/2"	4' 7 1/4"	1' 11 1/2"	6' 7 1/4"	1' 9"	17' 1 1/2"
2' 6"	1' 11 3/4"	3' 10 1/2"	1' 10"	5' 1 3/4"	1' 8"	9' 6 3/4"
2' 3"	1' 10"	3' 3"	1' 8 1/2"	4' 1/2"	1' 6 3/4"	6' 2 3/4"
2'	1' 8 1/4"	2' 8 1/2"	1' 7"	3' 2 1/2"	1' 5 1/2"	4' 4"
1' 11"	1' 7 1/2"	2' 6 1/2"	1' 6 1/2"	2' 11 1/2"	1' 5"	3' 10 1/2"
1' 10"	1' 6 3/4"	2' 4 1/2"	1' 5 3/4"	2' 8 3/4"	1' 4 1/2"	3' 5 3/4"
1' 9"	1' 6 1/4"	2' 2 3/4"	1' 5 1/4"	2' 6 1/4"	1' 4"	3' 1 1/2"
1' 8"	1' 5 1/2"	2' 1"	1' 4 3/4"	2' 4"	1' 3 1/2"	2' 9 3/4"
1' 7"	1' 4 3/4"	1' 11 1/4"	1' 4"	2' 1 3/4"	1' 3"	2' 6 1/2"
1' 6"	1' 4"	1' 9 1/2"	1' 3 1/4"	1' 11 3/4"	1' 2 1/2"	2' 3 1/2"
1' 5"	1' 3 1/4"	1' 8"	1' 2 3/4"	1' 9 3/4"	1' 2"	2' 3/4"
1' 4"	1' 2 1/2"	1' 6 1/2"	1' 2"	1' 8"	1' 1 1/4"	1' 10 1/4"
1' 3"	1' 1 3/4"	1' 5"	1' 1 1/4"	1' 6 1/4"	1' 3/4"	1' 8"
1' 2"	1' 1"	1' 3 3/4"	1' 1/2"	1' 4 1/2"	1'	1' 6"
1' 1"	1' 1/4"	1' 2 1/4"	11 3/4"	1' 3"	11 1/2"	1' 4"
1'	11 1/4"	1' 1"	11"	1' 1 1/2"	10 3/4"	1' 2 1/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	2' 7 3/4"	INF
200'	2' 7 1/2"	INF
100'	2' 7 1/4"	INF
60'	2' 6 3/4"	INF
50'	2' 6 1/2"	INF
40'	2' 6 1/4"	INF
30'	2' 5 3/4"	INF
25'	2' 5 1/2"	INF
20'	2' 5"	INF
19'	2' 4 3/4"	INF
18'	2' 4 1/2"	INF
17'	2' 4 1/2"	INF
16'	2' 4 1/4"	INF
15'	2' 4"	INF
14'	2' 3 3/4"	INF
13'	2' 3 1/2"	INF
12'	2' 3 1/4"	INF
11'	2' 3"	INF
10'	2' 2 1/2"	INF
9' 6"	2' 2 1/4"	INF
9'	2' 2"	INF
8' 6"	2' 1 3/4"	INF
8'	2' 1 1/2"	INF
7' 9"	2' 1 1/4"	INF
7' 6"	2' 1"	INF
7' 3"	2' 1"	INF
7'	2' 3/4"	INF
6' 9"	2' 1/2"	INF
6' 6"	2' 1/4"	INF
6' 3"	2'	INF
6'	1' 11 3/4"	INF
5' 9"	1' 11 1/2"	INF
5' 6"	1' 11 1/4"	INF
5' 3"	1' 11"	INF
5'	1' 10 3/4"	INF
4' 9"	1' 10 1/4"	INF
4' 6"	1' 10"	INF
4' 3"	1' 9 1/2"	INF
4'	1' 9 1/4"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
3' 9"	1' 8 3/4"	INF
3' 6"	1' 8 1/4"	INF
3' 3"	1' 7 3/4"	INF
3'	1' 7"	INF
2' 9"	1' 6 1/4"	INF
2' 6"	1' 5 1/2"	INF
2' 3"	1' 4 3/4"	32' 2 1/2"
2'	1' 3 3/4"	9' 3 1/4"
1' 11"	1' 3 1/2"	7' 3 1/4"
1' 10"	1' 3"	5' 10 1/2"
1' 9"	1' 2 3/4"	4' 10 1/4"
1' 8"	1' 2 1/4"	4' 1"
1' 7"	1' 2"	3' 5 3/4"
1' 6"	1' 1 1/2"	3'
1' 5"	1' 1"	2' 7"
1' 4"	1' 1/2"	2' 3"
1' 3"	1'	1' 11 1/2"
1' 2"	11 1/2"	1' 8 1/2"
1' 1"	11"	1' 5 3/4"
1'	10 1/4"	1' 3 1/2"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	22' 1/4"	INF	18' 3 1/2"	INF	17' 3"	INF
30'	12' 10 1/2"	INF	11' 6 1/4"	INF	11' 1 1/4"	INF
15'	9' 1"	45' 9"	8' 5"	117' 11"	8' 2 1/4"	INF
10'	7' 1/4"	17' 9 1/4"	6' 7 1/2"	23' 1 3/4"	6' 5 3/4"	INF
8'	6'	12' 2 1/4"	5' 8 1/2"	14' 5 1/4"	5' 7 1/4"	37' 3"
6'	4' 10"	8'	4' 7 3/4"	8' 10 1/2"	4' 7"	13' 11 3/4"
5'	4' 2 1/4"	6' 3 1/4"	4' 1/2"	6' 9 1/2"	4'	9' 3 3/4"
4' 6"	3' 10"	5' 5 3/4"	3' 8 3/4"	5' 10 1/2"	3' 8 1/4"	7' 7 1/2"
4'	3' 5 3/4"	4' 9"	3' 4 1/2"	5' 1/4"	3' 4 1/4"	6' 2 1/2"
3' 6"	3' 1 1/4"	4' 1/2"	3' 1/4"	4' 2 3/4"	3'	5' 1/4"
2' 9"	2' 6 1/4"	3' 1/2"	2' 5 1/2"	3' 1 3/4"	2' 5 1/2"	3' 6 1/2"
2' 6"	2' 3 3/4"	2' 8 3/4"	2' 3 1/4"	2' 9 3/4"	2' 3"	3' 1 1/4"
2' 3"	2' 1 1/4"	2' 5 1/4"	2' 3/4"	2' 6"	2' 3/4"	2' 8 1/2"
1' 11"	1' 9 3/4"	2' 1/2"	1' 9 1/2"	2' 1"	1' 9 1/2"	2' 2 3/4"
1' 10"	1' 8 3/4"	1' 11 1/4"	1' 8 3/4"	1' 11 3/4"	1' 8 1/2"	2' 1 1/4"
1' 9"	1' 8"	1' 10 1/4"	1' 7 3/4"	1' 10 1/2"	1' 7 3/4"	1' 11 3/4"
1' 8"	1' 7"	1' 9"	1' 7"	1' 9 1/4"	1' 6 3/4"	1' 10 1/2"
1' 7"	1' 6 1/4"	1' 8"	1' 6"	1' 8 1/4"	1' 6"	1' 9 1/4"
1' 6"	1' 5 1/4"	1' 6 3/4"	1' 5 1/4"	1' 7"	1' 5"	1' 7 3/4"
1' 5"	1' 4 1/2"	1' 5 3/4"	1' 4 1/4"	1' 5 3/4"	1' 4 1/4"	1' 6 1/2"
1' 4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5 1/4"
1' 3"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 4"
1' 2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 3"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
10"	9 3/4"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	13' 7 3/4"	INF	9' 3 1/4"	INF	6' 1 1/4"	INF
30'	9' 6 1/4"	INF	7' 2 1/2"	INF	5' 2"	INF
15'	7' 3 3/4"	INF	5' 10 3/4"	INF	4' 5 3/4"	INF
10'	5' 11 1/4"	INF	4' 11 3/4"	INF	3' 11 1/2"	INF
8'	5' 2 1/2"	INF	4' 5 1/2"	INF	3' 7 1/2"	INF
6'	4' 3 3/4"	45' 7 1/4"	3' 9 3/4"	INF	3' 2 1/2"	INF
5'	3' 9 1/2"	16' 11 1/2"	3' 4 3/4"	INF	2' 11"	INF
4' 6"	3' 6 1/4"	11' 11 1/2"	3' 2 1/4"	36' 3"	2' 9"	INF
4'	3' 2 1/2"	8' 8 3/4"	2' 11 1/4"	16' 9 1/4"	2' 7"	INF
3' 6"	2' 10 3/4"	6' 6"	2' 8"	9' 11"	2' 4 1/2"	32' 3"
2' 9"	2' 4 1/2"	4' 2"	2' 2 3/4"	5' 3"	2' 1/2"	8'
2' 6"	2' 2 1/2"	3' 6 3/4"	2' 1"	4' 3 3/4"	1' 11"	5' 11"
2' 3"	2' 1/4"	3' 1/2"	1' 11"	3' 6 1/2"	1' 9 1/4"	4' 6"
1' 11"	1' 9"	2' 5"	1' 8 1/4"	2' 8 1/4"	1' 7"	3' 2 1/4"
1' 10"	1' 8 1/4"	2' 3 1/4"	1' 7 1/2"	2' 6 1/4"	1' 6 1/4"	2' 11"
1' 9"	1' 7 1/2"	2' 1 1/2"	1' 6 3/4"	2' 4"	1' 5 3/4"	2' 8 1/4"
1' 8"	1' 6 1/2"	2'	1' 6"	2' 2"	1' 5"	2' 5 1/2"
1' 7"	1' 5 3/4"	1' 10 1/2"	1' 5 1/4"	2' 1/4"	1' 4 1/2"	2' 3"
1' 6"	1' 5"	1' 9"	1' 4 1/2"	1' 10 1/2"	1' 3 3/4"	2' 3/4"
1' 5"	1' 4"	1' 7 1/2"	1' 3 1/2"	1' 8 3/4"	1' 3"	1' 10 1/2"
1' 4"	1' 3 1/4"	1' 6"	1' 2 3/4"	1' 7"	1' 2 1/4"	1' 8 1/2"
1' 3"	1' 2 1/4"	1' 4 3/4"	1' 2"	1' 5 1/2"	1' 1 1/2"	1' 6 3/4"
1' 2"	1' 1 1/2"	1' 3 1/2"	1' 1 1/4"	1' 4"	1' 3/4"	1' 5"
1' 1"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/2"	1'	1' 3 1/4"
1'	11 3/4"	1' 3/4"	11 1/2"	1' 1 1/4"	11 1/4"	1' 1 3/4"
11"	10 3/4"	11 3/4"	10 1/2"	1'	10 1/2"	1' 1/4"
10"	9 3/4"	10 1/2"	9 3/4"	10 3/4"	9 1/2"	11"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	4' 1 1/2"	INF
30'	3' 8 1/4"	INF
15'	3' 4 1/4"	INF
10'	3' 3/4"	INF
8'	2' 10 1/2"	INF
6'	2' 7 1/4"	INF
5'	2' 5 1/4"	INF
4' 6"	2' 4"	INF
4'	2' 2 1/2"	INF
3' 6"	2' 3/4"	INF
2' 9"	1' 9 3/4"	32' 5 1/2"
2' 6"	1' 8 3/4"	12' 10 3/4"
2' 3"	1' 7 1/4"	7' 5 1/4"
1' 11"	1' 5 1/2"	4' 3 1/2"
1' 10"	1' 5"	3' 9 3/4"
1' 9"	1' 4 1/2"	3' 4 1/2"
1' 8"	1' 4"	3' 1/4"
1' 7"	1' 3 1/4"	2' 8 1/4"
1' 6"	1' 2 3/4"	2' 5"
1' 5"	1' 2 1/4"	2' 2"
1' 4"	1' 1 1/2"	1' 11 1/4"
1' 3"	1' 1"	1' 8 3/4"
1' 2"	1' 1/4"	1' 6 1/2"
1' 1"	11 1/2"	1' 4 1/2"
1'	10 3/4"	1' 2 1/2"
11"	10"	1' 3/4"
10"	9 1/4"	11 1/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	44' 4 3/4"	INF	39' 2 3/4"	INF	28' 11 1/4"	INF
40'	21' 2 1/4"	561' 2 1/4"	19' 11 1/2"	INF	16' 11 1/4"	INF
20'	13' 11"	36' 10 1/4"	13' 4 1/2"	64' 10 1/2"	11' 11 3/4"	INF
13'	10' 2"	18' 4 1/2"	9' 10 1/2"	23' 3 3/4"	9' 1 1/4"	36' 9 1/2"
10'	8' 3"	12' 10 1/4"	8' 3/4"	15' 1/2"	7' 6 1/2"	19' 7 1/2"
8'	6' 10 1/4"	9' 8 1/4"	6' 8 3/4"	10' 10 1/2"	6' 4 1/2"	13' 1/4"
7'	6' 1 1/2"	8' 3"	6' 1/4"	9' 3/4"	5' 8 3/4"	10' 6"
6'	5' 4 1/4"	6' 10 1/2"	5' 3 1/4"	7' 5 1/4"	5' 3/4"	8' 4 1/4"
5'	4' 6 1/2"	5' 7"	4' 6"	5' 11 1/4"	4' 4"	6' 6"
4' 6"	4' 1 1/2"	4' 11 1/2"	4' 1"	5' 2 3/4"	3' 11 1/2"	5' 7 3/4"
4'	3' 8 1/2"	4' 4 1/4"	3' 8 1/4"	4' 6 3/4"	3' 7"	4' 10 1/2"
3' 6"	3' 3 1/2"	3' 9"	3' 3"	3' 10 3/4"	3' 2 1/4"	4' 1 1/2"
3' 3"	3' 3/4"	3' 5 3/4"	3' 1/2"	3' 7"	2' 11 3/4"	3' 9 1/4"
3'	2' 10"	3' 2 1/4"	2' 10"	3' 3 1/2"	2' 9 1/4"	3' 5 1/4"
2' 9"	2' 7 1/2"	2' 10 3/4"	2' 7 1/4"	2' 11 3/4"	2' 6 3/4"	3' 1 1/4"
2' 6"	2' 4 3/4"	2' 7 1/2"	2' 4 1/2"	2' 8 1/4"	2' 4"	2' 9 1/4"
2' 3"	2' 2"	2' 4"	2' 2"	2' 4 3/4"	2' 1 1/2"	2' 5 1/2"
2'	1' 11 1/4"	2' 3/4"	1' 11 1/4"	2' 1 1/4"	1' 10 3/4"	2' 2"
1' 11"	1' 10 1/4"	1' 11 3/4"	1' 10 1/4"	2' 1/4"	1' 10"	2' 3/4"
1' 10"	1' 9 1/2"	1' 10 3/4"	1' 9 1/4"	1' 11"	1' 9"	1' 11 1/2"
1' 9"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 10"	1' 8 1/4"	1' 10 1/2"
1' 8"	1' 7 1/2"	1' 8 1/2"	1' 7 1/2"	1' 8 3/4"	1' 7 1/4"	1' 9 1/4"
1' 7"	1' 6 1/2"	1' 7 1/2"	1' 6 1/2"	1' 7 3/4"	1' 6 1/4"	1' 8"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"	1' 5 1/2"	1' 7"
1' 5"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"
1' 4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 1/2"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11"	11"	11 1/4"	10 3/4"	11 1/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	19' 11 3/4"	INF	13' 7 3/4"	INF	9' 4 3/4"	INF
40'	13' 5 1/2"	INF	10' 3 1/2"	INF	7' 8 1/2"	INF
20'	10' 1 3/4"	INF	8' 3"	INF	6' 6 1/4"	INF
13'	8' 1/4"	132' 3 1/2"	6' 9 3/4"	INF	5' 7 1/4"	INF
10'	6' 9 1/2"	31' 7 1/4"	5' 11"	184' 6 1/2"	5'	INF
8'	5' 10"	17' 4"	5' 2 1/4"	31' 4"	4' 5 3/4"	INF
7'	5' 3 1/2"	13' 1 1/4"	4' 9 1/4"	19' 8"	4' 2"	66' 3 3/4"
6'	4' 8 3/4"	9' 10 1/2"	4' 3 1/2"	13' 1 3/4"	3' 9 3/4"	24' 5 3/4"
5'	4' 1"	7' 4 1/4"	3' 9 1/4"	8' 11 3/4"	3' 4 3/4"	13'
4' 6"	3' 9 1/4"	6' 3 1/2"	3' 6"	7' 5"	3' 2"	9' 10 3/4"
4'	3' 5"	5' 3 3/4"	3' 2 1/4"	6' 1"	2' 11 1/4"	7' 7 3/4"
3' 6"	3' 3/4"	4' 5 1/4"	2' 10 1/2"	4' 11 1/2"	2' 8"	5' 10 3/4"
3' 3"	2' 10 1/2"	4' 1/4"	2' 8 1/2"	4' 5 1/4"	2' 6 1/4"	5' 2"
3'	2' 8"	3' 7 3/4"	2' 6 1/2"	3' 11 1/2"	2' 4 1/2"	4' 6 1/4"
2' 9"	2' 5 3/4"	3' 3 1/4"	2' 4 1/2"	3' 6 1/4"	2' 2 3/4"	3' 11 1/4"
2' 6"	2' 3 1/4"	2' 10 3/4"	2' 2 1/4"	3' 1 1/4"	2' 3/4"	3' 5"
2' 3"	2' 1"	2' 6 3/4"	2'	2' 8 1/2"	1' 11"	2' 11 1/4"
2'	1' 10 1/2"	2' 2 3/4"	1' 9 3/4"	2' 4"	1' 8 3/4"	2' 6"
1' 11"	1' 9 1/2"	2' 1 1/2"	1' 9"	2' 2 1/2"	1' 8"	2' 4 1/4"
1' 10"	1' 8 3/4"	2' 1/4"	1' 8"	2' 1 1/4"	1' 7 1/4"	2' 2 3/4"
1' 9"	1' 7 3/4"	1' 11"	1' 7 1/4"	1' 11 3/4"	1' 6 1/2"	2' 1 1/4"
1' 8"	1' 7"	1' 9 3/4"	1' 6 1/2"	1' 10 1/2"	1' 5 3/4"	1' 11 3/4"
1' 7"	1' 6"	1' 8 1/2"	1' 5 3/4"	1' 9 1/4"	1' 5"	1' 10 1/4"
1' 6"	1' 5 1/4"	1' 7 1/4"	1' 4 3/4"	1' 8"	1' 4 1/4"	1' 8 3/4"
1' 5"	1' 4 1/4"	1' 6 1/4"	1' 4"	1' 6 1/2"	1' 3 1/2"	1' 7 1/4"
1' 4"	1' 3 1/2"	1' 5"	1' 3"	1' 5 1/4"	1' 2 3/4"	1' 6"
1' 3"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4 1/4"	1' 2"	1' 4 3/4"
1' 2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"	1' 1"	1' 3 1/4"
1' 1"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 2"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/2"	10 1/2"	11 3/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	6' 6 1/2"	INF	4' 7 1/2"	INF
40'	5' 8 1/2"	INF	4' 2 1/2"	INF
20'	5' 1/2"	INF	3' 10 1/4"	INF
13'	4' 6"	INF	3' 6 1/4"	INF
10'	4' 1 1/4"	INF	3' 3 1/2"	INF
8'	3' 9"	INF	3' 1"	INF
7'	3' 6 1/2"	INF	2' 11 1/4"	INF
6'	3' 3 1/2"	INF	2' 9 1/4"	INF
5'	2' 11 3/4"	36' 4 3/4"	2' 6 3/4"	INF
4' 6"	2' 9 3/4"	19' 1 3/4"	2' 5 1/4"	INF
4'	2' 7 1/2"	12' 1/4"	2' 3 1/2"	75' 9"
3' 6"	2' 5"	8' 1 3/4"	2' 1 3/4"	18' 3 1/2"
3' 3"	2' 3 3/4"	6' 9 1/2"	2' 3/4"	12' 5 3/4"
3'	2' 2 1/4"	5' 8 1/4"	1' 11 1/2"	9' 1 1/4"
2' 9"	2' 3/4"	4' 9 1/4"	1' 10 1/2"	6' 10 3/4"
2' 6"	1' 11 1/4"	4'	1' 9 1/4"	5' 4 1/4"
2' 3"	1' 9 1/2"	3' 4 1/4"	1' 7 3/4"	4' 2 1/2"
2'	1' 7 3/4"	2' 9 1/4"	1' 6 1/4"	3' 3 3/4"
1' 11"	1' 7"	2' 7 1/4"	1' 5 3/4"	3' 3/4"
1' 10"	1' 6 1/2"	2' 5 1/4"	1' 5 1/4"	2' 10"
1' 9"	1' 5 3/4"	2' 3 1/4"	1' 4 3/4"	2' 7 1/4"
1' 8"	1' 5"	2' 1 1/2"	1' 4"	2' 4 3/4"
1' 7"	1' 4 1/2"	1' 11 3/4"	1' 3 1/2"	2' 2 1/2"
1' 6"	1' 3 3/4"	1' 10"	1' 3"	2' 1/4"
1' 5"	1' 3"	1' 8 1/2"	1' 2 1/4"	1' 10 1/4"
1' 4"	1' 2 1/4"	1' 7"	1' 1 3/4"	1' 8 1/2"
1' 3"	1' 1 1/2"	1' 5 1/2"	1' 1"	1' 6 3/4"
1' 2"	1' 3/4"	1' 4"	1' 1/4"	1' 5"
1' 1"	1'	1' 2 1/2"	11 1/2"	1' 3 1/4"
1'	11 1/4"	1' 1 1/4"	10 3/4"	1' 1 3/4"
11"	10 1/4"	1'	10"	1' 1/4"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	54' 8 1/2"	INF	32' 7 1/2"	INF	35' 3"	INF
30'	19' 6 1/4"	65' 9 1/4"	15' 9 1/2"	60' 3 1/2"	16' 4 1/4"	INF
15'	11' 10 1/2"	20' 5 1/4"	10' 5"	19' 10 3/4"	10' 7 3/4"	34' 8"
10'	8' 6 1/2"	12' 1 1/4"	7' 9 1/4"	11' 11"	7' 10 3/4"	15' 10 1/2"
8'	7' 1/2"	9' 3 1/4"	6' 6 1/4"	9' 2"	6' 7 1/4"	11' 3 1/2"
6'	5' 5 1/2"	6' 8"	5' 1 3/4"	6' 7 1/4"	5' 2 1/2"	7' 7 1/2"
5'	4' 7 1/2"	5' 5 1/4"	4' 4 3/4"	5' 5"	4' 5 1/4"	6' 1/2"
4'6"	4' 2 1/2"	4' 10 1/4"	4' 1/4"	4' 10"	4' 1/2"	5' 3 3/4"
4'	3' 9 1/4"	4' 3 1/4"	3' 7 1/2"	4' 3"	3' 7 3/4"	4' 7 1/2"
3'6"	3' 3 3/4"	3' 8 1/2"	3' 2 1/2"	3' 8 1/4"	3' 2 3/4"	3' 11 1/2"
3'	2' 10 1/2"	3' 1 3/4"	2' 9 1/2"	3' 1 1/2"	2' 9 3/4"	3' 3 3/4"
2'9"	2' 7 3/4"	2' 10 1/2"	2' 7"	2' 10 1/4"	2' 7"	3'
2'6"	2' 5"	2' 7"	2' 4 1/4"	2' 7"	2' 4 1/2"	2' 8 1/2"
2'3"	2' 2 1/4"	2' 3 3/4"	2' 1 3/4"	2' 3 3/4"	2' 1 3/4"	2' 5"
2'	1' 11 1/2"	2' 3/4"	1' 11"	2' 1/2"	1' 11"	2' 1 1/2"
23"	1' 10 1/2"	1' 11 1/2"	1' 10"	1' 11 1/2"	1' 10 1/4"	2' 1/4"
22"	1' 9 1/2"	1' 10 1/2"	1' 9 1/4"	1' 10 1/2"	1' 9 1/4"	1' 11 1/4"
21"	1' 8 1/2"	1' 9 1/2"	1' 8 1/4"	1' 9 1/2"	1' 8 1/4"	1' 10"
20"	1' 7 1/2"	1' 8 1/2"	1' 7 1/4"	1' 8 1/2"	1' 7 1/2"	1' 9"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 1/2"	1' 7 1/4"	1' 6 1/2"	1' 7 3/4"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 1/2"	1' 6 1/4"	1' 5 1/2"	1' 6 3/4"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 1/2"	1' 5 1/4"	1' 4 1/2"	1' 5 1/2"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
15"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
14"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1"	1' 3/4"	1' 1 1/4"
12"	1'	1'	11 3/4"	1'	11 3/4"	1' 1/4"
11"	11"	11"	10 3/4"	11"	11"	11 1/4"
10"	10"	10"	10"	10"	10"	10"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	4		5,6		11	
feet	from	to	from	to	from	to
INF	33' 11 1/4"	INF	24' 3"	INF	15' 6 1/2"	INF
30'	16' 3/4"	INF	13' 6 3/4"	INF	10' 4 1/2"	INF
15'	10' 6 1/4"	INF	9' 4 3/4"	INF	7' 9 1/4"	INF
10'	7' 10"	27' 3/4"	7' 2 1/2"	102' 5 1/2"	6' 2 3/4"	INF
8'	6' 6 3/4"	15' 10 1/2"	6' 1 1/2"	27' 7 1/4"	5' 5"	224' 3 1/2"
6'	5' 2"	9' 4 3/4"	4' 10 3/4"	12' 5 1/2"	4' 5 1/4"	20' 2 3/4"
5'	4' 5"	7' 1"	4' 2 3/4"	8' 7 3/4"	3' 10 3/4"	11' 8 1/2"
4'6	4' 1/2"	6' 1"	3' 10 1/2"	7' 2 1/4"	3' 7"	9' 1 3/4"
4'	3' 7 1/2"	5' 2 1/4"	3' 6"	5' 11 1/4"	3' 3 1/4"	7' 2 1/4"
3'6	3' 2 3/4"	4' 4 1/4"	3' 1 1/2"	4' 10 1/4"	2' 11 1/4"	5' 7 1/2"
3'	2' 9 1/2"	3' 7"	2' 8 3/4"	3' 10 3/4"	2' 7"	4' 4 1/2"
2'9	2' 7"	3' 2 1/2"	2' 6 1/4"	3' 5 1/2"	2' 5"	3' 10"
2'6	2' 4 1/2"	2' 10 1/2"	2' 3 3/4"	3' 3/4"	2' 2 3/4"	3' 4"
2'3	2' 1 3/4"	2' 6 1/2"	2' 1 1/4"	2' 8"	2' 1/4"	2' 10 1/2"
2'	1' 11"	2' 2 1/2"	1' 10 3/4"	2' 3 3/4"	1' 10"	2' 5 1/2"
23"	1' 10"	2' 1 1/4"	1' 9 3/4"	2' 2 1/2"	1' 9 1/4"	2' 3 3/4"
22"	1' 9 1/4"	2'	1' 9"	2' 1"	1' 8 1/4"	2' 2 1/4"
21"	1' 8 1/4"	1' 10 3/4"	1' 8"	1' 11 3/4"	1' 7 1/2"	2' 3/4"
20"	1' 7 1/4"	1' 9 1/2"	1' 7"	1' 10 1/4"	1' 6 3/4"	1' 11 1/4"
19"	1' 6 1/2"	1' 8 1/2"	1' 6 1/4"	1' 9"	1' 5 3/4"	1' 10"
18"	1' 5 1/2"	1' 7 1/4"	1' 5 1/4"	1' 7 3/4"	1' 5"	1' 8 1/2"
17"	1' 4 1/2"	1' 6"	1' 4 1/2"	1' 6 1/2"	1' 4"	1' 7"
16"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 5 1/4"	1' 3 1/4"	1' 5 3/4"
15"	1' 2 3/4"	1' 3 3/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/2"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 3/4"	1' 1 1/2"	1' 3 1/4"
13"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 3/4"	1' 1/2"	1' 2"
12"	11 3/4"	1' 1/2"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/2"	10 3/4"	11 1/2"
10"	10"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/2"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	10'	INF	6' 7 1/2"	INF
30'	7' 7 1/4"	INF	5' 6 1/4"	INF
15'	6' 1 3/4"	INF	4' 8 3/4"	INF
10'	5' 1 3/4"	INF	4' 1 1/2"	INF
8'	4' 7"	INF	3' 9 1/4"	INF
6'	3' 10 3/4"	117' 11"	3' 3 1/2"	INF
5'	3' 5 1/2"	22' 1/2"	3'	INF
4'6	3' 2 3/4"	14' 3 3/4"	2' 10"	70' 7 1/4"
4'	2' 11 3/4"	9' 11 1/4"	2' 7 3/4"	21' 9 1/4"
3'6	2' 8 1/2"	7' 1 3/4"	2' 5 1/4"	11' 6 1/4"
3'	2' 5"	5' 2 1/4"	2' 2 1/4"	7' 1"
2'9	2' 3"	4' 5 1/4"	2' 3/4"	5' 8 1/4"
2'6	2' 1 1/4"	3' 9 1/4"	1' 11 1/4"	4' 7 1/4"
2'3	1' 11"	3' 2 1/4"	1' 9 1/2"	3' 9"
2'	1' 9"	2' 8"	1' 7 3/4"	3' 1/4"
23"	1' 8 1/4"	2' 6"	1' 7"	2' 9 3/4"
22"	1' 7 1/2"	2' 4 1/4"	1' 6 1/2"	2' 7 1/2"
21"	1' 6 3/4"	2' 2 1/2"	1' 5 3/4"	2' 5 1/4"
20"	1' 6"	2' 3/4"	1' 5"	2' 3"
19"	1' 5 1/4"	1' 11"	1' 4 1/2"	2' 1"
18"	1' 4 1/2"	1' 9 1/2"	1' 3 3/4"	1' 11 1/4"
17"	1' 3 3/4"	1' 8"	1' 3"	1' 9 1/4"
16"	1' 2 3/4"	1' 6 1/2"	1' 2 1/4"	1' 7 1/2"
15"	1' 2"	1' 5"	1' 1 1/2"	1' 6"
14"	1' 1 1/4"	1' 3 3/4"	1' 3/4"	1' 4 1/2"
13"	1' 1/4"	1' 2 1/4"	1'	1' 3"
12"	11 1/2"	1' 1"	11 1/4"	1' 1 1/2"
11"	10 1/2"	11 3/4"	10 1/4"	1'
10"	9 3/4"	10 1/2"	9 1/2"	10 3/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	86'	INF	94' 9"	INF	79' 11 3/4"	INF
50'	31' 9"	118' 9"	32' 10 1/4"	INF	30' 10 3/4"	INF
25'	19' 5 3/4"	35' 1/4"	19' 10 1/2"	50' 3 1/4"	19' 1 3/4"	110' 3"
15'	12' 10 1/4"	18' 1/2"	13' 1/4"	21' 4"	12' 8 1/2"	27' 7"
10'	9' 1/4"	11' 2 3/4"	9' 1 1/4"	12' 4 3/4"	8' 11 1/4"	14' 2 3/4"
8'	7' 4 1/2"	8' 9 1/4"	7' 5"	9' 5 1/4"	7' 3 3/4"	10' 5 1/4"
7'	6' 6 1/4"	7' 6 3/4"	6' 6 3/4"	8' 3/4"	6' 5 3/4"	8' 9 1/4"
6'	5' 7 3/4"	6' 4 3/4"	5' 8"	6' 9"	5' 7 1/2"	7' 2 3/4"
5'	4' 9"	5' 3 1/4"	4' 9 1/4"	5' 6"	4' 8 3/4"	5' 9 3/4"
4'6	4' 3 3/4"	4' 8 1/2"	4' 3 3/4"	4' 10 3/4"	4' 3 1/2"	5' 1 1/2"
4'	3' 10 1/4"	4' 2"	3' 10 1/4"	4' 3 1/2"	3' 10"	4' 5 3/4"
3'9	3' 7 1/2"	3' 10 3/4"	3' 7 1/2"	4'	3' 7 1/4"	4' 2"
3'6	3' 4 1/2"	3' 7 1/2"	3' 4 3/4"	3' 8 3/4"	3' 4 1/2"	3' 10 1/4"
3'3	3' 1 3/4"	3' 4 1/4"	3' 2"	3' 5 1/4"	3' 1 3/4"	3' 6 1/2"
3'	2' 11"	3' 1"	2' 11"	3' 2"	2' 11"	3' 3"
2'9	2' 8 1/4"	2' 9 3/4"	2' 8 1/4"	2' 10 1/2"	2' 8"	2' 11 1/2"
2'6	2' 5 1/4"	2' 6 3/4"	2' 5 1/2"	2' 7 1/4"	2' 5 1/4"	2' 8"
2'3	2' 2 1/2"	2' 3 1/2"	2' 2 1/2"	2' 4"	2' 2 1/2"	2' 4 1/2"
2'	1' 11 1/2"	2' 1/2"	1' 11 3/4"	2' 3/4"	1' 11 1/2"	2' 1"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 3/4"	1' 10 1/2"	2'
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 11"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 1/2"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
15"	1' 3"	1' 3 1/4"	1' 3"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"
14"	1' 2"	1' 2"	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 1"	1' 1 1/4"	1' 1"	1' 1 1/4"
12"	1'	1'	1'	1'	1'	1' 1/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	54' 9"	INF	34' 7 3/4"	INF	21' 10 1/2"	INF
50'	26' 3 1/4"	INF	20' 7 1/4"	INF	15' 4"	INF
25'	17' 3 1/2"	INF	14' 8"	INF	11' 9 3/4"	INF
15'	11' 10 1/2"	41' 6 3/4"	10' 7"	109' 3 1/4"	9' 1/2"	INF
10'	8' 6 1/4"	17' 1 3/4"	7' 10 1/4"	22' 10 1/2"	7'	40' 2 3/4"
8'	7' 1/2"	11' 10 3/4"	6' 7"	14' 4 1/4"	5' 11 3/4"	19' 7"
7'	6' 3 1/4"	9' 9 1/4"	5' 10 3/4"	11' 4 1/4"	5' 5"	14' 4"
6'	5' 5 1/2"	7' 10 3/4"	5' 2 1/4"	8' 10 1/4"	4' 9 3/4"	10' 6 1/2"
5'	4' 7 1/2"	6' 2 1/2"	4' 5 1/4"	6' 9 1/2"	4' 2"	7' 8 1/2"
4'6	4' 2 1/4"	5' 5 1/4"	4' 1/2"	5' 10 1/2"	3' 9 3/4"	6' 6 1/2"
4'	3' 9 1/4"	4' 8 1/2"	3' 7 3/4"	5' 1/4"	3' 5 1/2"	5' 6"
3'9	3' 6 1/2"	4' 4 1/4"	3' 5 1/4"	4' 7 1/2"	3' 3 1/4"	5' 1/4"
3'6	3' 3 3/4"	4' 1/4"	3' 2 3/4"	4' 2 3/4"	3' 1"	4' 6 3/4"
3'3	3' 1 1/4"	3' 8 1/4"	3' 1/4"	3' 10 1/4"	2' 10 3/4"	4' 1 1/2"
3'	2' 10 1/2"	3' 4 1/4"	2' 9 3/4"	3' 6"	2' 8 1/2"	3' 8 1/2"
2'9	2' 7 3/4"	3' 1/2"	2' 7"	3' 2"	2' 6"	3' 3 3/4"
2'6	2' 5"	2' 8 3/4"	2' 4 1/2"	2' 9 3/4"	2' 3 1/2"	2' 11 1/2"
2'3	2' 2 1/4"	2' 5 1/4"	2' 1 3/4"	2' 6"	2' 1"	2' 7 1/4"
2'	1' 11 1/2"	2' 1 1/2"	1' 11"	2' 2 1/4"	1' 10 1/2"	2' 3"
23"	1' 10 1/2"	2' 1/2"	1' 10"	2' 1"	1' 9 3/4"	2' 1 3/4"
22"	1' 9 1/2"	1' 11 1/4"	1' 9 1/4"	1' 11 3/4"	1' 8 3/4"	2' 1/2"
21"	1' 8 1/2"	1' 10 1/4"	1' 8 1/4"	1' 10 1/2"	1' 8"	1' 11 1/4"
20"	1' 7 1/2"	1' 9"	1' 7 1/4"	1' 9 1/2"	1' 7"	1' 10"
19"	1' 6 3/4"	1' 8"	1' 6 1/2"	1' 8 1/4"	1' 6 1/4"	1' 8 3/4"
18"	1' 5 3/4"	1' 6 3/4"	1' 5 1/2"	1' 7"	1' 5 1/4"	1' 7 1/2"
17"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6"	1' 4 1/4"	1' 6 1/4"
16"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 5"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 3/4"	1' 2 1/2"	1' 3 3/4"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 1/2"
12"	1'	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	14' 3 1/2"	INF	9' 7 1/4"	INF
50'	11' 2 1/2"	INF	8' 1 3/4"	INF
25'	9' 2 3/4"	INF	7' 3/4"	INF
15'	7' 5 1/2"	INF	6'	INF
10'	6' 1/4"	INF	5' 1/2"	INF
8'	5' 3 1/4"	39' 7"	4' 6 1/4"	INF
7'	4' 10"	22' 7"	4' 2 1/4"	127' 4 3/4"
6'	4' 4 1/4"	14' 4 1/4"	3' 10"	29' 7 1/4"
5'	3' 9 3/4"	9' 6"	3' 5"	14' 3 1/4"
4'6	3' 6 1/4"	7' 9 1/4"	3' 2 1/4"	10' 7 1/4"
4'	3' 2 3/4"	6' 3 3/4"	2' 11 1/2"	8' 1/2"
3'9	3' 3/4"	5' 8 1/4"	2' 9 3/4"	7' 1/4"
3'6	2' 10 3/4"	5' 1"	2' 8 1/4"	6' 1 1/2"
3'3	2' 8 3/4"	4' 6 1/2"	2' 6 1/2"	5' 4"
3'	2' 6 3/4"	4' 1/2"	2' 4 3/4"	4' 7 3/4"
2'9	2' 4 3/4"	3' 7"	2' 3"	4' 1/2"
2'6	2' 2 1/2"	3' 1 3/4"	2' 1"	3' 5 3/4"
2'3	2' 1/4"	2' 9"	1' 11"	2' 11 3/4"
2'	1' 9 3/4"	2' 4 1/4"	1' 8 3/4"	2' 6 1/4"
23"	1' 9"	2' 2 3/4"	1' 8 1/4"	2' 4 3/4"
22"	1' 8 1/4"	2' 1 1/2"	1' 7 1/2"	2' 3"
21"	1' 7 1/2"	2'	1' 6 3/4"	2' 1 1/2"
20"	1' 6 1/2"	1' 10 3/4"	1' 6"	1' 11 3/4"
19"	1' 5 3/4"	1' 9 1/4"	1' 5 1/4"	1' 10 1/4"
18"	1' 5"	1' 8"	1' 4 1/2"	1' 8 3/4"
17"	1' 4"	1' 6 3/4"	1' 3 1/2"	1' 7 1/2"
16"	1' 3 1/4"	1' 5 1/2"	1' 2 3/4"	1' 6"
15"	1' 2 1/4"	1' 4 1/4"	1' 2"	1' 4 3/4"
14"	1' 1 1/2"	1' 3"	1' 1 1/4"	1' 3 1/4"
13"	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 2"
12"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	144' 10 1/4"	INF	196' 1 1/2"	INF	213' 3/4"	INF
50'	37' 3 1/4"	62' 2 1/2"	39' 11"	105' 4"	40' 6 1/2"	INF
30'	24' 11"	33' 11 3/4"	26' 3/4"	43' 8"	26' 4"	63' 1"
20'	17' 7 1/2"	21' 8 1/4"	18' 2 1/4"	25' 2 1/2"	18' 3 3/4"	30' 7 1/4"
15'	13' 7 3/4"	15' 11"	13' 11 1/2"	17' 8 3/4"	14' 1/2"	20' 2 1/2"
12'	11' 1 1/2"	12' 7"	11' 4"	13' 8"	11' 4 1/2"	15' 1"
10'	9' 4 1/2"	10' 4 3/4"	9' 6 1/2"	11' 1 1/2"	9' 6 3/4"	12' 1/4"
9'	8' 6"	9' 3 3/4"	8' 7 1/2"	9' 10 3/4"	8' 7 3/4"	10' 7 1/4"
8'	7' 7 1/4"	8' 3"	7' 8 1/2"	8' 8 1/4"	7' 8 3/4"	9' 2 3/4"
7'	6' 8 1/2"	7' 2 1/4"	6' 9 1/4"	7' 6 1/4"	6' 9 1/2"	7' 11"
6'6"	6' 3"	6' 8"	6' 3 3/4"	6' 11 1/4"	6' 3 3/4"	7' 3 1/4"
6'	5' 9 1/4"	6' 1 1/2"	5' 10"	6' 4 1/2"	5' 10 1/4"	6' 7 3/4"
5'6"	5' 3 3/4"	5' 7 1/4"	5' 4 1/4"	5' 9 3/4"	5' 4 1/2"	6' 1/2"
5'	4' 10 1/4"	5' 1"	4' 10 3/4"	5' 3"	4' 10 3/4"	5' 5 1/4"
4'9"	4' 7 1/2"	4' 10"	4' 7 3/4"	4' 11 3/4"	4' 7 3/4"	5' 1 1/2"
4'6"	4' 4 1/2"	4' 7"	4' 5"	4' 8 1/2"	4' 5"	4' 10"
4'3"	4' 1 3/4"	4' 3 3/4"	4' 2"	4' 5"	4' 2"	4' 6 1/2"
4'	3' 10 3/4"	4' 3/4"	3' 11 1/4"	4' 1 3/4"	3' 11 1/4"	4' 3 1/4"
3'9"	3' 8"	3' 9 1/2"	3' 8 1/4"	3' 10 1/2"	3' 8 1/4"	3' 11 3/4"
3'6"	3' 5 1/4"	3' 6 1/2"	3' 5 1/4"	3' 7 1/4"	3' 5 1/2"	3' 8 1/4"
3'3"	3' 2 1/4"	3' 3 1/2"	3' 2 1/2"	3' 4 1/4"	3' 2 1/2"	3' 5"
3'	2' 11 1/2"	3' 1/4"	2' 11 1/2"	3' 1"	2' 11 1/2"	3' 1 3/4"
2'9"	2' 8 1/2"	2' 9 1/4"	2' 8 1/2"	2' 9 3/4"	2' 8 3/4"	2' 10 1/4"
2'6"	2' 5 1/2"	2' 6 1/4"	2' 5 3/4"	2' 6 3/4"	2' 5 3/4"	2' 7"
2'3"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 2 3/4"	2' 3 3/4"
2'	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 3/4"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"
22"	1' 9 3/4"	1' 10"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"
21"	1' 8 3/4"	1' 9"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"
20"	1' 7 3/4"	1' 8"	1' 8"	1' 8 1/4"	1' 8"	1' 8 1/2"
19"	1' 6 3/4"	1' 7"	1' 7"	1' 7 1/4"	1' 7"	1' 7 1/4"
18"	1' 6"	1' 6"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	142' 8 3/4"	INF	80' 10 1/4"	INF	47' 5"	INF
50'	37' 1"	INF	30' 11 3/4"	INF	24' 5 1/4"	INF
30'	24' 10"	114'	21' 11 1/2"	INF	18' 5 3/4"	INF
20'	17' 7"	38' 11 1/2"	16' 1 1/4"	56' 1 1/4"	14' 1 3/4"	126' 9 3/4"
15'	13' 7 1/4"	23' 6"	12' 8 1/2"	28' 9"	11' 5 3/4"	40' 1 1/4"
12'	11' 1"	16' 9 3/4"	10' 6"	19' 4"	9' 7 3/4"	23' 10"
10'	9' 4 1/2"	13' 1 1/4"	8' 11 1/4"	14' 6 3/4"	8' 3 3/4"	16' 11 1/4"
9'	8' 5 3/4"	11' 5"	8' 1 1/2"	12' 6"	7' 7 1/2"	14' 2 1/2"
8'	7' 7"	9' 10"	7' 3 3/4"	10' 7 1/2"	6' 10 3/4"	11' 9 3/4"
7'	6' 8 1/4"	8' 4 1/4"	6' 5 3/4"	8' 10 3/4"	6' 1 3/4"	9' 8 3/4"
6'6"	6' 2 3/4"	7' 7 3/4"	6' 1/2"	8' 1 1/4"	5' 9 1/4"	8' 9 1/4"
6'	5' 9 1/4"	6' 11 1/2"	5' 7 1/4"	7' 4"	5' 4 1/2"	7' 10 1/4"
5'6"	5' 3 3/4"	6' 3 1/4"	5' 2"	6' 7"	4' 11 1/2"	7'
5'	4' 10"	5' 7 1/2"	4' 8 3/4"	5' 10 1/2"	4' 6 3/4"	6' 2 1/2"
4'9"	4' 7 1/4"	5' 3 3/4"	4' 6"	5' 6 1/4"	4' 4 1/4"	5' 9 3/4"
4'6"	4' 4 1/2"	5'	4' 3 1/2"	5' 2 1/4"	4' 1 3/4"	5' 5 1/4"
4'3"	4' 1 3/4"	4' 8 1/4"	4' 3/4"	4' 10 1/4"	3' 11 1/4"	5' 3/4"
4'	3' 10 3/4"	4' 4 1/2"	3' 10"	4' 6 1/4"	3' 8 3/4"	4' 8 1/2"
3'9"	3' 8"	4' 1"	3' 7 1/4"	4' 2 1/4"	3' 6"	4' 4 1/4"
3'6"	3' 5"	3' 9 1/4"	3' 4 1/2"	3' 10 1/2"	3' 3 1/2"	4' 1/4"
3'3"	3' 2 1/4"	3' 5 3/4"	3' 1 3/4"	3' 6 3/4"	3' 3/4"	3' 8 1/4"
3'	2' 11 1/4"	3' 2 1/4"	2' 11"	3' 3 1/4"	2' 10 1/4"	3' 4 1/4"
2'9"	2' 8 1/2"	2' 11"	2' 8"	2' 11 1/2"	2' 7 1/2"	3' 1/2"
2'6"	2' 5 1/2"	2' 7 1/2"	2' 5 1/4"	2' 8"	2' 4 3/4"	2' 8 3/4"
2'3"	2' 2 3/4"	2' 4 1/4"	2' 2 1/2"	2' 4 3/4"	2' 2"	2' 5 1/4"
2	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/4"	1' 11 1/4"	2' 1 3/4"
23"	1' 10 3/4"	1' 11 3/4"	1' 10 1/2"	2'	1' 10 1/4"	2' 1/2"
22"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11"	1' 9 1/4"	1' 11 1/4"
21"	1' 8 3/4"	1' 9 3/4"	1' 8 3/4"	1' 10"	1' 8 1/2"	1' 10 1/4"
20"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9"
19"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 8"
18"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	29' 7 1/4"	INF	19' 3"	INF
50'	18' 8 1/4"	INF	14'	INF
30'	15' 1/4"	INF	11' 10"	INF
20'	12' 1/2"	INF	9' 11 1/4"	INF
15'	10' 3/4"	88'	8' 6 1/2"	INF
12'	8' 7 1/2"	35' 3/4"	7' 6"	103' 3 1/2"
10'	7' 6 3/4"	21' 10 3/4"	6' 8 1/4"	37' 1/2"
9'	6' 11 3/4"	17' 6"	6' 2 3/4"	25' 11 1/4"
8'	6' 4 1/2"	14'	5' 9"	18' 10 1/2"
7'	5' 8 3/4"	11' 1 1/2"	5' 2 3/4"	13' 11 3/4"
6'6"	5' 4 3/4"	9' 10 3/4"	4' 11 1/2"	12' 3/4"
6'	5' 3/4"	8' 9"	4' 8"	10' 4 1/2"
5'6"	4' 8 1/2"	7' 8 1/4"	4' 4 1/4"	8' 11"
5'	4' 4"	6' 8 3/4"	4' 1/2"	7' 7 3/4"
4'9"	4' 1 3/4"	6' 3 1/4"	3' 10 1/2"	7' 1/2"
4'6"	3' 11 1/2"	5' 10"	3' 8 3/4"	6' 6"
4'3"	3' 9 1/4"	5' 4 3/4"	3' 6 1/2"	5' 11 1/2"
4'	3' 6 3/4"	5'	3' 4 1/2"	5' 5 1/2"
3'9"	3' 4 1/2"	4' 7 1/4"	3' 2 1/2"	5'
3'6"	3' 2"	4' 2 3/4"	3' 1/4"	4' 6 1/2"
3'3"	2' 11 3/4"	3' 10 1/4"	2' 10"	4' 1 1/2"
3'	2' 9 1/4"	3' 6"	2' 7 3/4"	3' 8 1/2"
2'9"	2' 6 1/2"	3' 1 3/4"	2' 5 1/2"	3' 3 3/4"
2'6"	2' 4"	2' 9 3/4"	2' 3 1/4"	2' 11 1/2"
2'3"	2' 1 1/2"	2' 6"	2' 3/4"	2' 7 1/4"
2'	1' 10 3/4"	2' 2 1/4"	1' 10 1/4"	2' 3"
23"	1' 10"	2' 1"	1' 9 1/2"	2' 1 3/4"
22"	1' 9"	1' 11 3/4"	1' 8 1/2"	2' 1/2"
21"	1' 8"	1' 10 1/2"	1' 7 3/4"	1' 11 1/4"
20"	1' 7 1/4"	1' 9 1/2"	1' 6 3/4"	1' 10"
19"	1' 6 1/4"	1' 8 1/4"	1' 6"	1' 8 3/4"
18"	1' 5 1/2"	1' 7"	1' 5"	1' 7 1/2"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	331' 4"	INF	290' 10 3/4"	INF	250' 10 3/4"	INF
200'	124' 10 3/4"	244' 1"	118' 8 1/4"	353' 2 1/2"	111' 5 1/4"	989' 3 1/2"
100'	76' 11 1/2"	109' 11"	74' 6 1/2"	127' 7 1/4"	71' 7 1/2"	166' 1/4"
60'	50' 10 3/4"	63' 5 1/4"	49' 10"	68' 11"	48' 6 1/4"	78' 8 1/2"
40'	35' 9 1/4"	41' 6"	35' 2 3/4"	43' 9"	34' 7"	47' 5 3/4"
30'	27' 6 3/4"	30' 10"	27' 3"	32' 3/4"	26' 10 1/4"	34'
25'	23' 3 1/2"	25' 7"	23' 3/4"	26' 4 3/4"	22' 9 1/2"	27' 8 1/2"
20'	18' 10 3/4"	20' 4 1/4"	18' 9"	20' 10 1/2"	18' 6 3/4"	21' 8 1/4"
17'	16' 2 1/2"	17' 3 1/4"	16' 1 1/4"	17' 7 1/2"	15' 11 1/2"	18' 2 1/4"
15'	14' 4 1/2"	15' 2 1/2"	14' 3 1/2"	15' 5 3/4"	14' 2 1/4"	15' 11"
14'	13' 5 1/2"	14' 2"	13' 4 3/4"	14' 5"	13' 3 1/2"	14' 9 1/2"
13'	12' 6 1/2"	13' 1 3/4"	12' 5 3/4"	13' 4 1/4"	12' 4 3/4"	13' 8 1/4"
12'	11' 7 1/4"	12' 1 1/2"	11' 6 1/2"	12' 3 3/4"	11' 5 3/4"	12' 6 3/4"
11'	10' 8"	11' 1 1/4"	10' 7 1/2"	11' 3"	10' 6 3/4"	11' 5 3/4"
10'	9' 8 3/4"	10' 1"	9' 8 1/4"	10' 2 1/2"	9' 7 3/4"	10' 4 3/4"
9'6"	9' 3"	9' 7"	9' 2 3/4"	9' 8 1/4"	9' 2"	9' 10 1/4"
9'	8' 9 1/2"	9' 3/4"	8' 9"	9' 2"	8' 8 1/2"	9' 3 3/4"
8'6"	8' 3 3/4"	8' 6 3/4"	8' 3 1/4"	8' 7 3/4"	8' 3"	8' 9 1/4"
8'	7' 10"	8' 3/4"	7' 9 3/4"	8' 1 1/2"	7' 9 1/4"	8' 3"
7'9"	7' 7"	7' 9 3/4"	7' 6 3/4"	7' 10 1/2"	7' 6 1/2"	7' 11 3/4"
7'6"	7' 4 1/4"	7' 6 1/2"	7' 4"	7' 7 1/2"	7' 3 1/2"	7' 8 1/2"
7'3"	7' 1 1/4"	7' 3 1/2"	7' 1"	7' 4 1/4"	7' 3/4"	7' 5 1/4"
7'	6' 10 1/2"	7' 1/2"	6' 10 1/4"	7' 1 1/4"	6' 10"	7' 2 1/4"
6'9"	6' 7 1/2"	6' 9 1/2"	6' 7 1/4"	6' 10"	6' 7"	6' 11"
6'6"	6' 4 3/4"	6' 6 1/2"	6' 4 1/2"	6' 7"	6' 4 1/4"	6' 7 3/4"
6'3"	6' 1 3/4"	6' 3 1/2"	6' 1 1/2"	6' 4"	6' 1 1/4"	6' 4 3/4"
6'	5' 11"	6' 1/2"	5' 10 3/4"	6' 3/4"	5' 10 1/2"	6' 1 1/2"
5'9"	5' 8"	5' 9 1/4"	5' 7 3/4"	5' 9 3/4"	5' 7 1/2"	5' 10 1/2"
5'6"	5' 5"	5' 6 1/4"	5' 5"	5' 6 3/4"	5' 4 3/4"	5' 7 1/4"
5'3"	5' 2 1/4"	5' 3 1/4"	5' 2"	5' 3 3/4"	5' 1 3/4"	5' 4 1/4"
5'	4' 11 1/4"	5' 1/4"	4' 11 1/4"	5' 1/2"	4' 11"	5' 1"
4'9"	4' 8 1/4"	4' 9 1/4"	4' 8 1/4"	4' 9 1/2"	4' 8"	4' 10"
4'6"	4' 5 1/2"	4' 6 1/4"	4' 5 1/4"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"
4'3"	4' 2 1/2"	4' 3 1/4"	4' 2 1/2"	4' 3 1/2"	4' 2 1/4"	4' 3 3/4"
4'	8,00	4' 1/4"	11,00	4' 1/4"	16,00	4' 3/4"
3'9"	3' 8 1/2"	3' 9 1/4"	3' 8 1/2"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"
3'6"	3' 5 3/4"	3' 6"	3' 5 1/2"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"
3'3"	3' 2 3/4"	3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 1/2"	3' 3 1/2"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	191' 3 3/4"	INF	136' 8"	INF	94' 11"	INF
200'	97' 11 1/4"	INF	81' 4"	INF	64' 6"	INF
100'	65' 9 3/4"	254' 3 1/4"	57' 10 3/4"	INF	48' 10 1/4"	INF
60'	45' 9 1/2"	94' 1 1/4"	41' 9 3/4"	124' 7 3/4"	36' 10 3/4"	217'
40'	33' 2"	52' 7 3/4"	31' 1/2"	60' 11 1/2"	28' 3 1/4"	76' 10 1/2"
30'	26'	36' 6 1/2"	24' 8 1/4"	40' 4 1/4"	22' 10 3/4"	46' 8 1/2"
25'	22' 2"	29' 4 1/2"	21' 2 1/2"	31' 9"	19' 10 3/4"	35' 6 3/4"
20'	18' 2"	22' 8 1/4"	17' 6 1/4"	24' 3/4"	16' 7 1/4"	26' 2"
17'	15' 8"	18' 10 3/4"	15' 2 1/4"	19' 10"	14' 6"	21' 2 3/4"
15'	13' 11 1/2"	16' 5 1/4"	13' 6 3/4"	17' 1 3/4"	13' 1/4"	18' 2 1/4"
14'	13' 1"	15' 3"	12' 9"	15' 10 1/4"	12' 3 1/4"	16' 8 3/4"
13'	12' 2 1/2"	14' 3/4"	11' 11"	14' 6 3/4"	11' 6"	15' 3 3/4"
12'	11' 4"	12' 10 3/4"	11' 1"	13' 3 3/4"	10' 8 1/2"	13' 11"
11'	10' 5 1/4"	11' 9"	10' 2 3/4"	12' 1"	9' 11"	12' 7"
10'	9' 6 1/2"	10' 7 1/4"	9' 4 1/4"	10' 10 3/4"	9' 1 1/4"	11' 3 1/2"
9'6	9' 1"	10' 1/2"	8' 11"	10' 3 1/2"	8' 8 1/4"	10' 7 3/4"
9'	8' 7 1/2"	9' 5 3/4"	8' 5 3/4"	9' 8 1/2"	8' 3 1/4"	10' 1/4"
8'6	8' 2"	8' 11 1/4"	8' 1/2"	9' 1 1/2"	7' 10 1/4"	9' 4 3/4"
8'	7' 8 1/2"	8' 4 1/2"	7' 7"	8' 6 1/2"	7' 5"	8' 9 1/2"
7'9	7' 5 3/4"	8' 1 1/4"	7' 4 1/2"	8' 3 1/4"	7' 2 1/2"	8' 5 3/4"
7'6	7' 2 3/4"	7' 10"	7' 1 3/4"	7' 11 3/4"	7'	8' 2 1/4"
7'3	7'	7' 6 3/4"	6' 11"	7' 8 1/4"	6' 9 1/4"	7' 10 1/2"
7'	6' 9 1/4"	7' 3 1/2"	6' 8 1/4"	7' 5"	6' 6 3/4"	7' 7"
6'9	6' 6 1/2"	7' 1/4"	6' 5 1/2"	7' 1 1/2"	6' 4"	7' 3 1/2"
6'6	6' 3 3/4"	6' 9"	6' 2 3/4"	6' 10 1/4"	6' 1 1/2"	7'
6'3	6' 3/4"	6' 5 3/4"	6'	6' 6 3/4"	5' 10 3/4"	6' 8 1/2"
6'	5' 10"	6' 2 1/2"	5' 9 1/4"	6' 3 1/2"	5' 8 1/4"	6' 5"
5'9	5' 7 1/4"	5' 11 1/4"	5' 6 1/2"	6' 1/4"	5' 5 1/2"	6' 1 1/2"
5'6	5' 4 1/4"	5' 8"	5' 3 3/4"	5' 9"	5' 2 3/4"	5' 10 1/4"
5'3	5' 1 1/2"	5' 4 3/4"	5' 1"	5' 5 3/4"	5'	5' 6 3/4"
5'	4' 10 3/4"	5' 1 3/4"	4' 10 1/4"	5' 2 1/4"	4' 9 1/4"	5' 3 1/4"
4'9	4' 7 3/4"	4' 10 1/2"	4' 7 1/4"	4' 11"	4' 6 1/2"	5'
4'6	4' 5"	4' 7 1/4"	4' 4 1/2"	4' 7 3/4"	4' 4"	4' 8 3/4"
4'3	4' 2"	4' 4 1/4"	4' 1 3/4"	4' 4 3/4"	4' 1"	4' 5 1/4"
4'	3' 11 1/4"	4' 1"	3' 10 3/4"	4' 1 1/2"	3' 10 1/4"	4' 2"
3'9	3' 8 1/4"	3' 9 3/4"	3' 8"	3' 10 1/4"	3' 7 1/2"	3' 10 3/4"
3'6	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"	3' 4 3/4"	3' 7 1/2"
3'3	3' 2 1/2"	3' 3 1/2"	3' 2 1/4"	3' 4"	3' 2"	3' 4 1/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	66' 1/2"	INF	46' 1 1/2"	INF
200'	49' 9"	INF	37' 7"	INF
100'	39' 11"	INF	31' 8 1/2"	INF
60'	31' 7"	INF	26' 2 3/4"	INF
40'	25' 3/4"	121' 1/4"	21' 7"	INF
30'	20' 9"	59' 11 1/4"	18' 4"	99' 7 3/4"
25'	18' 3"	42' 8 1/4"	16' 4 1/4"	59' 6 1/4"
20'	15' 5 1/2"	29' 9 3/4"	14' 1"	37' 1 1/4"
17'	13' 7 1/2"	23' 6 3/4"	12' 6 1/2"	27' 10 1/4"
15'	12' 3 3/4"	19' 10 1/4"	11' 5 1/4"	22' 9 1/2"
14'	11' 7 3/4"	18' 1 1/2"	10' 10 1/4"	20' 6 1/4"
13'	10' 11 1/4"	16' 5 1/2"	10' 3"	18' 5"
12'	10' 2 3/4"	14' 10 1/2"	9' 7 1/2"	16' 5 1/4"
11'	9' 6"	13' 4 1/4"	8' 11 3/4"	14' 7 1/4"
10'	8' 9"	11' 10 3/4"	8' 3 3/4"	12' 10 1/2"
9'6"	8' 4 1/2"	11' 2 1/4"	7' 11 1/2"	12' 1/2"
9'	7' 11 3/4"	10' 6"	7' 7 1/2"	11' 2 3/4"
8'6"	7' 7"	9' 9 3/4"	7' 3"	10' 5 1/2"
8'	7' 2 1/4"	9' 1 3/4"	6' 10 3/4"	9' 8 1/2"
7'9"	7'	8' 9 3/4"	6' 8 1/2"	9' 4"
7'6"	6' 9 1/2"	8' 5 3/4"	6' 6 1/4"	8' 11 1/2"
7'3"	6' 7"	8' 2"	6' 4"	8' 7 1/4"
7'	6' 4 1/2"	7' 10 1/4"	6' 1 3/4"	8' 3"
6'9"	6' 2"	7' 6 1/2"	5' 11 1/2"	7' 10 3/4"
6'6"	5' 11 1/2"	7' 2 1/2"	5' 9 1/4"	7' 6 3/4"
6'3"	5' 9"	6' 11"	5' 6 3/4"	7' 2 1/2"
6'	5' 6 1/2"	6' 7 1/4"	5' 4 1/2"	6' 10 1/2"
5'9"	5' 4"	6' 3 1/2"	5' 2"	6' 6 1/2"
5'6"	5' 1 1/2"	6'	4' 11 3/4"	6' 2 1/2"
5'3"	4' 10 3/4"	5' 8 1/4"	4' 9 1/4"	5' 10 3/4"
5'	4' 8 1/4"	5' 4 3/4"	4' 6 3/4"	5' 7"
4'9"	4' 5 3/4"	5' 1 1/4"	4' 4 1/4"	5' 3 1/4"
4'6"	4' 3"	4' 9 3/4"	4' 1 3/4"	4' 11 1/2"
4'3"	4' 1/4"	4' 6 1/4"	3' 11 1/4"	4' 7 3/4"
4'	3' 9 3/4"	4' 3"	3' 8 3/4"	4' 4 1/4"
3'9"	3' 7"	3' 11 1/2"	3' 6 1/4"	4' 1/2"
3'6"	3' 4 1/4"	3' 8 1/4"	3' 3 1/2"	3' 9"
3'3"	3' 1 1/2"	3' 4 3/4"	3' 1"	3' 5 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	629' 3 1/4"	INF	584' 11 1/4"	INF	406' 9 1/4"	INF
300'	203' 4"	INF	198' 5 1/2"	INF	172' 10 1/4"	INF
250'	179' 1"	INF	175' 3 1/2"	INF	155' 1/4"	INF
200'	151' 11"	292' 10 1/2"	149' 2 1/4"	INF	134' 3"	INF
190'	146' 1"	271' 10 3/4"	143' 6 3/4"	366' 8"	129' 8"	INF
180'	140' 1 1/4"	251' 10 1/4"	137' 9 1/4"	331' 1"	124' 11 1/4"	INF
170'	133' 11 3/4"	232' 8"	131' 10 1/4"	298' 8 1/4"	120' 1/2"	INF
160'	127' 8 1/4"	214' 3 3/4"	125' 9 1/4"	269' 1"	114' 11 3/4"	377' 8"
150'	121' 3"	196' 8 3/4"	119' 6"	241' 10 3/4"	109' 8 3/4"	326' 2"
140'	114' 7 3/4"	179' 10 1/4"	113' 1"	216' 10 1/4"	104' 3 1/2"	282' 2 1/4"
130'	107' 10 1/4"	163' 8"	106' 5 3/4"	193' 8 3/4"	98' 7 3/4"	244' 2 1/2"
120'	100' 10 3/4"	148' 1 1/4"	99' 8 1/4"	172' 3 1/4"	92' 9 1/2"	211' 3/4"
110'	93' 8 3/4"	133' 1 3/4"	92' 8 1/4"	152' 4 1/4"	86' 8 1/2"	181' 10 1/2"
100'	86' 4 1/2"	118' 9"	85' 6"	133' 9 1/4"	80' 4 3/4"	156'
90'	78' 10"	104' 10 3/4"	78' 1"	116' 5 1/4"	73' 9 3/4"	132' 10 1/2"
80'	71' 3/4"	91' 6 1/2"	70' 5 1/2"	100' 2 1/4"	66' 11 1/2"	112' 1 1/2"
70'	63' 3/4"	78' 8"	62' 7"	84' 11 1/2"	59' 9 3/4"	93' 4 1/2"
60'	54' 10"	66' 3"	54' 5 3/4"	70' 7 1/2"	52' 4 1/2"	76' 4"
50'	46' 4 1/2"	54' 3"	46' 1 1/2"	57' 1 3/4"	44' 7 1/4"	60' 9 3/4"
45'	42' 1/2"	48' 5"	41' 10"	50' 8 1/4"	40' 7"	53' 6 1/2"
40'	37' 7 3/4"	42' 8"	37' 5 3/4"	44' 5"	36' 5 3/4"	46' 7 1/4"
35'	33' 2 1/4"	37' 1/4"	33' 3/4"	38' 4"	32' 3 1/2"	39' 11 1/4"
30'	28' 8"	31' 5 1/2"	28' 6 3/4"	32' 4 3/4"	27' 11 3/4"	33' 6 1/2"
29'	27' 9"	30' 4 1/4"	27' 8"	31' 2 3/4"	27' 1 1/2"	32' 3 1/2"
28'	26' 10"	29' 3 1/4"	26' 9"	30' 1"	26' 3"	31' 1/2"
27'	25' 11"	28' 2"	25' 10"	28' 11"	25' 4 1/4"	29' 9 3/4"
26'	25'	27' 1"	24' 11"	27' 9 1/4"	24' 5 3/4"	28' 7 1/4"
25'	24' 1"	26'	24'	26' 7 1/2"	23' 7 1/4"	27' 4 3/4"
24'	23' 1 3/4"	24' 11"	23' 1"	25' 6"	22' 8 1/2"	26' 2 1/4"
23'	22' 2 1/2"	23' 10"	22' 2"	24' 4 1/2"	21' 9 3/4"	25'
22'	21' 3 1/2"	22' 9 1/4"	21' 2 3/4"	23' 3"	20' 11"	23' 9 3/4"
21'	20' 4 1/4"	21' 8 1/2"	20' 3 1/2"	22' 1 1/2"	20'	22' 7 3/4"
20'	19' 5"	20' 7 1/2"	19' 4 1/4"	21' 1/4"	19' 1 1/4"	21' 5 3/4"
19'	18' 5 1/2"	19' 6 3/4"	18' 5"	19' 11"	18' 2 1/4"	20' 4"
18'	8,00	18' 6"	11,00	18' 9 3/4"	16,00	19' 2 1/4"
17'	16' 6 3/4"	17' 5 1/2"	16' 6 1/2"	17' 8 3/4"	16' 4 1/4"	18' 1/2"
16'	15' 7 1/2"	16' 4 3/4"	15' 7"	16' 7 3/4"	15' 5"	16' 11"
15'	14' 8"	15' 4 1/4"	14' 7 3/4"	15' 6 3/4"	14' 6"	15' 9 3/4"
14' 6"	14' 2 1/4"	14' 10"	14' 2"	15' 1/4"	14' 1/4"	15' 3"
14'	13' 8 1/2"	14' 3 1/2"	13' 8 1/4"	14' 5 3/4"	13' 6 3/4"	14' 8 1/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	279' 10 3/4"	INF	192' 1"	INF	131' 6"	INF
300'	145'	INF	117' 3 1/2"	INF	91' 7 1/4"	INF
250'	132' 3"	INF	108' 9 3/4"	INF	86' 4 1/4"	INF
200'	116' 10"	INF	98' 2 1/4"	INF	79' 6 1/4"	INF
190'	113' 4 1/4"	INF	95' 8 1/2"	INF	77' 11"	INF
180'	109' 8 3/4"	INF	93' 1 1/2"	INF	76' 2 1/4"	INF
170'	105' 11 1/4"	INF	90' 4 1/2"	INF	74' 4 1/4"	INF
160'	101' 11 3/4"	INF	87' 5 3/4"	INF	72' 4 1/2"	INF
150'	97' 10"	INF	84' 5"	INF	70' 3 1/4"	INF
140'	93' 6"	INF	81' 2"	INF	68' 1/4"	INF
130'	88' 11 1/4"	376' 1/2"	77' 8 3/4"	INF	65' 7"	INF
120'	84' 1 3/4"	302' 8 3/4"	74' 1/2"	INF	62' 11 1/4"	INF
110'	79' 1 1/2"	246' 1/2"	70' 1 1/2"	INF	60' 1 1/4"	INF
100'	73' 10"	200' 10 3/4"	65' 11 1/4"	331' 1 1/2"	57'	INF
90'	68' 3"	164' 1"	61' 5 1/2"	241' 7 3/4"	53' 7 1/2"	INF
80'	62' 4 1/4"	133' 6 1/4"	56' 7 3/4"	180' 7 1/2"	49' 11 1/4"	348' 8"
70'	56' 1 1/2"	107' 8 1/2"	51' 5 1/2"	136' 4 1/4"	45' 10 1/2"	214' 1 3/4"
60'	49' 6 1/4"	85' 7 3/4"	45' 10 1/4"	102' 9 1/4"	41' 4 1/2"	141' 5"
50'	42' 6 1/4"	66' 6 3/4"	39' 9 3/4"	76' 5"	36' 4 3/4"	95' 10"
45'	38' 10 1/4"	57' 11 1/4"	36' 7"	65' 3 1/4"	33' 8 1/4"	78' 10 3/4"
40'	35' 1"	49' 10 1/2"	33' 2 3/4"	55' 2 1/4"	30' 9 3/4"	64' 7 1/4"
35'	31' 2 1/4"	42' 3 3/4"	29' 8 1/2"	46' 3/4"	27' 9 1/4"	52' 4 3/4"
30'	27' 2"	35' 2 1/4"	26' 1/2"	37' 8 3/4"	24' 6 1/2"	41' 10 1/2"
29'	26' 4"	33' 9 3/4"	25' 3 1/2"	36' 1 3/4"	23' 10 1/2"	39' 11"
28'	25' 6 1/4"	32' 5 1/2"	24' 6 1/4"	34' 7 1/4"	23' 2 1/2"	38' 1/2"
27'	24' 8 1/4"	31' 1 1/4"	23' 9"	33' 1"	22' 6 1/4"	36' 2 1/2"
26'	23' 10 1/4"	29' 9 1/2"	22' 11 3/4"	31' 7"	21' 9 3/4"	34' 5"
25'	23'	28' 5 3/4"	22' 2 1/2"	30' 1 1/4"	21' 1 1/2"	32' 8"
24'	22' 2"	27' 2 1/4"	21' 5"	28' 8"	20' 4 3/4"	30' 11 1/2"
23'	21' 3 3/4"	25' 10 3/4"	20' 7 1/2"	27' 2 3/4"	19' 8 1/4"	29' 3 3/4"
22'	20' 5 1/2"	24' 7 1/2"	19' 9 3/4"	25' 10"	18' 11 1/4"	27' 8 1/4"
21'	19' 7"	23' 4 1/2"	19'	24' 5 1/2"	18' 2 1/2"	26' 1 1/4"
20'	18' 8 1/2"	22' 1 3/4"	18' 2 1/4"	23' 1 1/4"	17' 5 1/2"	24' 6 3/4"
19'	17' 10"	20' 11"	17' 4 1/4"	21' 9 1/4"	16' 8 1/4"	23' 3/4"
18'	16' 11 1/2"	19' 8 1/2"	16' 6 1/4"	20' 5 1/2"	15' 11"	21' 7 1/4"
17'	16' 3/4"	18' 6"	15' 8 1/4"	19' 2"	15' 1 3/4"	20' 2"
16'	15' 2"	17' 4"	14' 10"	17' 10 3/4"	14' 4"	18' 9"
15'	14' 3 1/4"	16' 1 3/4"	13' 11 1/2"	16' 7 3/4"	13' 6 1/2"	17' 4 3/4"
14' 6"	13' 9 3/4"	15' 6 3/4"	13' 6 1/2"	16' 1/2"	13' 1 1/2"	16' 8 1/2"
14'	13' 4 1/2"	15'	13' 1 1/4"	15' 5"	12' 8 3/4"	16' 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
13' 6"	12' 11"	14' 5"	12' 8"	14' 9 3/4"	12' 3 3/4"	15' 4 3/4"
13'	12' 5 1/2"	13' 10 1/4"	12' 2 3/4"	14' 2 1/2"	11' 10 3/4"	14' 8 3/4"
12' 6"	12'	13' 3 1/4"	11' 9 1/2"	13' 7 1/4"	11' 5 3/4"	14' 1"
12'	11' 6 1/2"	12' 8 1/2"	11' 4"	13' 1/4"	11' 3/4"	13' 5 1/2"
11' 6"	11' 1"	12' 1 3/4"	10' 10 3/4"	12' 5"	10' 7 3/4"	12' 10"
11'	10' 7 1/4"	11' 7"	10' 5 1/4"	11' 10"	10' 2 1/2"	12' 2 1/2"
10' 6"	10' 1 3/4"	11' 1/2"	10'	11' 3"	9' 9 1/4"	11' 7"
10'	9' 8 1/4"	10' 5 3/4"	9' 6 1/2"	10' 8 1/4"	9' 4 1/4"	10' 11 3/4"
9' 9"	9' 5 1/4"	10' 2 1/2"	9' 3 3/4"	10' 4 3/4"	9' 1 1/2"	10' 8"
9' 6"	9' 2 1/2"	9' 11 1/4"	9' 1"	10' 1 1/4"	8' 11"	10' 4 1/2"
9' 3"	8' 11 3/4"	9' 8"	8' 10 1/4"	9' 10"	8' 8 1/4"	10' 3/4"
9'	8' 9"	9' 4 1/2"	8' 7 1/2"	9' 6 1/2"	8' 5 3/4"	9' 9 1/4"
8' 9"	8' 6"	9' 1 1/4"	8' 4 3/4"	9' 3 1/4"	8' 3"	9' 5 3/4"
8' 6"	8' 3 1/4"	8' 10"	8' 2"	8' 11 3/4"	8' 1/4"	9' 2 1/4"
8' 3"	8' 1/2"	8' 6 3/4"	7' 11 1/4"	8' 8 1/2"	7' 9 3/4"	8' 10 3/4"
8'	7' 9 1/2"	8' 3 1/2"	7' 8 1/2"	8' 5"	7' 7"	8' 7"
7' 9"	7' 6 3/4"	8' 1/4"	7' 5 3/4"	8' 1 3/4"	7' 4 1/4"	8' 3 3/4"
7' 6"	7' 4"	7' 9"	7' 3"	7' 10 1/2"	7' 1 3/4"	8' 1/4"
7' 3"	7' 1"	7' 6"	7' 1/4"	7' 7"	6' 11"	7' 8 3/4"
7'	6' 10 1/4"	7' 2 3/4"	6' 9 1/4"	7' 3 3/4"	6' 8 1/4"	7' 5 1/4"
6' 9"	6' 7 1/4"	6' 11 1/2"	6' 6 1/2"	7' 1/2"	6' 5 1/2"	7' 2"
6' 6"	6' 4 1/2"	6' 8 1/4"	6' 3 3/4"	6' 9 1/4"	6' 2 3/4"	6' 10 1/2"
6' 3"	6' 1 1/2"	6' 5"	6' 1"	6' 6"	6'	6' 7"
6'	5' 10 3/4"	6' 2"	5' 10"	6' 2 3/4"	5' 9 1/4"	6' 3 3/4"
5' 9"	5' 7 3/4"	5' 10 3/4"	5' 7 1/4"	5' 11 1/2"	5' 6 1/2"	6' 1/2"
5' 6"	5' 5"	5' 7 1/2"	5' 4 1/2"	5' 8 1/4"	5' 3 3/4"	5' 9"
5' 3"	5' 2"	5' 4 1/2"	5' 1 1/2"	5' 5"	5' 1"	5' 5 3/4"
5'	4' 11"	5' 1 1/4"	4' 10 3/4"	5' 1 3/4"	4' 10 1/4"	5' 2 1/2"
4' 9"	4' 8 1/4"	4' 10 1/4"	4' 7 3/4"	4' 10 1/2"	4' 7 1/4"	4' 11 1/4"
4' 6"	4' 5 1/4"	4' 7"	4' 5"	4' 7 1/2"	4' 4 1/2"	4' 8"
4' 3"	4' 2 1/2"	4' 3 3/4"	4' 2"	4' 4 1/4"	4' 1 3/4"	4' 4 3/4"
4'	3' 11 1/2"	4' 3/4"	3' 11 1/4"	4' 1"	3' 10 3/4"	4' 1 1/2"
3' 9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"	3' 8"	3' 10 1/4"
3' 6"	3' 5 1/2"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"
3' 3"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4"
3'	2' 11 3/4"	3' 1/2"	2' 11 1/2"	3' 1/2"	2' 11 1/2"	3' 3/4"
2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/2"	2' 8 1/2"	2' 9 1/2"
2' 6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	90' 1 1/4"	INF	62' 2 3/4"	INF
300'	69' 5 1/4"	INF	51' 7 3/4"	INF
250'	66' 4 3/4"	INF	49' 11 1/2"	INF
200'	62' 3 1/2"	INF	47' 7 1/4"	INF
190'	61' 3 1/2"	INF	47' 1/4"	INF
180'	60' 2 3/4"	INF	46' 4 3/4"	INF
170'	59' 1"	INF	45' 8 1/2"	INF
160'	57' 10"	INF	44' 11 3/4"	INF
150'	56' 5 3/4"	INF	44' 1 3/4"	INF
140'	55' 1/4"	INF	43' 3"	INF
130'	53' 5"	INF	42' 3 1/4"	INF
120'	51' 8"	INF	41' 2"	INF
110'	49' 8 3/4"	INF	39' 11 1/4"	INF
100'	47' 7 1/4"	INF	38' 6 3/4"	INF
90'	45' 2 3/4"	INF	37'	INF
80'	42' 7"	INF	35' 2 1/2"	INF
70'	39' 7 1/4"	INF	33' 1 3/4"	INF
60'	36' 2 1/2"	292' 7"	30' 9"	INF
50'	32' 4 1/4"	147' 3"	27' 11 1/4"	INF
45'	30' 2 1/4"	110' 7 1/4"	26' 3 3/4"	254' 3"
40'	27' 10 1/2"	84' 4 1/2"	24' 6 1/2"	148'
35'	25' 4 1/2"	64' 7 3/4"	22' 7 1/4"	96' 3 1/4"
30'	22' 8"	49' 3 1/2"	20' 5"	65' 8"
29'	22' 1"	46' 7 1/2"	19' 11 1/2"	60' 11 3/4"
28'	21' 6 1/4"	44' 3/4"	19' 6"	56' 8"
27'	20' 11"	41' 7 1/4"	19'	52' 7 3/4"
26'	20' 3 3/4"	39' 3"	18' 6 1/4"	48' 11"
25'	19' 8 1/2"	37'	18'	45' 5 1/4"
24'	19' 1"	34' 9 3/4"	17' 5 3/4"	42' 2 1/4"
23'	18' 5 1/2"	32' 8 3/4"	16' 11 1/2"	39' 1 3/4"
22'	17' 9 3/4"	30' 8 1/2"	16' 5"	36' 3 1/2"
21'	17' 2"	28' 9 1/4"	15' 10 1/4"	33' 7 1/4"
20'	16' 6"	26' 11"	15' 3 1/2"	31' 1"
19'	15' 9 3/4"	25' 1 1/4"	14' 8 1/2"	28' 8 1/4"
18'	15' 1 1/2"	23' 4 1/2"	14' 1 1/4"	26' 5 1/4"
17'	14' 5"	21' 8 1/2"	13' 6"	24' 3 3/4"
16'	13' 8 1/4"	20' 1"	12' 10 1/2"	22' 3 1/4"
15'	12' 11 1/2"	18' 6 1/4"	12' 2 1/2"	20' 4 1/4"
14' 6"	12' 7"	17' 9"	11' 10 3/4"	19' 5 1/4"
14'	12' 2 1/2"	17'	11' 6 3/4"	18' 6 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
13' 6"	11' 10"	16' 3"	11' 2 1/2"	17' 7 3/4"
13'	11' 5 1/2"	15' 6 1/4"	10' 10 1/2"	16' 9 1/2"
12' 6"	11' 3/4"	14' 9 3/4"	10' 6 1/4"	15' 11 1/2"
12'	10' 8"	14' 1 1/4"	10' 2"	15' 1 3/4"
11' 6"	10' 3 1/2"	13' 5"	9' 9 3/4"	14' 4"
11'	9' 10 1/2"	12' 8 3/4"	9' 5 1/2"	13' 6 3/4"
10' 6"	9' 5 3/4"	12' 3/4"	9' 1"	12' 9 1/2"
10'	9' 1"	11' 4 3/4"	8' 8 1/2"	12' 1/2"
9' 9"	8' 10 1/2"	11' 3/4"	8' 6 1/4"	11' 8 1/4"
9' 6"	8' 8"	10' 9"	8' 4"	11' 3 3/4"
9' 3"	8' 5 1/2"	10' 5"	8' 1 3/4"	10' 11 1/2"
9'	8' 3"	10' 1 1/4"	7' 11 1/2"	10' 7 1/4"
8' 9"	8' 1/2"	9' 9 1/2"	7' 9 1/4"	10' 3"
8' 6"	7' 10"	9' 5 1/2"	7' 6 3/4"	9' 10 3/4"
8' 3"	7' 7 1/2"	9' 1 3/4"	7' 4 1/2"	9' 6 3/4"
8'	7' 5"	8' 10 1/4"	7' 2"	9' 2 3/4"
7' 9"	7' 2 1/4"	8' 6 1/2"	6' 11 3/4"	8' 10 3/4"
7' 6"	6' 11 3/4"	8' 2 3/4"	6' 9 1/4"	8' 6 3/4"
7' 3"	6' 9 1/4"	7' 11"	6' 6 3/4"	8' 2 3/4"
7'	6' 6 1/2"	7' 7 1/2"	6' 4 1/2"	7' 10 3/4"
6' 9"	6' 4"	7' 4"	6' 2"	7' 7"
6' 6"	6' 1 1/2"	7' 1/4"	5' 11 1/2"	7' 3"
6' 3"	5' 10 3/4"	6' 8 3/4"	5' 9"	6' 11 1/4"
6'	5' 8"	6' 5 1/4"	5' 6 1/2"	6' 7 1/2"
5' 9"	5' 5 1/2"	6' 1 3/4"	5' 4"	6' 4"
5' 6"	5' 2 3/4"	5' 10 1/4"	5' 1 1/2"	6' 1/4"
5' 3"	5'	5' 7"	4' 10 3/4"	5' 8 1/2"
5'	4' 9 1/4"	5' 3 1/2"	4' 8 1/4"	5' 5"
4' 9"	4' 6 3/4"	5'	4' 5 3/4"	5' 1 1/2"
4' 6"	4' 4"	4' 8 3/4"	4' 3"	4' 10"
4' 3"	4' 1 1/4"	4' 5 1/2"	4' 1/4"	4' 6 1/2"
4'	3' 10 1/4"	4' 2"	3' 9 3/4"	4' 3"
3' 9"	3' 7 1/2"	3' 10 3/4"	3' 7"	3' 11 1/2"
3' 6"	3' 4 3/4"	3' 7 1/2"	3' 4 1/4"	3' 8 1/4"
3' 3"	3' 2"	3' 4 1/4"	3' 1 1/2"	3' 4 3/4"
3'	2' 11 1/4"	3' 1"	2' 10 3/4"	3' 1 1/2"
2' 9"	2' 8 1/4"	2' 9 3/4"	2' 8"	2' 10 1/4"
2' 6"	2' 5 1/2"	2' 6 3/4"	2' 5 1/4"	2' 7"

circle of confusion: 0.025 mm

[illegible]



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	470' 6"	INF	325' 9 1/2"	INF	226' 4 1/2"	INF
200'	140' 6 1/2"	404' 9 3/4"	124' 2"	670' 6 3/4"	106' 5 1/4"	8485' 9 3/4"
100'	82' 7 1/4"	133' 7 1/2"	76' 8 1/4"	153' 7 1/4"	69' 7"	194' 4 3/4"
60'	53' 3 3/4"	70' 7"	50' 9 1/2"	75' 9"	47' 7 1/4"	84' 5"
40'	36' 11 1/4"	44' 4 3/4"	35' 8 3/4"	46' 4 1/2"	34' 1 1/2"	49' 5 1/2"
30'	28' 3"	32' 4 1/2"	27' 6 1/2"	33' 5"	26' 7 1/4"	34' 11 1/2"
25'	23' 9 1/2"	26' 7 1/2"	23' 3 1/2"	27' 3 3/4"	22' 7 1/4"	28' 4"
20'	19' 2 3/4"	21' 1/4"	18' 10 3/4"	21' 5 1/4"	18' 5 1/2"	22' 1/2"
18'	17' 4 1/2"	18' 9 3/4"	17' 1 1/4"	19' 1 3/4"	16' 9"	19' 7 1/2"
16'	15' 6"	16' 7 1/2"	15' 3 1/2"	16' 10 3/4"	15'	17' 3 1/4"
15'	14' 6 3/4"	15' 6 1/2"	14' 4 1/2"	15' 9 1/4"	14' 1 1/2"	16' 1 1/4"
14'	13' 7 1/2"	14' 5 3/4"	13' 5 1/2"	14' 8"	13' 3"	14' 11 1/2"
13'	12' 8"	13' 4 3/4"	12' 6 1/2"	13' 6 3/4"	12' 4 1/4"	13' 9 3/4"
12'	11' 8 3/4"	12' 4"	11' 7 1/4"	12' 5 3/4"	11' 5 1/4"	12' 8 1/4"
11'	10' 9 1/4"	11' 3 1/2"	10' 8"	11' 4 3/4"	10' 6 1/2"	11' 6 3/4"
10'	9' 9 3/4"	10' 2 3/4"	9' 8 3/4"	10' 4"	9' 7 1/2"	10' 5 1/2"
9' 6"	9' 4"	9' 8 1/2"	9' 3"	9' 9 1/2"	9' 2"	9' 11"
9'	8' 10 1/4"	9' 2 1/4"	8' 9 1/2"	9' 3"	8' 8 1/4"	9' 4 1/4"
8' 6"	8' 4 1/2"	8' 8"	8' 3 3/4"	8' 8 3/4"	8' 2 3/4"	8' 9 3/4"
8'	7' 10 1/2"	8' 1 3/4"	7' 10"	8' 2 1/2"	7' 9 1/4"	8' 3 1/4"
7' 6"	7' 4 3/4"	7' 7 1/2"	7' 4 1/4"	7' 8"	7' 3 1/2"	7' 9"
7'	6' 11"	7' 1 1/4"	6' 10 1/2"	7' 1 3/4"	6' 9 3/4"	7' 2 1/2"
6' 9"	6' 8"	6' 10 1/4"	6' 7 1/2"	6' 10 3/4"	6' 7"	6' 11 1/4"
6' 6"	6' 5"	6' 7"	6' 4 3/4"	6' 7 1/2"	6' 4 1/4"	6' 8 1/4"
6' 3"	6' 2 1/4"	6' 4"	6' 1 3/4"	6' 4 1/2"	6' 1 1/4"	6' 5"
6'	5' 11 1/4"	6' 1"	5' 11"	6' 1 1/4"	5' 10 1/2"	6' 1 3/4"
5' 9"	5' 8 1/4"	5' 9 3/4"	5' 8"	5' 10 1/4"	5' 7 1/2"	5' 10 1/2"
5' 6"	5' 5 1/2"	5' 6 3/4"	5' 5"	5' 7"	5' 4 3/4"	5' 7 1/2"
5' 3"	5' 2 1/2"	5' 3 3/4"	5' 2 1/4"	5' 4"	5' 1 3/4"	5' 4 1/4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/4"	5' 3/4"	4' 11"	5' 1 1/4"
4' 9"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/2"
4' 6"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7"
4' 3"	4' 2 3/4"	4' 3 1/2"	4' 2 1/2"	4' 3 1/2"	4' 2 1/4"	4' 3 3/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 1/2"	4' 1/2"	3' 11 1/2"	4' 3/4"
3' 9"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 1/2"
3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"
3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	158' 1/4"	INF	110' 9 1/2"	INF
200'	88' 6 1/4"	INF	71' 6 1/4"	INF
100'	61' 5 3/4"	311' 1/2"	52' 9 3/4"	2077' 11 3/4"
60'	43' 8 1/4"	100' 8 1/2"	39' 1 3/4"	138' 7"
40'	32' 1"	54' 6 3/4"	29' 7"	63' 11 1/2"
30'	25' 4 1/4"	37' 5 1/4"	23' 9 1/4"	41' 7"
25'	21' 8 1/2"	29' 11"	20' 6 3/4"	32' 5 3/4"
20'	17' 10 1/4"	22' 11 3/4"	17' 1"	24' 5 1/2"
18'	16' 3"	20' 4 1/2"	15' 7 1/4"	21' 6"
16'	14' 7 1/2"	17' 10"	14' 1 1/4"	18' 8 1/4"
15'	13' 9 1/2"	16' 7"	13' 3 3/4"	17' 3 3/4"
14'	12' 11 1/4"	15' 4 1/4"	12' 6 1/2"	16'
13'	12' 1"	14' 2"	11' 8 3/4"	14' 8 1/4"
12'	11' 2 3/4"	12' 11 3/4"	10' 11"	13' 5"
11'	10' 4 1/4"	11' 9 3/4"	10' 1"	12' 2"
10'	9' 5 1/2"	10' 7 3/4"	9' 3"	10' 11 1/4"
9' 6"	9' 1/4"	10' 1"	8' 10"	10' 4"
9'	8' 6 3/4"	9' 6 1/4"	8' 4 3/4"	9' 9"
8' 6"	8' 1 1/2"	8' 11 1/2"	7' 11 1/2"	9' 1 3/4"
8'	7' 8"	8' 4 3/4"	7' 6 1/4"	8' 6 3/4"
7' 6"	7' 2 1/2"	7' 10 1/4"	7' 1"	8'
7'	6' 9"	7' 3 1/2"	6' 7 3/4"	7' 5"
6' 9"	6' 6 1/4"	7' 1/4"	6' 5"	7' 1 3/4"
6' 6"	6' 3 1/2"	6' 9"	6' 2 1/4"	6' 10 1/4"
6' 3"	6' 1/2"	6' 5 3/4"	5' 11 3/4"	6' 7"
6'	5' 9 3/4"	6' 2 1/2"	5' 9"	6' 3 1/2"
5' 9"	5' 7"	5' 11 1/4"	5' 6 1/4"	6' 1/4"
5' 6"	5' 4 1/4"	5' 8"	5' 3 1/2"	5' 9"
5' 3"	5' 1 1/4"	5' 4 3/4"	5' 3/4"	5' 5 3/4"
5'	4' 10 1/2"	5' 1 3/4"	4' 10"	5' 2 1/4"
4' 9"	4' 7 3/4"	4' 10 1/2"	4' 7 1/4"	4' 11"
4' 6"	4' 4 3/4"	4' 7 1/4"	4' 4 1/2"	4' 7 3/4"
4' 3"	4' 2"	4' 4 1/4"	4' 1 1/2"	4' 4 1/2"
4'	3' 11 1/4"	4' 1"	3' 10 3/4"	4' 1 1/2"
3' 9"	3' 8 1/4"	3' 9 3/4"	3' 8"	3' 10 1/4"
3' 6"	3' 5 1/4"	3' 6 3/4"	3' 5"	3' 7"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 1/4"	3' 3 3/4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	9' 5 3/4"	INF	7' 5"	INF	6' 2"	INF
30'	7' 4"	INF	6' 3/4"	INF	5' 2 3/4"	INF
15'	5' 11 3/4"	INF	5' 1 1/2"	INF	4' 6 1/4"	INF
10'	5' 1/2"	INF	4' 5 1/4"	INF	3' 11 3/4"	INF
8'	4' 6 1/4"	48' 4 1/4"	4' 1/4"	INF	3' 8"	INF
6'	3' 10 1/4"	15' 2 3/4"	3' 6"	30' 6 3/4"	3' 2 3/4"	INF
5'	3' 5 1/4"	9' 10"	3' 2"	14' 4 1/2"	2' 11 1/4"	INF
4' 6"	3' 2 1/2"	7' 11 1/2"	2' 11 3/4"	10' 7 1/2"	2' 9 1/4"	96' 6 1/2"
4'	2' 11 1/2"	6' 5 1/4"	2' 9 1/4"	8' 1/4"	2' 7 1/4"	23' 3 1/2"
3' 6"	2' 8 1/4"	5' 2"	2' 6 1/2"	6' 1 1/4"	2' 4 3/4"	11' 9 1/2"
3'	2' 5"	4' 1"	2' 3 1/2"	4' 7 1/2"	2' 2"	7' 1 1/2"
2' 9"	2' 3"	3' 7 1/4"	2' 1 3/4"	4'	2' 3/4"	5' 8 1/4"
2' 6"	2' 1"	3' 2"	2'	3' 5 1/2"	1' 11"	4' 7"
2' 3"	1' 11"	2' 9"	1' 10 1/4"	2' 11 1/2"	1' 9 1/2"	3' 8 1/2"
2'	1' 9"	2' 4 1/4"	1' 8 1/4"	2' 6"	1' 7 3/4"	3'
1' 11"	1' 8 1/4"	2' 2 3/4"	1' 7 3/4"	2' 4 1/2"	1' 7"	2' 9 1/2"
1' 10"	1' 7 1/2"	2' 1 1/2"	1' 7"	2' 2 3/4"	1' 6 1/2"	2' 7"
1' 9"	1' 6 3/4"	2'	1' 6 1/4"	2' 1 1/4"	1' 5 3/4"	2' 4 3/4"
1' 8"	1' 6"	1' 10 3/4"	1' 5 1/2"	1' 11 3/4"	1' 5 1/4"	2' 2 3/4"
1' 7"	1' 5 1/4"	1' 9 1/4"	1' 4 3/4"	1' 10 1/4"	1' 4 1/2"	2' 3/4"
1' 6"	1' 4 1/2"	1' 8"	1' 4"	1' 8 3/4"	1' 3 3/4"	1' 10 3/4"
1' 5"	1' 3 3/4"	1' 6 3/4"	1' 3 1/4"	1' 7 1/4"	1' 3"	1' 9"
1' 4"	1' 3"	1' 5 1/2"	1' 2 1/2"	1' 6"	1' 2 1/4"	1' 7 1/4"
1' 3"	1' 2"	1' 4 1/4"	1' 1 3/4"	1' 4 1/2"	1' 1 1/2"	1' 5 3/4"
1' 2"	1' 1 1/4"	1' 3"	1' 1"	1' 3 1/4"	1' 3/4"	1' 4 1/4"
1' 1"	1' 1/4"	1' 1 3/4"	1' 1/4"	1' 2"	1'	1' 2 3/4"
1'	11 1/2"	1' 1/2"	11 1/4"	1' 3/4"	11 1/4"	1' 1 1/4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	4' 7 3/4"	INF	3' 3 3/4"	INF	2' 4 1/2"	INF
30'	4' 1 1/4"	INF	3' 1/2"	INF	2' 3"	INF
15'	3' 8"	INF	2' 9 3/4"	INF	2' 1 1/2"	INF
10'	3' 4"	INF	2' 7 1/2"	INF	2' 1/4"	INF
8'	3' 1 1/4"	INF	2' 6"	INF	1' 11 1/2"	INF
6'	2' 9 1/2"	INF	2' 3 1/2"	INF	1' 10 1/4"	INF
5'	2' 7"	INF	2' 2"	INF	1' 9 1/4"	INF
4' 6"	2' 5 1/2"	INF	2' 1"	INF	1' 8 1/2"	INF
4'	2' 4"	INF	2'	INF	1' 8"	INF
3' 6"	2' 2"	INF	1' 10 1/2"	INF	1' 7"	INF
3'	2'	23' 8 1/2"	1' 9"	INF	1' 6"	INF
2' 9"	1' 10 3/4"	12' 5 3/4"	1' 8 1/4"	INF	1' 5 1/2"	INF
2' 6"	1' 9 1/2"	7' 11 1/2"	1' 7 1/4"	1801' 4"	1' 4 3/4"	INF
2' 3"	1' 8"	5' 6 1/4"	1' 6 1/4"	16' 4 1/4"	1' 4"	INF
2'	1' 6 1/2"	4'	1' 5"	7' 4"	1' 3 1/4"	INF
1' 11"	1' 6"	3' 7 1/2"	1' 4 1/2"	6' 1/2"	1' 2 3/4"	1658' 7 1/2"
1' 10"	1' 5 1/2"	3' 3 1/4"	1' 4"	5' 3/4"	1' 2 1/2"	27' 4"
1' 9"	1' 5"	2' 11 1/2"	1' 3 3/4"	4' 3 3/4"	1' 2 1/4"	13' 2 1/4"
1' 8"	1' 4 1/4"	2' 8 1/4"	1' 3 1/4"	3' 8 1/2"	1' 1 3/4"	8' 5 1/4"
1' 7"	1' 3 3/4"	2' 5 1/4"	1' 2 3/4"	3' 2 1/2"	1' 1 1/2"	6' 1/2"
1' 6"	1' 3 1/4"	2' 2 1/2"	1' 2 1/4"	2' 9 1/2"	1' 1"	4' 7"
1' 5"	1' 2 1/2"	2'	1' 1 3/4"	2' 5 1/4"	1' 3/4"	3' 7 1/2"
1' 4"	1' 1 3/4"	1' 9 3/4"	1' 1"	2' 1 3/4"	1' 1/4"	2' 11 1/4"
1' 3"	1' 1 1/4"	1' 7 1/2"	1' 1/2"	1' 10 1/2"	11 3/4"	2' 5 1/4"
1' 2"	1' 1/2"	1' 5 1/2"	1'	1' 7 3/4"	11 1/4"	2' 1/4"
1' 1"	11 3/4"	1' 3 3/4"	11 1/4"	1' 5 1/2"	10 3/4"	1' 8 1/2"
1'	11"	1' 2"	10 3/4"	1' 3 1/4"	10 1/4"	1' 5 1/4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	1' 9"	INF
30'	1' 8 1/4"	INF
15'	1' 7 1/2"	INF
10'	1' 6 3/4"	INF
8'	1' 6 1/2"	INF
6'	1' 5 3/4"	INF
5'	1' 5"	INF
4' 6"	1' 4 3/4"	INF
4'	1' 4 1/4"	INF
3' 6"	1' 3 3/4"	INF
3'	1' 3 1/4"	INF
2' 9"	1' 2 3/4"	INF
2' 6"	1' 2 1/2"	INF
2' 3"	1' 2"	INF
2'	1' 1 1/4"	INF
1' 11"	1' 1"	INF
1' 10"	1' 1"	INF
1' 9"	1' 3/4"	INF
1' 8"	1' 1/2"	INF
1' 7"	1'	INF
1' 6"	11 3/4"	INF
1' 5"	11 1/2"	16' 9 3/4"
1' 4"	11 1/4"	7' 4 3/4"
1' 3"	10 3/4"	4' 6 1/2"
1' 2"	10 1/2"	3' 2"
1' 1"	10"	2' 4 1/4"
1'	9 1/2"	1' 10"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	13' 7 1/2"	INF	10' 2"	INF	7' 10 1/2"	INF
200'	12' 9 3/4"	INF	9' 8 1/2"	INF	7' 7 1/4"	INF
100'	12' 3/4"	INF	9' 3 1/2"	INF	7' 4"	INF
60'	11' 2 1/2"	INF	8' 9 1/2"	INF	7' 1/4"	INF
50'	10' 10"	INF	8' 6 1/2"	INF	6' 10 1/2"	INF
40'	10' 3 3/4"	INF	8' 2 3/4"	INF	6' 8"	INF
30'	9' 6 1/4"	INF	7' 8 3/4"	INF	6' 4 1/4"	INF
25'	8' 11 3/4"	INF	7' 4 1/2"	INF	6' 1 1/4"	INF
20'	8' 3 1/4"	INF	6' 10 3/4"	INF	5' 9 1/2"	INF
19'	8' 1 1/4"	INF	6' 9 1/2"	INF	5' 8 1/2"	INF
18'	7' 11 1/4"	INF	6' 8"	INF	5' 7 1/2"	INF
17'	7' 9"	INF	6' 6 1/2"	INF	5' 6 1/2"	INF
16'	7' 6 1/2"	INF	6' 4 3/4"	INF	5' 5 1/4"	INF
15'	7' 3 3/4"	INF	6' 2 3/4"	INF	5' 3 3/4"	INF
14'	7' 1"	INF	6' 3/4"	INF	5' 2 1/2"	INF
13'	6' 10"	271' 5 1/4"	5' 10 1/2"	INF	5' 3/4"	INF
12'	6' 6 3/4"	95' 8 3/4"	5' 8 1/4"	INF	4' 11"	INF
11'	6' 3 1/4"	54' 3"	5' 5 1/2"	INF	4' 9 1/4"	INF
10'	5' 11 1/4"	35' 8 1/4"	5' 2 3/4"	153' 1 1/4"	4' 7"	INF
9' 6"	5' 9 1/4"	29' 9 1/2"	5' 1"	82' 2 1/4"	4' 5 3/4"	INF
9'	5' 7"	25' 2"	4' 11 1/2"	54' 3"	4' 4 1/2"	INF
8' 6"	5' 4 3/4"	21' 5 1/4"	4' 9 3/4"	39' 4"	4' 3 1/4"	INF
8'	5' 2 1/2"	18' 4 3/4"	4' 7 3/4"	30' 1/2"	4' 1 3/4"	INF
7' 9"	5' 1 1/4"	17' 3/4"	4' 7"	26' 7"	4' 1"	INF
7' 6"	5'	15' 10"	4' 6"	23' 8 1/4"	4' 1/4"	INF
7' 3"	4' 10 3/4"	14' 8 1/2"	4' 5"	21' 2 1/2"	3' 11 1/2"	INF
7'	4' 9 1/2"	13' 8"	4' 3 3/4"	19' 1"	3' 10 1/2"	347' 4"
6' 9"	4' 8"	12' 8 1/4"	4' 2 3/4"	17' 2 3/4"	3' 9 3/4"	114' 3 3/4"
6' 6"	4' 6 3/4"	11' 9 1/2"	4' 1 3/4"	15' 7"	3' 8 3/4"	66' 4 1/2"
6' 3"	4' 5 1/4"	10' 11 1/2"	4' 1/2"	14' 1 3/4"	3' 8"	45' 8 1/4"
6'	4' 3 3/4"	10' 2"	3' 11 1/4"	12' 10"	3' 7"	34' 1 3/4"
5' 9"	4' 2 1/4"	9' 5 1/4"	3' 10"	11' 8 1/4"	3' 6"	26' 9 3/4"
5' 6"	4' 3/4"	8' 9"	3' 8 3/4"	10' 7 1/2"	3' 5"	21' 8 1/2"
5' 3"	3' 11 1/4"	8' 1 1/4"	3' 7 1/2"	9' 8 1/4"	3' 3 3/4"	17' 11 1/2"
5'	8,00	7' 6"	11,00	8' 9 3/4"	16,00	15' 1 1/4"
4' 9"	3' 8"	6' 11"	3' 4 3/4"	8' 1/4"	3' 1 1/2"	12' 10 1/4"
4' 6"	3' 6 1/4"	6' 4 1/2"	3' 3 1/4"	7' 3 1/2"	3' 1/4"	11' 1/4"
4' 3"	3' 4 1/2"	5' 10 1/2"	3' 1 3/4"	6' 7 1/4"	2' 11"	9' 6"
4'	3' 2 1/2"	5' 4 1/2"	3' 1/4"	6'	2' 9 3/4"	8' 2 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
3' 9"	3' 3/4"	4' 11"	2' 10 1/2"	5' 5"	2' 8 1/4"	7' 1 3/4"
3' 6"	2' 10 3/4"	4' 5 3/4"	2' 8 3/4"	4' 10 1/2"	2' 7"	6' 2 1/2"
3' 3"	2' 8 3/4"	4' 3/4"	2' 7"	4' 4 1/2"	2' 5 1/4"	5' 4 3/4"
3'	2' 6 3/4"	3' 8"	2' 5 1/4"	3' 11"	2' 3 3/4"	4' 8 1/4"
2' 9"	2' 4 1/2"	3' 3 1/4"	2' 3 1/2"	3' 5 3/4"	2' 2"	4' 3/4"
2' 6"	2' 2 1/2"	2' 11"	2' 1 1/2"	3' 3/4"	2' 1/4"	3' 5 3/4"
2' 3"	2' 1/4"	2' 6 3/4"	1' 11 1/4"	2' 8"	1' 10 1/2"	2' 11 3/4"
2'	1' 9 3/4"	2' 2 3/4"	1' 9 1/4"	2' 3 3/4"	1' 8 1/2"	2' 6 1/4"
1' 11"	1' 9"	2' 1 1/2"	1' 8 1/2"	2' 2 1/4"	1' 7 3/4"	2' 4 1/2"
1' 10"	1' 8 1/4"	2' 1/4"	1' 7 3/4"	2' 1"	1' 7"	2' 3"
1' 9"	1' 7 1/2"	1' 11"	1' 7"	1' 11 1/2"	1' 6 1/2"	2' 1 1/4"
1' 8"	1' 6 1/2"	1' 9 3/4"	1' 6 1/4"	1' 10 1/4"	1' 5 3/4"	1' 11 3/4"
1' 7"	1' 5 3/4"	1' 8 1/2"	1' 5 1/4"	1' 9"	1' 5"	1' 10 1/4"
1' 6"	1' 5"	1' 7 1/4"	1' 4 1/2"	1' 7 3/4"	1' 4 1/4"	1' 8 3/4"
1' 5"	1' 4"	1' 6"	1' 3 3/4"	1' 6 1/2"	1' 3 1/2"	1' 7 1/4"
1' 4"	1' 3 1/4"	1' 5"	1' 3"	1' 5 1/4"	1' 2 3/4"	1' 6"
1' 3"	1' 2 1/4"	1' 3 3/4"	1' 2"	1' 4"	1' 1 3/4"	1' 4 1/2"
1' 2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 2 3/4"	1' 1"	1' 3 1/4"
1' 1"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 2"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	5' 10 3/4"	INF	4' 3 1/4"	INF	3' 1"	INF
200'	5' 9"	INF	4' 2 1/4"	INF	3' 1/2"	INF
100'	5' 7 1/4"	INF	4' 1 1/2"	INF	3'	INF
60'	5' 5"	INF	4' 1/4"	INF	2' 11 1/2"	INF
50'	5' 4"	INF	3' 11 3/4"	INF	2' 11 1/4"	INF
40'	5' 2 1/2"	INF	3' 11"	INF	2' 10 3/4"	INF
30'	5' 1/4"	INF	3' 9 3/4"	INF	2' 10 1/4"	INF
25'	4' 10 1/2"	INF	3' 8 3/4"	INF	2' 9 3/4"	INF
20'	4' 8"	INF	3' 7 1/2"	INF	2' 9"	INF
19'	4' 7 1/2"	INF	3' 7"	INF	2' 8 3/4"	INF
18'	4' 6 3/4"	INF	3' 6 3/4"	INF	2' 8 1/2"	INF
17'	4' 6 1/4"	INF	3' 6 1/4"	INF	2' 8 1/4"	INF
16'	4' 5 1/4"	INF	3' 5 3/4"	INF	2' 8"	INF
15'	4' 4 1/2"	INF	3' 5 1/4"	INF	2' 7 3/4"	INF
14'	4' 3 1/2"	INF	3' 4 3/4"	INF	2' 7 1/2"	INF
13'	4' 2 1/2"	INF	3' 4"	INF	2' 7 1/4"	INF
12'	4' 1 1/4"	INF	3' 3 1/2"	INF	2' 6 3/4"	INF
11'	4'	INF	3' 2 1/2"	INF	2' 6 1/4"	INF
10'	3' 10 1/2"	INF	3' 1 3/4"	INF	2' 5 3/4"	INF
9' 6"	3' 9 3/4"	INF	3' 1 1/4"	INF	2' 5 1/2"	INF
9'	3' 8 3/4"	INF	3' 1/2"	INF	2' 5"	INF
8' 6"	3' 7 3/4"	INF	3'	INF	2' 4 3/4"	INF
8'	3' 6 3/4"	INF	2' 11 1/4"	INF	2' 4 1/4"	INF
7' 9"	3' 6 1/4"	INF	2' 11"	INF	2' 4 1/4"	INF
7' 6"	3' 5 3/4"	INF	2' 10 1/2"	INF	2' 4"	INF
7' 3"	3' 5 1/4"	INF	2' 10 1/4"	INF	2' 3 3/4"	INF
7'	3' 4 1/2"	INF	2' 9 3/4"	INF	2' 3 1/2"	INF
6' 9"	3' 4"	INF	2' 9 1/2"	INF	2' 3 1/4"	INF
6' 6"	3' 3 1/4"	INF	2' 9"	INF	2' 3"	INF
6' 3"	3' 2 1/2"	INF	2' 8 1/2"	INF	2' 2 1/2"	INF
6'	3' 1 3/4"	INF	2' 8"	INF	2' 2 1/4"	INF
5' 9"	3' 1"	INF	2' 7 1/2"	INF	2' 2"	INF
5' 6"	3' 1/4"	INF	2' 7"	INF	2' 1 3/4"	INF
5' 3"	2' 11 1/2"	INF	2' 6 1/4"	INF	2' 1 1/4"	INF
5'	2' 10 1/2"	INF	2' 5 3/4"	INF	2' 3/4"	INF
4' 9"	2' 9 3/4"	86' 10 1/2"	2' 5"	INF	2' 1/2"	INF
4' 6"	2' 8 3/4"	39' 10 1/4"	2' 4 1/2"	INF	2'	INF
4' 3"	2' 7 3/4"	24' 10"	2' 3 3/4"	INF	1' 11 1/2"	INF
4'	2' 6 3/4"	17' 5 1/2"	2' 3"	INF	1' 11"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
3' 9"	2' 5 1/2"	13' 3/4"	2' 2"	INF	1' 10 1/2"	INF
3' 6"	2' 4 1/4"	10' 1 3/4"	2' 1 1/4"	75' 3 1/4"	1' 9 3/4"	INF
3' 3"	2' 3"	8' 3/4"	2' 1/4"	24' 9 1/2"	1' 9"	INF
3'	2' 1 3/4"	6' 6"	1' 11 1/4"	13' 11"	1' 8 1/2"	INF
2' 9"	2' 1/4"	5' 3 3/4"	1' 10"	9' 2 1/4"	1' 7 1/2"	INF
2' 6"	1' 10 3/4"	4' 4"	1' 9"	6' 6 1/4"	1' 6 3/4"	24' 1"
2' 3"	1' 9 1/4"	3' 6 3/4"	1' 7 1/2"	4' 9 3/4"	1' 5 3/4"	9' 11 3/4"
2'	1' 7 1/2"	2' 10 3/4"	1' 6 1/4"	3' 7 3/4"	1' 4 1/2"	5' 9 1/4"
1' 11"	1' 7"	2' 8 1/2"	1' 5 3/4"	3' 3 3/4"	1' 4 1/4"	4' 11 1/2"
1' 10"	1' 6 1/4"	2' 6 1/4"	1' 5 1/4"	3' 1/2"	1' 3 3/4"	4' 3 1/2"
1' 9"	1' 5 3/4"	2' 4 1/4"	1' 4 1/2"	2' 9 1/4"	1' 3 1/4"	3' 9"
1' 8"	1' 5"	2' 2 1/4"	1' 4"	2' 6 1/4"	1' 3"	3' 3 1/2"
1' 7"	1' 4 1/4"	2' 1/4"	1' 3 1/2"	2' 3 3/4"	1' 2 1/2"	2' 10 3/4"
1' 6"	1' 3 3/4"	1' 10 1/2"	1' 3"	2' 1 1/4"	1' 2"	2' 6 3/4"
1' 5"	1' 3"	1' 8 3/4"	1' 2 1/4"	1' 11"	1' 1 1/2"	2' 3 1/4"
1' 4"	1' 2 1/4"	1' 7"	1' 1 3/4"	1' 9"	1' 1"	2' 1/4"
1' 3"	1' 1 1/2"	1' 5 1/2"	1' 1"	1' 7"	1' 1/4"	1' 9 1/2"
1' 2"	1' 3/4"	1' 4"	1' 1/4"	1' 5 1/4"	11 3/4"	1' 7"
1' 1"	1'	1' 2 1/2"	11 3/4"	1' 3 1/2"	11 1/4"	1' 4 3/4"
1'	11 1/4"	1' 1 1/4"	11"	1' 1 3/4"	10 1/2"	1' 2 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	2' 3"	INF
200'	2' 2 3/4"	INF
100'	2' 2 1/2"	INF
60'	2' 2 1/4"	INF
50'	2' 2"	INF
40'	2' 2"	INF
30'	2' 1 1/2"	INF
25'	2' 1 1/4"	INF
20'	2' 1"	INF
19'	2' 3/4"	INF
18'	2' 3/4"	INF
17'	2' 3/4"	INF
16'	2' 1/2"	INF
15'	2' 1/4"	INF
14'	2' 1/4"	INF
13'	2'	INF
12'	1' 11 3/4"	INF
11'	1' 11 1/2"	INF
10'	1' 11 1/4"	INF
9' 6"	1' 11"	INF
9'	1' 11"	INF
8' 6"	1' 10 3/4"	INF
8'	1' 10 1/2"	INF
7' 9"	1' 10 1/4"	INF
7' 6"	1' 10 1/4"	INF
7' 3"	1' 10"	INF
7'	1' 10"	INF
6' 9"	1' 9 3/4"	INF
6' 6"	1' 9 3/4"	INF
6' 3"	1' 9 1/2"	INF
6'	1' 9 1/4"	INF
5' 9"	1' 9"	INF
5' 6"	1' 8 3/4"	INF
5' 3"	1' 8 3/4"	INF
5'	1' 8 1/2"	INF
4' 9"	1' 8 1/4"	INF
4' 6"	1' 7 3/4"	INF
4' 3"	1' 7 1/2"	INF
4'	1' 7 1/4"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
3' 9"	1' 6 3/4"	INF
3' 6"	1' 6 1/2"	INF
3' 3"	1' 6"	INF
3'	1' 5 1/2"	INF
2' 9"	1' 5"	INF
2' 6"	1' 4 1/4"	INF
2' 3"	1' 3 3/4"	INF
2'	1' 2 3/4"	55' 9 3/4"
1' 11"	1' 2 1/2"	20' 1"
1' 10"	1' 2 1/4"	11' 10"
1' 9"	1' 2"	8' 2 1/4"
1' 8"	1' 1 1/2"	6' 1 1/4"
1' 7"	1' 1 1/4"	4' 9 1/2"
1' 6"	1' 3/4"	3' 10 1/4"
1' 5"	1' 1/2"	3' 2"
1' 4"	1'	2' 7 3/4"
1' 3"	11 1/2"	2' 2 3/4"
1' 2"	11"	1' 10 3/4"
1' 1"	10 1/2"	1' 7 1/2"
1'	10"	1' 4 3/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	18' 5"	INF	15' 2 3/4"	INF	13' 7 1/4"	INF
30'	11' 7"	INF	10' 3"	INF	9' 6"	INF
15'	8' 5 1/4"	78' 7 3/4"	7' 8 3/4"	INF	7' 3 3/4"	INF
10'	6' 7 3/4"	21' 1 1/2"	6' 2 1/2"	31' 3 3/4"	5' 11 1/4"	INF
8'	5' 8 3/4"	13' 7 3/4"	5' 4 3/4"	17' 2 1/4"	5' 2 1/2"	93' 4 1/4"
6'	4' 7 3/4"	8' 7"	4' 5 1/4"	9' 9 3/4"	4' 3 3/4"	17' 10 1/2"
5'	4' 1/2"	6' 7 1/2"	3' 10 3/4"	7' 3 3/4"	3' 9 1/2"	10' 10 1/4"
4' 6"	3' 8 3/4"	5' 9"	3' 7 1/4"	6' 3"	3' 6"	8' 7 1/4"
4'	3' 4 3/4"	4' 11 1/4"	3' 3 1/4"	5' 3 1/2"	3' 2 1/2"	6' 10"
3' 6"	3' 1/2"	4' 2"	2' 11 1/2"	4' 5"	2' 10 3/4"	5' 5"
2' 9"	2' 5 1/2"	3' 1 1/2"	2' 5"	3' 3"	2' 4 1/2"	3' 8 1/2"
2' 6"	2' 3 1/4"	2' 9 1/2"	2' 2 3/4"	2' 10 3/4"	2' 2 1/2"	3' 3"
2' 3"	2' 3/4"	2' 5 3/4"	2' 1/2"	2' 6 1/2"	2' 1/4"	2' 9 3/4"
1' 11"	1' 9 1/2"	2' 3/4"	1' 9 1/4"	2' 1 1/4"	1' 9"	2' 3 1/4"
1' 10"	1' 8 3/4"	1' 11 1/2"	1' 8 1/2"	2'	1' 8 1/4"	2' 1 3/4"
1' 9"	1' 7 3/4"	1' 10 1/2"	1' 7 1/2"	1' 10 3/4"	1' 7 1/2"	2' 1/4"
1' 8"	1' 7"	1' 9 1/4"	1' 6 3/4"	1' 9 3/4"	1' 6 1/2"	1' 11"
1' 7"	1' 6"	1' 8"	1' 5 3/4"	1' 8 1/2"	1' 5 3/4"	1' 9 1/2"
1' 6"	1' 5 1/4"	1' 7"	1' 5"	1' 7 1/4"	1' 5"	1' 8 1/4"
1' 5"	1' 4 1/4"	1' 5 3/4"	1' 4 1/4"	1' 6"	1' 4"	1' 6 3/4"
1' 4"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5"	1' 3 1/4"	1' 5 1/2"
1' 3"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4 1/4"
1' 2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 3"
1' 1"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
10"	9 3/4"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	10' 6 1/2"	INF	7' 3 1/4"	INF	4' 10 3/4"	INF
30'	7' 11 1/4"	INF	5' 11 1/2"	INF	4' 3 1/2"	INF
15'	6' 4 1/4"	INF	5' 1/2"	INF	3' 10"	INF
10'	5' 3 3/4"	INF	4' 4 1/2"	INF	3' 5 1/4"	INF
8'	4' 8 1/2"	INF	3' 11 3/4"	INF	3' 2 1/2"	INF
6'	3' 11 3/4"	INF	3' 5 1/2"	INF	2' 10 1/2"	INF
5'	3' 6 1/2"	27' 4"	3' 1 1/2"	INF	2' 7 3/4"	INF
4' 6"	3' 3 1/2"	16' 2 3/4"	2' 11 1/4"	INF	2' 6 1/4"	INF
4'	3' 1/2"	10' 9"	2' 8 3/4"	35' 10 3/4"	2' 4 1/2"	INF
3' 6"	2' 9"	7' 6 1/4"	2' 6 1/4"	14' 3 1/2"	2' 2 1/2"	INF
2' 9"	2' 3 1/2"	4' 6 1/2"	2' 1 1/2"	6' 2 1/4"	1' 11"	12' 2 1/2"
2' 6"	2' 1 1/2"	3' 10"	1' 11 3/4"	4' 10 3/4"	1' 9 3/4"	7' 10 1/2"
2' 3"	1' 11 1/2"	3' 2 1/2"	1' 10"	3' 11"	1' 8 1/4"	5' 6"
1' 11"	1' 8 1/2"	2' 6 1/4"	1' 7 1/2"	2' 10 3/4"	1' 6 1/4"	3' 7 1/4"
1' 10"	1' 7 3/4"	2' 4 1/4"	1' 6 3/4"	2' 8 1/4"	1' 5 1/2"	3' 3 1/4"
1' 9"	1' 7"	2' 2 1/2"	1' 6 1/4"	2' 5 3/4"	1' 5"	2' 11 1/2"
1' 8"	1' 6 1/4"	2' 3/4"	1' 5 1/2"	2' 3 1/2"	1' 4 1/2"	2' 8 1/4"
1' 7"	1' 5 1/2"	1' 11 1/4"	1' 4 3/4"	2' 1 1/2"	1' 3 3/4"	2' 5 1/4"
1' 6"	1' 4 1/2"	1' 9 1/2"	1' 4"	1' 11 1/2"	1' 3 1/4"	2' 2 1/2"
1' 5"	1' 3 3/4"	1' 8"	1' 3 1/4"	1' 9 1/2"	1' 2 1/2"	2'
1' 4"	1' 3"	1' 6 1/2"	1' 2 1/2"	1' 7 3/4"	1' 2"	1' 9 3/4"
1' 3"	1' 2"	1' 5"	1' 1 3/4"	1' 6"	1' 1 1/4"	1' 7 1/2"
1' 2"	1' 1 1/4"	1' 3 3/4"	1' 1"	1' 4 1/2"	1' 1/2"	1' 5 1/2"
1' 1"	1' 1/2"	1' 2 1/4"	1' 1/4"	1' 3"	11 3/4"	1' 3 3/4"
1'	11 1/2"	1' 1"	11 1/4"	1' 1 1/2"	11"	1' 2"
11"	10 3/4"	11 3/4"	10 1/2"	1'	10 1/4"	1' 1/2"
10"	9 3/4"	10 1/2"	9 1/2"	10 3/4"	9 1/2"	11"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	3' 4 3/4"	INF
30'	3' 1 1/4"	INF
15'	2' 10 1/2"	INF
10'	2' 8"	INF
8'	2' 6 1/4"	INF
6'	2' 4"	INF
5'	2' 2 1/4"	INF
4' 6"	2' 1 1/4"	INF
4'	2'	INF
3' 6"	1' 10 3/4"	INF
2' 9"	1' 8 1/4"	INF
2' 6"	1' 7 1/4"	73' 5 3/4"
2' 3"	1' 6 1/4"	13' 8"
1' 11"	1' 4 1/2"	5' 8 1/4"
1' 10"	1' 4 1/4"	4' 10"
1' 9"	1' 3 3/4"	4' 1 3/4"
1' 8"	1' 3 1/4"	3' 7"
1' 7"	1' 2 3/4"	3' 1 1/2"
1' 6"	1' 2 1/4"	2' 8 3/4"
1' 5"	1' 1 3/4"	2' 4 3/4"
1' 4"	1' 1"	2' 1 1/4"
1' 3"	1' 1/2"	1' 10 1/4"
1' 2"	1'	1' 7 3/4"
1' 1"	11 1/4"	1' 5 1/4"
1'	10 3/4"	1' 3 1/4"
11"	10"	1' 1 1/4"
10"	9 1/4"	11 1/2"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	36' 11 1/2"	INF	31' 9 1/4"	INF	23' 3 1/4"	INF
40'	19' 4 1/4"	INF	17' 10 1/4"	INF	14' 10 1/4"	INF
20'	13' 1 1/4"	44' 3 1/4"	12' 5"	106' 11 1/4"	10' 10 3/4"	INF
13'	9' 8 3/4"	20' 1/4"	9' 4 1/4"	27' 3/4"	8' 5 3/4"	53' 7 1/4"
10'	7' 11 3/4"	13' 7 1/2"	7' 8 1/2"	16' 6"	7' 1 1/2"	23' 5 3/4"
8'	6' 8"	10' 1 1/2"	6' 5 3/4"	11' 7 1/4"	6' 3/4"	14' 7 1/4"
7'	5' 11 1/2"	8' 6 1/2"	5' 10"	9' 6 3/4"	5' 5 3/4"	11' 6"
6'	5' 2 3/4"	7' 1"	5' 1 1/2"	7' 9"	4' 10 1/2"	8' 11 1/2"
5'	4' 5 1/2"	5' 8 1/2"	4' 4 3/4"	6' 1 1/2"	4' 2 1/2"	6' 10"
4' 6"	4' 3/4"	5' 3/4"	4'	5' 4 1/2"	3' 10 1/4"	5' 11"
4'	3' 8"	4' 5 1/4"	3' 7 1/4"	4' 8"	3' 5 3/4"	5' 3/4"
3' 6"	3' 3"	3' 9 3/4"	3' 2 1/2"	3' 11 3/4"	3' 1 1/4"	4' 3"
3' 3"	3' 1/4"	3' 6 1/4"	3'	3' 8"	2' 11"	3' 10 1/2"
3'	2' 9 3/4"	3' 2 3/4"	2' 9 1/2"	3' 4"	2' 8 1/2"	3' 6 1/4"
2' 9"	2' 7 1/4"	2' 11 1/4"	2' 7"	3' 1/4"	2' 6 1/4"	3' 2"
2' 6"	2' 4 1/2"	2' 7 3/4"	2' 4 1/4"	2' 8 3/4"	2' 3 3/4"	2' 10"
2' 3"	2' 1 3/4"	2' 4 1/4"	2' 1 3/4"	2' 5"	2' 1 1/4"	2' 6"
2'	1' 11"	2' 1"	1' 11"	2' 1 1/2"	1' 10 1/2"	2' 2 1/4"
1' 11"	1' 10 1/4"	2'	1' 10"	2' 1/2"	1' 9 3/4"	2' 1"
1' 10"	1' 9 1/4"	1' 10 3/4"	1' 9 1/4"	1' 11 1/4"	1' 8 3/4"	1' 11 3/4"
1' 9"	1' 8 1/4"	1' 9 3/4"	1' 8 1/4"	1' 10"	1' 8"	1' 10 3/4"
1' 8"	1' 7 1/2"	1' 8 3/4"	1' 7 1/4"	1' 9"	1' 7"	1' 9 1/2"
1' 7"	1' 6 1/2"	1' 7 1/2"	1' 6 1/2"	1' 7 3/4"	1' 6 1/4"	1' 8 1/4"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"	1' 5 1/4"	1' 7"
1' 5"	1' 4 1/2"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"	1' 4 1/2"	1' 6"
1' 4"	1' 3 3/4"	1' 4 1/4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	4		5,6		11	
feet	from	to	from	to	from	to
INF	16' 2"	INF	11' 2"	INF	7' 9"	INF
40'	11' 7 3/4"	INF	8' 10"	INF	6' 7"	INF
20'	9' 1"	INF	7' 3 1/2"	INF	5' 8 1/2"	INF
13'	7' 4 1/4"	INF	6' 1 3/4"	INF	5'	INF
10'	6' 3 3/4"	51' 1/2"	5' 5"	INF	4' 6 1/4"	INF
8'	5' 5 3/4"	21' 9 3/4"	4' 9 3/4"	67' 5"	4' 1"	INF
7'	5' 1/4"	15' 5 3/4"	4' 5 1/4"	29' 5 1/2"	3' 10"	INF
6'	4' 6"	11' 2"	4' 1/2"	16' 10"	3' 6 1/4"	59' 9 1/4"
5'	3' 11"	8' 1/4"	3' 7"	10' 6 1/4"	3' 2 1/4"	18' 9"
4' 6"	3' 7 1/2"	6' 9"	3' 4"	8' 5"	2' 11 3/4"	12' 10 1/2"
4'	3' 3 1/2"	5' 7 3/4"	3' 3/4"	6' 8 3/4"	2' 9 1/4"	9' 3"
3' 6"	2' 11 1/2"	4' 8"	2' 9 1/4"	5' 4 1/4"	2' 6 1/2"	6' 9 1/2"
3' 3"	2' 9 1/2"	4' 2 1/2"	2' 7 1/2"	4' 9"	2' 5"	5' 10"
3'	2' 7 1/4"	3' 9 1/2"	2' 5 1/2"	4' 2 1/2"	2' 3 1/2"	5' 1/4"
2' 9"	2' 5"	3' 4 1/2"	2' 3 1/2"	3' 8 1/2"	2' 1 3/4"	4' 3 1/2"
2' 6"	2' 2 3/4"	3'	2' 1 1/2"	3' 3"	2'	3' 8"
2' 3"	2' 1/2"	2' 7 1/2"	1' 11 1/2"	2' 9 3/4"	1' 10 1/4"	3' 1 1/2"
2'	1' 10"	2' 3 1/4"	1' 9 1/4"	2' 5"	1' 8 1/4"	2' 7 1/2"
1' 11"	1' 9 1/4"	2' 2"	1' 8 1/2"	2' 3 1/2"	1' 7 1/2"	2' 5 3/4"
1' 10"	1' 8 1/2"	2' 3/4"	1' 7 3/4"	2' 2"	1' 6 3/4"	2' 3 3/4"
1' 9"	1' 7 1/2"	1' 11 1/4"	1' 7"	2' 1/2"	1' 6 1/4"	2' 2 1/4"
1' 8"	1' 6 3/4"	1' 10"	1' 6 1/4"	1' 11"	1' 5 1/2"	2' 1/2"
1' 7"	1' 5 3/4"	1' 8 3/4"	1' 5 1/2"	1' 9 3/4"	1' 4 3/4"	1' 11"
1' 6"	1' 5"	1' 7 1/2"	1' 4 1/2"	1' 8 1/4"	1' 4"	1' 9 1/4"
1' 5"	1' 4"	1' 6 1/4"	1' 3 3/4"	1' 7"	1' 3 1/4"	1' 7 3/4"
1' 4"	1' 3 1/4"	1' 5 1/4"	1' 3"	1' 5 3/4"	1' 2 1/2"	1' 6 1/2"
1' 3"	1' 2 1/4"	1' 4"	1' 2"	1' 4 1/2"	1' 1 3/4"	1' 5"
1' 2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 3 3/4"
1' 1"	1' 1/2"	1' 1 3/4"	1' 1/2"	1' 2"	1'	1' 2 1/4"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"	11 1/4"	1' 1"
11"	10 3/4"	11 1/2"	10 1/2"	11 1/2"	10 1/2"	11 3/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	5' 5 1/2"	INF	3' 10 1/2"	INF
40'	4' 10 1/4"	INF	3' 7"	INF
20'	4' 4 1/2"	INF	3' 4"	INF
13'	3' 11 1/2"	INF	3' 1 1/4"	INF
10'	3' 8"	INF	2' 11"	INF
8'	3' 4 3/4"	INF	2' 9"	INF
7'	3' 2 1/2"	INF	2' 7 3/4"	INF
6'	3'	INF	2' 6"	INF
5'	2' 9"	INF	2' 4"	INF
4' 6"	2' 7 1/2"	55' 1/4"	2' 2 3/4"	INF
4'	2' 5 1/2"	20' 1 1/4"	2' 1 1/2"	INF
3' 6"	2' 3 1/4"	11' 3/4"	2'	161' 4 3/4"
3' 3"	2' 2"	8' 8 1/4"	1' 11"	30' 9 3/4"
3'	2' 3/4"	6' 11 1/4"	1' 10"	15' 10 1/4"
2' 9"	1' 11 1/2"	5' 7 1/4"	1' 9"	10' 1"
2' 6"	1' 10"	4' 6 1/2"	1' 8"	7' 1/4"
2' 3"	1' 8 1/2"	3' 8 1/2"	1' 6 3/4"	5' 1 1/2"
2'	1' 7"	3'	1' 5 1/2"	3' 10"
1' 11"	1' 6 1/2"	2' 9 1/2"	1' 5"	3' 6"
1' 10"	1' 5 3/4"	2' 7 1/4"	1' 4 1/2"	3' 2 1/4"
1' 9"	1' 5 1/4"	2' 5"	1' 4"	2' 10 3/4"
1' 8"	1' 4 1/2"	2' 3"	1' 3 1/2"	2' 7 3/4"
1' 7"	1' 4"	2' 1"	1' 3"	2' 5"
1' 6"	1' 3 1/4"	1' 11"	1' 2 1/2"	2' 2 1/4"
1' 5"	1' 2 3/4"	1' 9 1/4"	1' 1 3/4"	2'
1' 4"	1' 2"	1' 7 1/2"	1' 1 1/4"	1' 9 3/4"
1' 3"	1' 1 1/4"	1' 6"	1' 3/4"	1' 7 1/2"
1' 2"	1' 1/2"	1' 4 1/2"	1'	1' 5 3/4"
1' 1"	11 3/4"	1' 3"	11 1/4"	1' 4"
1'	11"	1' 1 1/2"	10 3/4"	1' 2 1/4"
11"	10 1/4"	1'	10"	1' 3/4"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	45' 7 3/4"	INF	28' 3 3/4"	INF	28' 7"	INF
30'	18' 3"	86' 7"	14' 8 1/2"	84' 6 3/4"	14' 9 1/2"	INF
15'	11' 4 3/4"	22' 3/4"	9' 11 1/4"	21' 11 1/4"	9' 11 3/4"	45' 1 1/4"
10'	8' 3 1/2"	12' 7 3/4"	7' 6"	12' 7 1/4"	7' 6 1/4"	17' 8 1/2"
8'	6' 10 1/2"	9' 7"	6' 4"	9' 6 3/4"	6' 4 1/4"	12' 2"
6'	5' 4 1/4"	6' 9 3/4"	5' 1/2"	6' 9 3/4"	5' 1/2"	8'
5'	4' 6 3/4"	5' 6 1/2"	4' 4"	5' 6 1/2"	4' 4"	6' 3 1/4"
4'6	4' 1 3/4"	4' 11 1/4"	3' 11 1/2"	4' 11"	3' 11 1/2"	5' 6"
4'	3' 8 3/4"	4' 4"	3' 6 3/4"	4' 4"	3' 6 3/4"	4' 9"
3'6	3' 3 1/2"	3' 9"	3' 2"	3' 9"	3' 2"	4' 1/2"
3'	2' 10 1/4"	3' 2"	2' 9 1/4"	3' 2"	2' 9 1/4"	3' 4 1/2"
2'9	2' 7 1/2"	2' 10 3/4"	2' 6 3/4"	2' 10 3/4"	2' 6 3/4"	3' 3/4"
2'6	2' 4 3/4"	2' 7 1/4"	2' 4"	2' 7 1/4"	2' 4"	2' 9"
2'3	2' 2"	2' 4"	2' 1 1/2"	2' 4"	2' 1 1/2"	2' 5 1/4"
2'	1' 11 1/4"	2' 3/4"	1' 10 3/4"	2' 3/4"	1' 10 3/4"	2' 1 3/4"
23"	1' 10 1/4"	1' 11 3/4"	1' 10"	1' 11 3/4"	1' 10"	2' 1/2"
22"	1' 9 1/2"	1' 10 3/4"	1' 9"	1' 10 3/4"	1' 9"	1' 11 1/4"
21"	1' 8 1/2"	1' 9 1/2"	1' 8 1/4"	1' 9 1/2"	1' 8 1/4"	1' 10 1/4"
20"	1' 7 1/2"	1' 8 1/2"	1' 7 1/4"	1' 8 1/2"	1' 7 1/4"	1' 9"
19"	1' 6 1/2"	1' 7 1/2"	1' 6 1/4"	1' 7 1/2"	1' 6 1/4"	1' 8"
18"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 1/2"	1' 5 1/4"	1' 4 1/2"	1' 5 3/4"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 1/2"	1' 4 1/4"	1' 3 1/2"	1' 4 1/2"
15"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
14"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"
12"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11"	10 3/4"	11"	10 3/4"	11 1/4"
10"	10"	10"	10"	10"	10"	10 1/4"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	4		5,6		11	
feet	from	to	from	to	from	to
INF	25' 9 1/4"	INF	18' 4 3/4"	INF	12' 1 1/4"	INF
30'	14'	INF	11' 6 1/2"	INF	8' 9"	INF
15'	9' 7 1/2"	INF	8' 5"	INF	6' 10 1/4"	INF
10'	7' 4"	36' 3 3/4"	6' 7 1/2"	INF	5' 7 1/2"	INF
8'	6' 2 1/2"	18' 7 1/2"	5' 8 1/2"	43' 8"	4' 11 1/2"	INF
6'	4' 11 1/2"	10' 3 1/4"	4' 7 1/2"	14' 10 1/4"	4' 1 3/4"	32' 7 1/4"
5'	4' 3 1/4"	7' 6 3/4"	4' 1/4"	9' 8 1/2"	3' 8"	14' 11"
4'6	3' 10 3/4"	6' 5 1/4"	3' 8 1/2"	7' 10 3/4"	3' 4 3/4"	10' 11 1/2"
4'	3' 6 1/4"	5' 5"	3' 4 1/2"	6' 4 3/4"	3' 1 1/2"	8' 2 3/4"
3'6	3' 1 3/4"	4' 6"	3' 1/4"	5' 1 3/4"	2' 9 3/4"	6' 2 3/4"
3'	2' 9"	3' 8 1/4"	2' 7 3/4"	4' 1"	2' 6"	4' 8 1/2"
2'9	2' 6 1/2"	3' 3 1/2"	2' 5 1/2"	3' 7 1/4"	2' 4"	4' 1"
2'6	2' 4"	2' 11 1/4"	2' 3 1/4"	3' 2"	2' 1 3/4"	3' 6 1/4"
2'3	2' 1 1/4"	2' 7"	2' 3/4"	2' 9"	1' 11 3/4"	3'
2'	1' 10 3/4"	2' 3"	1' 10 1/4"	2' 4 1/2"	1' 9 1/2"	2' 6 1/2"
23"	1' 9 3/4"	2' 1 3/4"	1' 9 1/2"	2' 3"	1' 8 3/4"	2' 4 3/4"
22"	1' 9"	2' 1/4"	1' 8 1/2"	2' 1 1/2"	1' 8"	2' 3 1/4"
21"	1' 8"	1' 11"	1' 7 3/4"	2'	1' 7"	2' 1 1/2"
20"	1' 7 1/4"	1' 9 3/4"	1' 6 3/4"	1' 10 3/4"	1' 6 1/4"	2'
19"	1' 6 1/4"	1' 8 1/2"	1' 6"	1' 9 1/2"	1' 5 1/2"	1' 10 1/2"
18"	1' 5 1/4"	1' 7 1/2"	1' 5"	1' 8"	1' 4 3/4"	1' 9"
17"	1' 4 1/2"	1' 6 1/4"	1' 4 1/4"	1' 6 3/4"	1' 3 3/4"	1' 7 1/2"
16"	1' 3 1/2"	1' 5"	1' 3 1/4"	1' 5 1/2"	1' 3"	1' 6"
15"	1' 2 1/2"	1' 3 3/4"	1' 2 1/2"	1' 4 1/4"	1' 2 1/4"	1' 4 3/4"
14"	1' 1 3/4"	1' 2 3/4"	1' 1 1/2"	1' 3"	1' 1 1/4"	1' 3 1/2"
13"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/2"	1' 2 1/4"
12"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"	11 1/2"	1' 1"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/2"	10 3/4"	11 3/4"
10"	9 3/4"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/2"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	8'	INF	5' 5"	INF
30'	6' 5"	INF	4' 8"	INF
15'	5' 4 1/4"	INF	4' 1"	INF
10'	4' 7"	INF	3' 7 3/4"	INF
8'	4' 1 3/4"	INF	3' 4 1/2"	INF
6'	3' 7"	INF	3'	INF
5'	3' 2 3/4"	53' 8"	2' 9"	INF
4'6"	3' 1/4"	22' 11 1/4"	2' 7 1/4"	INF
4'	2' 9 1/2"	13' 4 1/2"	2' 5 1/2"	126' 6"
3'6"	2' 6 3/4"	8' 8 1/2"	2' 3 1/4"	20' 1 1/2"
3'	2' 3 1/2"	5' 11 1/4"	2' 3/4"	9' 6"
2'9"	2' 2"	4' 11 1/2"	1' 11 1/2"	7' 1 1/2"
2'6"	2' 1/4"	4' 1 1/2"	1' 10"	5' 5 3/4"
2'3"	1' 10 1/4"	3' 5"	1' 8 1/2"	4' 3 1/4"
2'	1' 8 1/4"	2' 10"	1' 7"	3' 4 1/4"
23"	1' 7 3/4"	2' 7 3/4"	1' 6 1/4"	3' 1"
22"	1' 7"	2' 5 3/4"	1' 5 3/4"	2' 10 1/4"
21"	1' 6 1/4"	2' 3 3/4"	1' 5 1/4"	2' 7 1/2"
20"	1' 5 1/2"	2' 1 3/4"	1' 4 1/2"	2' 5"
19"	1' 4 3/4"	2'	1' 4"	2' 2 3/4"
18"	1' 4"	1' 10 1/4"	1' 3 1/4"	2' 1/2"
17"	1' 3 1/4"	1' 8 1/2"	1' 2 3/4"	1' 10 1/2"
16"	1' 2 1/2"	1' 7"	1' 2"	1' 8 1/2"
15"	1' 1 3/4"	1' 5 1/2"	1' 1 1/4"	1' 6 3/4"
14"	1' 1"	1' 4"	1' 1/2"	1' 5"
13"	1' 1/4"	1' 2 1/2"	11 3/4"	1' 3 1/4"
12"	11 1/4"	1' 1 1/4"	11"	1' 1 3/4"
11"	10 1/2"	1'	10 1/4"	1' 1/4"
10"	9 1/2"	10 3/4"	9 1/2"	11"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	71' 8 3/4"	INF	73' 4"	INF	59' 4"	INF
50'	29' 7 1/4"	164' 1 1/4"	29' 10 1/2"	INF	27' 3 1/4"	INF
25'	18' 7 3/4"	38' 1"	18' 9"	59' 5 3/4"	17' 8 1/2"	213' 6 1/4"
15'	12' 6"	18' 9 3/4"	12' 6 1/2"	22' 9 1/2"	12' 3/4"	31' 3 1/2"
10'	8' 10"	11' 6 1/4"	8' 10 1/4"	12' 10 1/2"	8' 7 1/2"	15' 1 3/4"
8'	7' 3"	8' 11 1/4"	7' 3 1/4"	9' 8 1/2"	7' 1 1/4"	10' 11"
7'	6' 5"	7' 8 1/4"	6' 5 1/4"	8' 3"	6' 3 3/4"	9' 1 1/4"
6'	5' 7"	6' 6"	5' 7"	6' 10 1/2"	5' 6"	7' 5 1/2"
5'	4' 8 1/2"	5' 4"	4' 8 1/2"	5' 7"	4' 7 3/4"	5' 11 1/4"
4'6	4' 3 1/4"	4' 9 1/4"	4' 3 1/4"	4' 11 1/2"	4' 2 3/4"	5' 2 3/4"
4'	3' 9 3/4"	4' 2 1/2"	3' 9 3/4"	4' 4 1/4"	3' 9 1/4"	4' 6 3/4"
3'9	3' 7"	3' 11"	3' 7 1/4"	4' 3/4"	3' 6 3/4"	4' 2 3/4"
3'6	3' 4 1/4"	3' 7 3/4"	3' 4 1/2"	3' 9"	3' 4"	3' 11"
3'3	3' 1 1/2"	3' 4 1/2"	3' 1 1/2"	3' 5 1/2"	3' 1 1/4"	3' 7 1/4"
3'	2' 10 3/4"	3' 1 1/4"	2' 10 3/4"	3' 2 1/4"	2' 10 1/2"	3' 3 1/2"
2'9	2' 8"	2' 10"	2' 8"	2' 10 3/4"	2' 7 3/4"	2' 11 3/4"
2'6	2' 5 1/4"	2' 6 3/4"	2' 5 1/4"	2' 7 1/2"	2' 5"	2' 8 1/4"
2'3	2' 2 1/2"	2' 3 3/4"	2' 2 1/2"	2' 4"	2' 2 1/4"	2' 4 3/4"
2'	1' 11 1/2"	2' 1/2"	1' 11 1/2"	2' 3/4"	1' 11 1/2"	2' 1 1/4"
23"	1' 10 1/2"	1' 11 1/2"	1' 10 1/2"	1' 11 3/4"	1' 10 1/2"	2' 1/4"
22"	1' 9 1/2"	1' 10 1/2"	1' 9 1/2"	1' 10 3/4"	1' 9 1/2"	1' 11"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"	1' 8 1/2"	1' 10"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
15"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
14"	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 1"	1' 1 1/4"	1' 1"	1' 1 1/4"
12"	1'	1'	1'	1' 1/4"	1'	1' 1/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	41'	INF	26' 8 1/4"	INF	17' 4"	INF
50'	22' 8"	INF	17' 6 1/2"	INF	12' 11 3/4"	INF
25'	15' 8"	INF	13' 3/4"	INF	10' 4 1/2"	INF
15'	11' 1 1/4"	55' 10 1/2"	9' 8 3/4"	INF	8' 2 1/4"	INF
10'	8' 1 1/2"	19' 1 1/2"	7' 4 3/4"	28' 6"	6' 5 3/4"	80' 2"
8'	6' 9 1/4"	12' 9 3/4"	6' 3"	16' 4 1/4"	5' 7 1/4"	25' 8 1/2"
7'	6' 1/2"	10' 4 1/2"	5' 7 3/4"	12' 6 1/2"	5' 1 1/4"	17' 3 3/4"
6'	5' 3 1/2"	8' 3 1/4"	4' 11 3/4"	9' 6 3/4"	4' 6 3/4"	12' 3/4"
5'	4' 6 1/4"	6' 5 1/4"	4' 3 1/2"	7' 2 1/4"	3' 11 3/4"	8' 5 1/2"
4'6	4' 1 1/4"	5' 7 1/4"	3' 11"	6' 2"	3' 8"	7' 3/4"
4'	3' 8 1/4"	4' 10"	3' 6 1/2"	5' 2 3/4"	3' 4"	5' 10 1/4"
3'9	3' 5 3/4"	4' 5 1/2"	3' 4 1/4"	4' 9 1/2"	3' 2"	5' 3 3/4"
3'6	3' 3 1/4"	4' 1 1/4"	3' 1 3/4"	4' 4 1/2"	3'	4' 9 1/2"
3'3	3' 1/2"	3' 9"	2' 11 1/2"	3' 11 3/4"	2' 9 3/4"	4' 3 3/4"
3'	2' 10"	3' 5"	2' 9"	3' 7 1/4"	2' 7 1/2"	3' 10 1/2"
2'9	2' 7 1/4"	3' 1"	2' 6 1/2"	3' 2 3/4"	2' 5 1/4"	3' 5 1/4"
2'6	2' 4 3/4"	2' 9 1/4"	2' 4"	2' 10 1/2"	2' 3"	3' 1/2"
2'3	2' 2"	2' 5 1/2"	2' 1 1/2"	2' 6 1/2"	2' 1/2"	2' 8"
2'	1' 11 1/4"	2' 1 3/4"	1' 10 3/4"	2' 2 1/2"	1' 10 1/4"	2' 3 3/4"
23"	1' 10 1/4"	2' 3/4"	1' 10"	2' 1 1/4"	1' 9 1/4"	2' 2 1/4"
22"	1' 9 1/4"	1' 11 1/2"	1' 9"	2'	1' 8 1/2"	2' 1"
21"	1' 8 1/2"	1' 10 1/4"	1' 8"	1' 10 3/4"	1' 7 3/4"	1' 11 1/2"
20"	1' 7 1/2"	1' 9 1/4"	1' 7 1/4"	1' 9 1/2"	1' 6 3/4"	1' 10 1/4"
19"	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/2"	1' 6"	1' 9"
18"	1' 5 1/2"	1' 7"	1' 5 1/2"	1' 7 1/4"	1' 5"	1' 7 3/4"
17"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6"	1' 4 1/4"	1' 6 1/2"
16"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 5"	1' 3 1/4"	1' 5 1/4"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"	1' 2 1/2"	1' 4"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
12"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"	11 3/4"	1' 1/2"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	11' 6 1/2"	INF	7' 10 1/2"	INF
50'	9' 5 1/2"	INF	6' 10 1/2"	INF
25'	8' 1/4"	INF	6' 1 1/4"	INF
15'	6' 8"	INF	5' 3 1/2"	INF
10'	5' 6"	INF	4' 6 3/4"	INF
8'	4' 10 1/2"	130'	4' 1 1/2"	INF
7'	4' 6"	37' 1 3/4"	3' 10 1/4"	INF
6'	4' 1"	19' 1/4"	3' 6 3/4"	111' 11 1/4"
5'	3' 7 1/2"	11' 3 3/4"	3' 2 1/2"	21' 10"
4'6	3' 4 1/4"	8' 10 3/4"	3'	14' 2 1/2"
4'	3' 1"	7' 1/2"	2' 9 1/2"	9' 10 3/4"
3'9	2' 11 1/4"	6' 3"	2' 8"	8' 4 1/2"
3'6	2' 9 1/2"	5' 6 1/2"	2' 6 1/2"	7' 1 1/2"
3'3	2' 7 3/4"	4' 10 3/4"	2' 5"	6' 1"
3'	2' 5 3/4"	4' 3 3/4"	2' 3 1/2"	5' 2 1/4"
2'9	2' 3 3/4"	3' 9 1/2"	2' 1 3/4"	4' 5"
2'6	2' 1 3/4"	3' 3 1/2"	2'	3' 9"
2'3	1' 11 1/2"	2' 10 1/4"	1' 10 1/4"	3' 2"
2'	1' 9 1/4"	2' 5 1/4"	1' 8 1/4"	2' 8"
23"	1' 8 1/2"	2' 3 3/4"	1' 7 1/2"	2' 6"
22"	1' 7 3/4"	2' 2 1/4"	1' 7"	2' 4 1/4"
21"	1' 7"	2' 3/4"	1' 6 1/4"	2' 2 1/2"
20"	1' 6 1/4"	1' 11 1/4"	1' 5 1/2"	2' 3/4"
19"	1' 5 1/2"	1' 9 3/4"	1' 4 3/4"	1' 11"
18"	1' 4 3/4"	1' 8 1/2"	1' 4"	1' 9 1/2"
17"	1' 3 3/4"	1' 7"	1' 3 1/4"	1' 8"
16"	1' 3"	1' 5 3/4"	1' 2 1/2"	1' 6 1/2"
15"	1' 2 1/4"	1' 4 1/2"	1' 1 3/4"	1' 5"
14"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 3 3/4"
13"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/4"
12"	11 1/2"	1' 3/4"	11 1/4"	1' 1"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	151' 7"	INF	177' 11 3/4"	INF	171' 6"	INF
50'	37' 8 1/4"	74' 5"	39' 1 1/4"	139' 8"	38' 9 1/4"	INF
30'	25' 1 1/4"	37' 3 1/2"	25' 8 3/4"	48' 7"	25' 7"	77' 5 1/2"
20'	17' 8 1/2"	22' 11 3/4"	18' 1/4"	26' 9 1/4"	17' 11 1/4"	33' 7 1/4"
15'	13' 8 1/4"	16' 7 1/4"	13' 10 1/4"	18' 5 3/4"	13' 9 3/4"	21' 5 1/2"
12'	11' 1 3/4"	13'	11' 3 1/4"	14' 1 1/4"	11' 2 3/4"	15' 9"
10'	9' 5"	10' 8"	9' 5 3/4"	11' 4 3/4"	9' 5 1/2"	12' 5 1/2"
9'	8' 6 1/4"	9' 6 1/2"	8' 7"	10' 1 1/4"	8' 6 3/4"	10' 11"
8'	7' 7 1/2"	8' 5"	7' 8"	8' 10 1/4"	7' 8"	9' 5 3/4"
7'	6' 8 1/2"	7' 3 3/4"	6' 9"	7' 7 3/4"	6' 8 3/4"	8' 1"
6'6"	6' 3"	6' 9 1/4"	6' 3 1/2"	7' 1/2"	6' 3 1/4"	7' 5"
6'	5' 9 1/2"	6' 2 3/4"	5' 9 3/4"	6' 5 1/2"	5' 9 3/4"	6' 9 1/4"
5'6"	5' 4"	5' 8 1/4"	5' 4 1/4"	5' 10 1/2"	5' 4"	6' 1 1/2"
5'	4' 10 1/4"	5' 1 3/4"	4' 10 1/2"	5' 3 3/4"	4' 10 1/2"	5' 6 1/4"
4'9"	4' 7 1/2"	4' 10 3/4"	4' 7 3/4"	5' 1/4"	4' 7 1/2"	5' 2 1/2"
4'6"	4' 4 1/2"	4' 7 1/2"	4' 4 3/4"	4' 9"	4' 4 3/4"	4' 10 3/4"
4'3"	4' 1 3/4"	4' 4 1/4"	4' 2"	4' 5 1/2"	4' 1 3/4"	4' 7 1/4"
4'	3' 11"	4' 1 1/4"	3' 11"	4' 2 1/4"	3' 11"	4' 3 3/4"
3'9"	3' 8"	3' 10"	3' 8 1/4"	3' 11"	3' 8"	4' 1/4"
3'6"	3' 5 1/4"	3' 6 3/4"	3' 5 1/4"	3' 7 3/4"	3' 5 1/4"	3' 8 3/4"
3'3"	3' 2 1/4"	3' 3 3/4"	3' 2 1/2"	3' 4 1/2"	3' 2 1/4"	3' 5 1/4"
3'	2' 11 1/2"	3' 1/2"	2' 11 1/2"	3' 1 1/4"	2' 11 1/2"	3' 2"
2'9"	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 10"	2' 8 1/2"	2' 10 1/2"
2'6"	2' 5 1/2"	2' 6 1/2"	2' 5 3/4"	2' 6 3/4"	2' 5 3/4"	2' 7 1/4"
2'3"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 2 3/4"	2' 4"
2'	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 3/4"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"	1' 10 3/4"	1' 11 3/4"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 10 1/2"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"
19"	1' 6 3/4"	1' 7 1/4"	1' 7"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"
18"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	109' 8 1/4"	INF	63' 9 1/2"	INF	38' 4 1/4"	INF
50'	34' 5"	INF	28' 1 1/2"	INF	21' 9 3/4"	INF
30'	23' 7 1/2"	197' 3"	20' 6"	INF	16' 11 1/4"	INF
20'	16' 11 1/2"	45' 5 3/4"	15' 3 1/2"	77' 5"	13' 3"	INF
15'	13' 2 3/4"	25' 8 1/2"	12' 2 1/2"	33' 5"	10' 10 1/2"	54' 7"
12'	10' 10 1/4"	17' 11"	10' 1 3/4"	21' 3 3/4"	9' 2 1/2"	28' 2 3/4"
10'	9' 2 1/4"	13' 9"	8' 8 1/4"	15' 7 3/4"	8'	19' 1/2"
9'	8' 4"	11' 10 3/4"	7' 11 1/4"	13' 3 1/2"	7' 4 1/4"	15' 7 3/4"
8'	7' 5 3/4"	10' 2 1/4"	7' 1 3/4"	11' 2 1/4"	6' 8 1/4"	12' 9 1/2"
7'	6' 7 1/4"	8' 7 1/4"	6' 4"	9' 3 1/2"	5' 11 3/4"	10' 4 1/2"
6'6	6' 1 3/4"	7' 10 1/4"	5' 11 1/4"	8' 5"	5' 7 1/4"	9' 3 1/4"
6'	5' 8 1/2"	7' 1 1/2"	5' 6 1/4"	7' 7"	5' 2 3/4"	8' 3 1/4"
5'6	5' 3"	6' 5"	5' 1"	6' 9 1/2"	4' 10 1/4"	7' 4"
5'	4' 9 1/2"	5' 8 3/4"	4' 8"	6' 1/4"	4' 5 1/2"	6' 5 1/4"
4'9	4' 6 3/4"	5' 5"	4' 5 1/4"	5' 8"	4' 3 1/4"	6' 1/4"
4'6	4' 4"	5' 1"	4' 2 3/4"	5' 3 3/4"	4' 3/4"	5' 7 1/2"
4'3	4' 1 1/4"	4' 9"	4'	4' 11 1/2"	3' 10 1/2"	5' 2 3/4"
4'	3' 10 1/2"	4' 5 1/4"	3' 9 1/2"	4' 7 1/4"	3' 8"	4' 10 1/4"
3'9	3' 7 3/4"	4' 1 1/2"	3' 6 3/4"	4' 3 1/4"	3' 5 1/2"	4' 5 3/4"
3'6	3' 4 3/4"	3' 10"	3' 4"	3' 11 1/4"	3' 3"	4' 1 1/2"
3'3	3' 2"	3' 6 1/4"	3' 1 1/4"	3' 7 1/2"	3' 1/4"	3' 9 1/4"
3'	2' 11 1/4"	3' 2 3/4"	2' 10 1/2"	3' 3 3/4"	2' 9 3/4"	3' 5"
2'9	2' 8 1/4"	2' 11 1/4"	2' 7 3/4"	3'	2' 7"	3' 1 1/4"
2'6	2' 5 1/2"	2' 7 3/4"	2' 5"	2' 8 1/2"	2' 4 1/2"	2' 9 1/4"
2'3	2' 2 1/2"	2' 4 1/2"	2' 2 1/4"	2' 5"	2' 1 3/4"	2' 5 1/2"
2	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/2"	1' 11"	2' 2"
23"	1' 10 3/4"	2'	1' 10 1/2"	2' 1/4"	1' 10 1/4"	2' 3/4"
22"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11 1/4"	1' 9 1/4"	1' 11 1/2"
21"	1' 8 3/4"	1' 9 3/4"	1' 8 1/2"	1' 10"	1' 8 1/4"	1' 10 1/2"
20"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9"	1' 7 1/2"	1' 9 1/4"
19"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 8"
18"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 3/4"	1' 5 1/2"	1' 7"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	24' 4"	INF	16'	INF
50'	16' 5 1/2"	INF	12' 2 1/2"	INF
30'	13' 6 1/2"	INF	10' 6 1/2"	INF
20'	11' 1"	INF	9'	INF
15'	9' 4 3/4"	INF	7' 10 1/4"	INF
12'	8' 1 3/4"	51' 3 3/4"	6' 11 3/4"	INF
10'	7' 2 1/4"	27' 2 3/4"	6' 3 1/4"	69' 1/4"
9'	6' 8"	20' 9"	5' 10 1/2"	38' 3 3/4"
8'	6' 1 1/4"	15' 11 3/4"	5' 5 1/4"	24' 7 1/4"
7'	5' 6 1/4"	12' 4"	4' 11 3/4"	16' 10 1/4"
6'6	5' 2 1/2"	10' 9 3/4"	4' 8 3/4"	14' 1 1/2"
6'	4' 10 3/4"	9' 5 1/2"	4' 5 1/2"	11' 10 1/2"
5'6	4' 6 3/4"	8' 3"	4' 2 1/4"	10'
5'	4' 2 1/2"	7' 1 3/4"	3' 10 3/4"	8' 4 3/4"
4'9	4' 1/2"	6' 7 1/2"	3' 9"	7' 8 1/4"
4'6	3' 10 1/4"	6' 1 1/2"	3' 7"	7' 1/4"
4'3	3' 8"	5' 8"	3' 5 1/4"	6' 5"
4'	3' 6"	5' 2 1/2"	3' 3 1/4"	5' 10"
3'9	3' 3 3/4"	4' 9 1/2"	3' 1 1/4"	5' 3 1/2"
3'6	3' 1 1/4"	4' 4 1/2"	2' 11 1/4"	4' 9 1/2"
3'3	2' 11"	3' 11 3/4"	2' 9 1/4"	4' 3 3/4"
3'	2' 8 1/2"	3' 7 1/4"	2' 7"	3' 10 1/2"
2'9	2' 6 1/4"	3' 2 3/4"	2' 5"	3' 5 1/4"
2'6	2' 3 3/4"	2' 10 1/2"	2' 2 1/2"	3' 1/2"
2'3	2' 1 1/4"	2' 6 1/2"	2' 1/4"	2' 8"
2	1' 10 1/2"	2' 2 3/4"	1' 10"	2' 3 3/4"
23"	1' 9 3/4"	2' 1 1/2"	1' 9"	2' 2 1/4"
22"	1' 8 3/4"	2' 1/4"	1' 8 1/4"	2' 1"
21"	1' 8"	1' 11"	1' 7 1/2"	1' 11 3/4"
20"	1' 7"	1' 9 3/4"	1' 6 1/2"	1' 10 1/4"
19"	1' 6 1/4"	1' 8 1/2"	1' 5 3/4"	1' 9"
18"	1' 5 1/4"	1' 7 1/4"	1' 5"	1' 7 3/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	399' 2 1/2"	INF	340' 11"	INF	264' 11 1/2"	INF
200'	133' 4 1/2"	INF	126' 2 1/4"	INF	114' 1 1/4"	INF
100'	80' 3/4"	133' 3"	77' 5"	162' 7 3/4"	72' 8 1/2"	242' 6 1/2"
60'	52' 2 3/4"	70' 6 1/4"	51' 1"	77' 11 1/4"	49'	92' 5 1/4"
40'	36' 5"	44' 4 3/4"	35' 10 1/4"	47' 2 1/2"	34' 9 3/4"	52' 1 1/2"
30'	27' 11 1/4"	32' 4 3/4"	27' 7 1/2"	33' 10 1/4"	27'	36' 3 1/2"
25'	23' 6 3/4"	26' 7 1/2"	23' 4"	27' 7 1/4"	22' 10 3/4"	29' 2 1/2"
20'	19' 1"	21' 1/4"	18' 11"	21' 7 1/2"	18' 7 1/2"	22' 7"
17'	16' 4"	17' 8 3/4"	16' 2 1/2"	18' 1 3/4"	16'	18' 9 3/4"
15'	14' 5 3/4"	15' 6 3/4"	14' 4 3/4"	15' 10 1/2"	14' 2 3/4"	16' 4 3/4"
14'	13' 6 1/2"	14' 5 3/4"	13' 5 3/4"	14' 9 1/4"	13' 3 3/4"	15' 2 1/4"
13'	12' 7 1/4"	13' 5"	12' 6 1/2"	13' 7 3/4"	12' 5"	14' 1/4"
12'	11' 8"	12' 4 1/4"	11' 7 1/4"	12' 6 1/2"	11' 6"	12' 10 1/4"
11'	10' 8 3/4"	11' 3 1/2"	10' 8"	11' 5 1/2"	10' 7"	11' 8 1/2"
10'	9' 9 1/4"	10' 3"	9' 8 3/4"	10' 4 1/2"	9' 7 3/4"	10' 7"
9'6"	9' 3 1/2"	9' 8 1/2"	9' 3"	9' 10"	9' 2 1/4"	10' 1/4"
9'	8' 9 3/4"	9' 2 1/4"	8' 9 1/2"	9' 3 1/2"	8' 8 3/4"	9' 5 1/2"
8'6"	8' 4"	8' 8"	8' 3 3/4"	8' 9 1/4"	8' 3"	8' 11"
8'	7' 10 1/4"	8' 1 3/4"	7' 10"	8' 2 3/4"	7' 9 1/4"	8' 4 1/4"
7'9"	7' 7 1/4"	7' 10 3/4"	7' 7"	7' 11 1/2"	7' 6 1/2"	8' 1"
7'6"	7' 4 1/2"	7' 7 1/2"	7' 4 1/4"	7' 8 1/2"	7' 3 3/4"	7' 9 3/4"
7'3"	7' 1 1/2"	7' 4 1/2"	7' 1 1/4"	7' 5 1/4"	7' 3/4"	7' 6 1/2"
7'	6' 10 3/4"	7' 1 1/4"	6' 10 1/2"	7' 2"	6' 10"	7' 3 1/4"
6'9"	6' 7 3/4"	6' 10 1/4"	6' 7 1/2"	6' 11"	6' 7 1/4"	7'
6'6"	6' 4 3/4"	6' 7 1/4"	6' 4 3/4"	6' 7 3/4"	6' 4 1/4"	6' 8 3/4"
6'3"	6' 2"	6' 4"	6' 1 3/4"	6' 4 3/4"	6' 1 1/2"	6' 5 1/2"
6'	5' 11"	6' 1"	5' 10 3/4"	6' 1 1/2"	5' 10 1/2"	6' 2 1/4"
5'9"	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/2"	5' 7 3/4"	5' 11 1/4"
5'6"	5' 5 1/4"	5' 6 3/4"	5' 5"	5' 7 1/4"	5' 4 3/4"	5' 8"
5'3"	5' 2 1/4"	5' 3 3/4"	5' 2 1/4"	5' 4 1/4"	5' 2"	5' 4 3/4"
5'	4' 11 1/4"	5' 3/4"	4' 11 1/4"	5' 1"	4' 11"	5' 1 1/2"
4'9"	4' 8 1/2"	4' 9 1/2"	4' 8 1/4"	4' 10"	4' 8"	4' 10 1/2"
4'6"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7 1/4"
4'3"	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"	4' 2 1/4"	4' 4"
4'	8,00	4' 1/2"	11,00	4' 3/4"	16,00	4' 1"
3'9"	3' 8 3/4"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"	3' 8 1/2"	3' 9 3/4"
3'6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"
3'3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 1/2"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	186' 3 3/4"	INF	125' 8 3/4"	INF	84' 3 1/4"	INF
200'	96' 7"	INF	77' 4"	INF	59' 4 3/4"	INF
100'	65' 2 1/4"	INF	55' 10"	INF	45' 10 1/2"	INF
60'	45' 5 3/4"	119' 4"	40' 8 3/4"	189' 8 3/4"	35' 2 1/4"	INF
40'	33'	59' 8"	30' 5 1/4"	73' 2"	27' 3"	104' 7 1/2"
30'	25' 10 3/4"	39' 9 1/4"	24' 3 3/4"	45' 3 3/4"	22' 2 3/4"	55' 7 1/2"
25'	22' 1 1/4"	31' 4 3/4"	20' 11 1/4"	34' 8 3/4"	19' 4 1/2"	40' 5 1/2"
20'	18' 1 1/4"	23' 10 1/4"	17' 3 3/4"	25' 8 3/4"	16' 3"	28' 8 3/4"
17'	15' 7 1/2"	19' 8 1/4"	15' 1/2"	20' 11 1/4"	14' 2 3/4"	22' 10 1/4"
15'	13' 11"	17' 1/2"	13' 5 1/2"	17' 11 1/2"	12' 9 3/4"	19' 4 1/4"
14'	13' 3/4"	15' 9"	12' 7 3/4"	16' 6 1/2"	12' 1"	17' 8 1/2"
13'	12' 2 1/4"	14' 6"	11' 10"	15' 1 3/4"	11' 4"	16' 1 1/2"
12'	11' 3 3/4"	13' 3"	11'	13' 9 1/2"	10' 6 3/4"	14' 7 1/4"
11'	10' 5"	12' 1/2"	10' 1 3/4"	12' 5 3/4"	9' 9 1/2"	13' 1 1/2"
10'	9' 6 1/4"	10' 10 1/4"	9' 3 1/2"	11' 2 1/2"	9'	11' 8 1/2"
9'6"	9' 3/4"	10' 3"	8' 10 1/2"	10' 7"	8' 7"	11' 1/4"
9'	8' 7 1/4"	9' 8"	8' 5 1/4"	9' 11 1/2"	8' 2 1/4"	10' 4 1/4"
8'6"	8' 1 3/4"	9' 1 1/4"	8'	9' 4"	7' 9 1/4"	9' 8 1/4"
8'	7' 8 1/4"	8' 6 1/4"	7' 6 3/4"	8' 8 3/4"	7' 4 1/4"	9' 1/2"
7'9"	7' 5 1/2"	8' 2 3/4"	7' 4"	8' 5 1/4"	7' 1 3/4"	8' 8 3/4"
7'6"	7' 2 3/4"	7' 11 1/2"	7' 1 1/4"	8' 1 3/4"	6' 11 1/4"	8' 4 3/4"
7'3"	7'	7' 8"	6' 10 1/2"	7' 10"	6' 8 1/2"	8' 1"
7'	6' 9 1/4"	7' 4 3/4"	6' 8"	7' 6 1/2"	6' 6"	7' 9 1/4"
6'9"	6' 6 1/2"	7' 1 1/4"	6' 5 1/4"	7' 3"	6' 3 1/2"	7' 5 1/2"
6'6"	6' 3 1/2"	6' 10"	6' 2 1/2"	6' 11 1/2"	6' 1"	7' 1 3/4"
6'3"	6' 3/4"	6' 6 3/4"	5' 11 3/4"	6' 8 1/4"	5' 10 1/4"	6' 10 1/4"
6'	5' 10"	6' 3 1/4"	5' 9"	6' 4 3/4"	5' 7 3/4"	6' 6 1/2"
5'9"	5' 7"	6'	5' 6 1/4"	6' 1 1/4"	5' 5"	6' 3"
5'6"	5' 4 1/4"	5' 8 3/4"	5' 3 1/2"	5' 10"	5' 2 1/4"	5' 11 1/2"
5'3"	5' 1 1/2"	5' 5 1/2"	5' 3/4"	5' 6 1/2"	4' 11 3/4"	5' 7 3/4"
5'	4' 10 1/2"	5' 2 1/4"	4' 10"	5' 3 1/4"	4' 9"	5' 4 1/4"
4'9"	4' 7 3/4"	4' 11"	4' 7 1/4"	4' 11 3/4"	4' 6 1/4"	5' 1"
4'6"	4' 5"	4' 7 3/4"	4' 4 1/4"	4' 8 1/2"	4' 3 1/2"	4' 9 1/2"
4'3"	4' 2"	4' 4 1/2"	4' 1 1/2"	4' 5 1/4"	4' 1"	4' 6"
4'	3' 11 1/4"	4' 1 1/4"	3' 10 3/4"	4' 2"	3' 10 1/4"	4' 2 3/4"
3'9"	3' 8 1/4"	3' 10 1/4"	3' 8"	3' 10 3/4"	3' 7 1/2"	3' 11 1/4"
3'6"	3' 5 1/4"	3' 7"	3' 5"	3' 7 1/2"	3' 4 1/2"	3' 8"
3'3"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4 1/4"	3' 1 3/4"	3' 4 3/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	57' 3 3/4"	INF	39' 4 3/4"	INF
200'	44' 7 3/4"	INF	32' 11 3/4"	INF
100'	36' 6 3/4"	INF	28' 4 1/2"	INF
60'	29' 5 1/2"	INF	23' 11"	INF
40'	23' 8 1/2"	263' 7 1/2"	20'	INF
30'	19' 10"	81' 8"	17' 2 1/4"	239' 1/2"
25'	17' 6 1/4"	52' 7 1/2"	15' 5 1/4"	91' 1"
20'	14' 11 1/4"	34' 3 3/4"	13' 4 3/4"	47' 2 3/4"
17'	13' 2 1/2"	26' 3"	12'	33' 1 3/4"
15'	11' 11 3/4"	21' 8 1/2"	10' 11 3/4"	26' 2 1/2"
14'	11' 4 1/4"	19' 7 3/4"	10' 5 1/4"	23' 3"
13'	10' 8 1/4"	17' 8 1/2"	9' 10 3/4"	20' 6 3/4"
12'	10'	15' 10 1/2"	9' 3 3/4"	18' 1 1/2"
11'	9' 3 3/4"	14' 1 3/4"	8' 8 1/2"	15' 10 3/4"
10'	8' 7"	12' 6 1/4"	8' 1"	13' 10 1/4"
9'6"	8' 2 3/4"	11' 8 3/4"	7' 9"	12' 10 3/4"
9'	7' 10 1/4"	10' 11 3/4"	7' 5"	11' 11 3/4"
8'6"	7' 5 3/4"	10' 2 3/4"	7' 1"	11' 1"
8'	7' 1"	9' 6"	6' 8 3/4"	10' 3"
7'9"	6' 10 3/4"	9' 1 3/4"	6' 6 3/4"	9' 10"
7'6"	6' 8 1/4"	8' 9 1/2"	6' 4 1/2"	9' 5"
7'3"	6' 6"	8' 5 1/2"	6' 2 1/2"	9' 1/4"
7'	6' 3 1/2"	8' 1 1/4"	6' 1/4"	8' 7 1/2"
6'9"	6' 1 1/4"	7' 9 1/4"	5' 10"	8' 3"
6'6"	5' 10 3/4"	7' 5 1/4"	5' 7 3/4"	7' 10 1/2"
6'3"	5' 8 1/4"	7' 1 1/4"	5' 5 1/2"	7' 6"
6'	5' 5 3/4"	6' 9 1/4"	5' 3 1/4"	7' 1 3/4"
5'9"	5' 3 1/4"	6' 5 1/2"	5' 1"	6' 9 1/4"
5'6"	5' 3/4"	6' 1 3/4"	4' 10 3/4"	6' 5 1/4"
5'3"	4' 10 1/4"	5' 10"	4' 8 1/4"	6' 1"
5'	4' 7 3/4"	5' 6 1/4"	4' 6"	5' 9"
4'9"	4' 5 1/4"	5' 2 1/2"	4' 3 1/2"	5' 5"
4'6"	4' 2 1/2"	4' 10 3/4"	4' 1 1/4"	5' 1"
4'3"	4'	4' 7 1/4"	3' 10 3/4"	4' 9"
4'	3' 9 1/4"	4' 3 3/4"	3' 8 1/4"	4' 5 1/4"
3'9"	3' 6 3/4"	4' 1/4"	3' 5 3/4"	4' 1 1/2"
3'6"	3' 4"	3' 8 3/4"	3' 3 1/4"	3' 9 3/4"
3'3"	3' 1 1/4"	3' 5 1/4"	3' 1/2"	3' 6 1/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	524' 5 3/4"	INF	468' 6 1/2"	INF	326' 4 1/4"	INF
300'	191' 1/2"	INF	183' 1"	INF	156' 6"	INF
250'	169' 5 3/4"	INF	163' 2 1/4"	INF	141' 9"	INF
200'	144' 11 1/2"	322' 10 3/4"	140' 4"	INF	124' 2 1/4"	INF
190'	139' 7 1/2"	297' 7"	135' 4"	INF	120' 3 1/4"	INF
180'	134' 2"	273' 8 3/4"	130' 2 1/4"	385' 3 1/2"	116' 2 1/4"	INF
170'	128' 6 1/2"	251' 2 1/2"	124' 10 3/4"	342' 1 1/4"	111' 11 1/2"	INF
160'	122' 9"	229' 11 1/2"	119' 5"	303' 9 1/2"	107' 6 1/2"	INF
150'	116' 9 1/4"	209' 9 3/4"	113' 9 1/4"	269' 7"	102' 11 1/4"	INF
140'	110' 7 3/4"	190' 8 3/4"	107' 11 1/4"	238' 10"	98' 1 1/2"	340' 6"
130'	104' 3 3/4"	172' 7 1/2"	101' 10 3/4"	211' 3/4"	93' 1 1/2"	286' 7 3/4"
120'	97' 9 1/4"	155' 4 3/4"	95' 8"	185' 10 1/4"	87' 10 3/4"	242' 1/4"
110'	91' 1/2"	139'	89' 2 1/2"	162' 10 1/4"	82' 5"	204' 4 3/4"
100'	84' 1"	123' 4 3/4"	82' 6 1/4"	141' 9 3/4"	76' 8 1/4"	172' 3"
90'	76' 11"	108' 6"	75' 7 1/4"	122' 5 1/2"	70' 8 1/4"	144' 6"
80'	69' 6"	94' 3 1/4"	68' 5 1/4"	104' 7 1/2"	64' 4 1/2"	120' 3 1/4"
70'	61' 10"	80' 8"	60' 11 3/4"	88' 1 1/4"	57' 9"	98' 11 1/4"
60'	53' 11"	67' 7 3/4"	53' 3 1/4"	72' 9 1/2"	50' 9 1/2"	80' 1/4"
50'	45' 8 1/2"	55' 2 1/4"	45' 3"	58' 6 1/2"	43' 5 1/4"	63' 1 1/2"
45'	41' 6"	49' 1 3/4"	41' 1 1/2"	51' 9 1/2"	39' 7 1/2"	55' 4"
40'	37' 2 1/2"	43' 3"	36' 11"	45' 3 1/4"	35' 8 1/2"	47' 11 1/4"
35'	32' 10 1/4"	37' 5 1/2"	32' 7 1/2"	38' 11 1/2"	31' 8 1/4"	40' 10 3/4"
30'	28' 5"	31' 9 1/4"	28' 2 3/4"	32' 10"	27' 6 1/2"	34' 2 1/2"
29'	27' 6 1/4"	30' 7 3/4"	27' 4 1/4"	31' 7 3/4"	26' 8 1/4"	32' 11"
28'	26' 7 1/2"	29' 6 1/2"	26' 5 1/2"	30' 5 1/2"	25' 10 1/4"	31' 7 1/2"
27'	25' 8 1/2"	28' 5"	25' 6 3/4"	29' 3 1/4"	25'	30' 4 1/4"
26'	24' 9 3/4"	27' 3 3/4"	24' 8"	28' 1 1/4"	24' 1 1/2"	29' 1"
25'	23' 10 3/4"	26' 2 1/2"	23' 9 1/4"	26' 11 1/4"	23' 3 1/4"	27' 10"
24'	22' 11 3/4"	25' 1 1/4"	22' 10 1/2"	25' 9 1/4"	22' 4 3/4"	26' 7 1/4"
23'	22' 3/4"	24' 1/4"	21' 11 1/2"	24' 7 1/2"	21' 6 1/2"	25' 4 1/2"
22'	21' 1 3/4"	22' 11 1/4"	21' 1/2"	23' 5 3/4"	20' 8"	24' 1 3/4"
21'	20' 2 3/4"	21' 10 1/4"	20' 1 1/2"	22' 4"	19' 9 1/4"	22' 11 1/2"
20'	19' 3 1/2"	20' 9 1/4"	19' 2 1/2"	21' 2 1/2"	18' 10 3/4"	21' 9"
19'	18' 4 1/4"	19' 8 1/4"	18' 3 1/2"	20' 1"	18'	20' 7"
18'	8,00	18' 7 1/4"	11,00	18' 11 1/2"	16,00	19' 4 3/4"
17'	16' 6"	17' 6 1/2"	16' 5 1/4"	17' 10 1/4"	16' 2 1/4"	18' 3"
16'	15' 6 1/2"	16' 5 3/4"	15' 6"	16' 9"	15' 3 1/2"	17' 1"
15'	14' 7 1/4"	15' 5"	14' 6 3/4"	15' 7 3/4"	14' 4 1/2"	15' 11 1/2"
14' 6"	14' 1 1/2"	14' 10 3/4"	14' 1"	15' 1 1/4"	13' 11"	15' 4 1/2"
14'	13' 7 3/4"	14' 4 1/4"	13' 7 1/2"	14' 6 3/4"	13' 5 1/2"	14' 9 3/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
13' 6"	13' 2 1/4"	13' 10"	13' 1 3/4"	14' 1/4"	13'	14' 3"
13'	12' 8 1/2"	13' 3 3/4"	12' 8"	13' 5 3/4"	12' 6 1/4"	13' 8 1/2"
12' 6"	12' 2 3/4"	12' 9 1/2"	12' 2 1/4"	12' 11 1/4"	12' 3/4"	13' 1 3/4"
12'	11' 9"	12' 3 1/4"	11' 8 3/4"	12' 5"	11' 7 1/4"	12' 7"
11' 6"	11' 3 1/4"	11' 9"	11' 3"	11' 10 1/2"	11' 1 1/2"	12' 1/2"
11'	10' 9 1/2"	11' 2 3/4"	10' 9 1/4"	11' 4"	10' 8"	11' 6"
10' 6"	10' 3 3/4"	10' 8 1/2"	10' 3 1/2"	10' 9 3/4"	10' 2 1/4"	10' 11 1/4"
10'	9' 10"	10' 2 1/4"	9' 9 3/4"	10' 3 1/4"	9' 8 3/4"	10' 4 3/4"
9' 9"	9' 7"	9' 11"	9' 6 3/4"	10' 1/4"	9' 5 3/4"	10' 1 1/2"
9' 6"	9' 4 1/4"	9' 8"	9' 4"	9' 9"	9' 3"	9' 10 1/4"
9' 3"	9' 1 1/4"	9' 4 3/4"	9' 1"	9' 5 3/4"	9' 1/4"	9' 7"
9'	8' 10 1/4"	9' 1 3/4"	8' 10 1/4"	9' 2 3/4"	8' 9 1/4"	9' 3 3/4"
8' 9"	8' 7 1/2"	8' 10 3/4"	8' 7 1/4"	8' 11 1/2"	8' 6 1/2"	9' 1/2"
8' 6"	8' 4 1/2"	8' 7 1/2"	8' 4 1/4"	8' 8 1/4"	8' 3 3/4"	8' 9 1/2"
8' 3"	8' 1 1/2"	8' 4 1/2"	8' 1 1/2"	8' 5 1/4"	8' 3/4"	8' 6 1/4"
8'	7' 10 3/4"	8' 1 1/4"	7' 10 1/2"	8' 2"	7' 10"	8' 3"
7' 9"	7' 7 3/4"	7' 10 1/4"	7' 7 3/4"	7' 11"	7' 7"	7' 11 3/4"
7' 6"	7' 4 3/4"	7' 7 1/4"	7' 4 3/4"	7' 7 3/4"	7' 4 1/4"	7' 8 1/2"
7' 3"	7' 2"	7' 4"	7' 1 3/4"	7' 4 3/4"	7' 1 1/4"	7' 5 1/2"
7'	6' 11"	7' 1"	6' 11"	7' 1 1/2"	6' 10 1/2"	7' 2 1/4"
6' 9"	6' 8"	6' 10"	6' 8"	6' 10 1/2"	6' 7 1/2"	6' 11"
6' 6"	6' 5 1/4"	6' 6 3/4"	6' 5"	6' 7 1/4"	6' 4 3/4"	6' 8"
6' 3"	6' 2 1/4"	6' 3 3/4"	6' 2 1/4"	6' 4 1/4"	6' 1 3/4"	6' 4 3/4"
6'	5' 11 1/4"	6' 3/4"	5' 11 1/4"	6' 1"	5' 10 3/4"	6' 1 1/2"
5' 9"	5' 8 1/4"	5' 9 3/4"	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/2"
5' 6"	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 7"	5' 5"	5' 7 1/4"
5' 3"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 3/4"	5' 2 1/4"	5' 4 1/4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/2"	5' 3/4"	4' 11 1/4"	5' 1"
4' 9"	4' 8 1/2"	4' 9 1/2"	4' 8 1/2"	4' 9 3/4"	4' 8 1/4"	4' 10"
4' 6"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"
4' 3"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/2"	3' 11 1/2"	4' 3/4"
3' 9"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 1/2"
3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"
3'	2' 11 3/4"	3' 1/4"	2' 11 3/4"	3' 1/4"	2' 11 3/4"	3' 1/4"
2' 9"	2' 9"	2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"
2' 6"	2' 6"	2' 6"	2' 6"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	225' 7 1/2"	INF	155' 8 3/4"	INF	107' 3 1/2"	INF
300'	128' 11 1/2"	INF	102' 8 1/4"	INF	79' 2 1/4"	INF
250'	118' 9 1/2"	INF	96' 1 3/4"	INF	75' 3"	INF
200'	106' 2 1/2"	INF	87' 9"	INF	70' 1/4"	INF
190'	103' 4"	INF	85' 9 1/4"	INF	68' 9"	INF
180'	100' 3 3/4"	INF	83' 8 1/4"	INF	67' 5"	INF
170'	97' 1 3/4"	INF	81' 5 3/4"	INF	65' 11 3/4"	INF
160'	93' 9 3/4"	INF	79' 1 1/2"	INF	64' 5"	INF
150'	90' 3 1/2"	INF	76' 7 1/4"	INF	62' 9"	INF
140'	86' 7"	INF	73' 11"	INF	60' 11 1/4"	INF
130'	82' 8"	INF	71' 1/2"	INF	58' 11 3/4"	INF
120'	78' 6 1/4"	INF	67' 11 3/4"	INF	56' 10 1/4"	INF
110'	74' 1 1/2"	312' 3 1/4"	64' 8"	INF	54' 6 1/4"	INF
100'	69' 5 1/2"	242' 11 1/4"	61' 1"	INF	51' 11 1/2"	INF
90'	64' 6"	191' 3/4"	57' 2 3/4"	342' 11 3/4"	49' 1 3/4"	INF
80'	59' 2 1/2"	150' 10"	53' 1/4"	231' 9"	46' 1/4"	INF
70'	53' 6 3/4"	118' 8 1/4"	48' 5 1/2"	163' 6 3/4"	42' 6 3/4"	340' 5"
60'	47' 6 1/4"	92' 5"	43' 5 3/4"	117' 5 1/2"	38' 8"	187' 1 3/4"
50'	41' 1/2"	70' 6 3/4"	38'	84' 2 3/4"	34' 3 1/2"	114' 9 1/2"
45'	37' 7 1/2"	60' 11 1/2"	35' 1/2"	70' 10 1/2"	31' 10 1/2"	91' 3 1/4"
40'	34' 1"	52' 1"	31' 11 1/2"	59' 1 3/4"	29' 3 1/2"	72' 8"
35'	30' 4 3/4"	43' 10 1/2"	28' 8 1/2"	48' 9 1/4"	26' 6 1/2"	57' 6 3/4"
30'	26' 6 3/4"	36' 3 1/4"	25' 3 1/4"	39' 6 1/4"	23' 7"	45' 1"
29'	25' 9 1/4"	34' 9 3/4"	24' 6 3/4"	37' 9 1/2"	22' 11 1/2"	42' 10"
28'	24' 11 3/4"	33' 4 1/2"	23' 10"	36' 1 1/4"	22' 4"	40' 8"
27'	24' 2 1/4"	31' 11 1/2"	23' 1 1/4"	34' 5 1/4"	21' 8 1/2"	38' 6 3/4"
26'	23' 4 3/4"	30' 6 1/2"	22' 4 1/2"	32' 9 3/4"	21' 3/4"	36' 6 1/2"
25'	22' 7"	29' 2"	21' 7 3/4"	31' 2 3/4"	20' 4 3/4"	34' 7"
24'	21' 9 1/4"	27' 9 3/4"	20' 10 3/4"	29' 8"	19' 8 3/4"	32' 8"
23'	20' 11 1/4"	26' 5 3/4"	20' 1 1/2"	28' 1 3/4"	19' 3/4"	30' 10"
22'	20' 1 1/4"	25' 1 3/4"	19' 4 1/4"	26' 7 3/4"	18' 4 1/2"	29' 1/2"
21'	19' 3 1/4"	23' 10"	18' 7"	25' 2 1/4"	17' 8"	27' 3 3/4"
20'	18' 5 1/4"	22' 6 3/4"	17' 9 3/4"	23' 9"	16' 11 1/2"	25' 7 1/2"
19'	17' 7"	21' 3 1/2"	17' 1/4"	22' 4 1/4"	16' 3"	24'
18'	16' 8 3/4"	20' 1/2"	16' 2 1/2"	20' 11 1/2"	15' 6 1/4"	22' 4 3/4"
17'	15' 10 1/4"	18' 9 1/2"	15' 4 3/4"	19' 7 1/4"	14' 9 1/4"	20' 10 1/4"
16'	15'	17' 7"	14' 7"	18' 3 1/2"	14' 1/4"	19' 4 1/4"
15'	14' 1 1/4"	16' 4 1/2"	13' 9"	16' 11 3/4"	13' 3"	17' 10 3/4"
14' 6"	13' 8"	15' 9 1/4"	13' 4"	16' 4"	12' 10 1/4"	17' 2 1/4"
14'	13' 2 3/4"	15' 2 1/4"	12' 11"	15' 8 1/2"	12' 5 1/2"	16' 5 3/4"

COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
13' 6"	12' 9 1/4"	14' 7"	12' 5 3/4"	15' 3/4"	12' 1"	15' 9 1/2"
13'	12' 4"	14'	12' 3/4"	14' 5 1/4"	11' 8"	15' 1 1/4"
12' 6"	11' 10 1/2"	13' 5"	11' 7 1/2"	13' 10"	11' 3 1/4"	14' 5"
12'	11' 5 1/4"	12' 10 1/4"	11' 2 1/4"	13' 2 1/2"	10' 10 1/2"	13' 9"
11' 6"	10' 11 3/4"	12' 3 1/4"	10' 9 1/4"	12' 7 1/4"	10' 5 1/2"	13' 1 1/4"
11'	10' 6 1/4"	11' 8 1/2"	10' 4"	12'	10' 1/2"	12' 5 1/4"
10' 6"	10' 3/4"	11' 1 1/2"	9' 10 1/2"	11' 4 3/4"	9' 7 1/2"	11' 9 3/4"
10'	9' 7 1/4"	10' 6 3/4"	9' 5 1/4"	10' 9 3/4"	9' 2 1/2"	11' 2"
9' 9"	9' 4 1/2"	10' 3 1/2"	9' 2 3/4"	10' 6 1/4"	9'	10' 10 1/4"
9' 6"	9' 1 3/4"	10'	9'	10' 2 3/4"	8' 9 1/2"	10' 6 1/2"
9' 3"	8' 11"	9' 8 3/4"	8' 9 1/4"	9' 11 1/4"	8' 7"	10' 2 3/4"
9'	8' 8 1/4"	9' 5 1/2"	8' 6 1/2"	9' 7 3/4"	8' 4 1/4"	9' 11"
8' 9"	8' 5 1/2"	9' 2"	8' 4"	9' 4 1/4"	8' 1 3/4"	9' 7 1/2"
8' 6"	8' 2 3/4"	8' 10 3/4"	8' 1 1/4"	9' 3/4"	7' 11 1/4"	9' 3 3/4"
8' 3"	7' 11 3/4"	8' 7 1/2"	7' 10 1/2"	8' 9 1/2"	7' 8 1/2"	9' 1/4"
8'	7' 9"	8' 4 1/4"	7' 7 3/4"	8' 6"	7' 6"	8' 8 1/2"
7' 9"	7' 6 1/4"	8' 1"	7' 5"	8' 2 1/2"	7' 3 1/4"	8' 5"
7' 6"	7' 3 1/2"	7' 9 3/4"	7' 2 1/4"	7' 11 1/4"	7' 3/4"	8' 1 1/2"
7' 3"	7' 1/2"	7' 6 1/2"	6' 11 1/2"	7' 7 3/4"	6' 10"	7' 9 3/4"
7'	6' 9 3/4"	7' 3 1/4"	6' 8 3/4"	7' 4 1/2"	6' 7 1/2"	7' 6 1/4"
6' 9"	6' 7"	7'	6' 6"	7' 1"	6' 4 3/4"	7' 2 3/4"
6' 6"	6' 4"	6' 8 3/4"	6' 3 1/4"	6' 9 3/4"	6' 2"	6' 11 1/4"
6' 3"	6' 1 1/4"	6' 5 1/2"	6' 1/2"	6' 6 1/2"	5' 11 1/2"	6' 8"
6'	5' 10 1/2"	6' 2 1/4"	5' 9 3/4"	6' 3 1/4"	5' 8 3/4"	6' 4 1/2"
5' 9"	5' 7 1/2"	5' 11"	5' 7"	6'	5' 6"	6' 1"
5' 6"	5' 4 3/4"	5' 7 3/4"	5' 4"	5' 8 1/2"	5' 3 1/4"	5' 9 3/4"
5' 3"	5' 1 3/4"	5' 4 3/4"	5' 1 1/4"	5' 5 1/4"	5' 1/2"	5' 6 1/4"
5'	4' 11"	5' 1 1/2"	4' 10 1/2"	5' 2"	4' 9 3/4"	5' 3"
4' 9"	4' 8"	4' 10 1/4"	4' 7 1/2"	4' 10 3/4"	4' 7"	4' 11 3/4"
4' 6"	4' 5 1/4"	4' 7 1/4"	4' 4 3/4"	4' 7 3/4"	4' 4 1/4"	4' 8 1/4"
4' 3"	4' 2 1/4"	4' 4"	4' 2"	4' 4 1/2"	4' 1 1/2"	4' 5"
4'	3' 11 1/4"	4' 1"	3' 11"	4' 1 1/4"	3' 10 1/2"	4' 1 3/4"
3' 9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"	3' 7 3/4"	3' 10 1/2"
3' 6"	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"	3' 5"	3' 7 1/4"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4"
3'	2' 11 3/4"	3' 1/2"	2' 11 1/2"	3' 3/4"	2' 11 1/4"	3' 1"
2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 9 3/4"
2' 6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"	2' 5 1/2"	2' 6 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	73' 11 3/4"	INF	51' 4 1/4"	INF
300'	59' 5 3/4"	INF	43' 11 1/2"	INF
250'	57' 2 3/4"	INF	42' 8 3/4"	INF
200'	54' 2"	INF	41'	INF
190'	53' 5"	INF	40' 7"	INF
180'	52' 7 1/4"	INF	40' 1 1/4"	INF
170'	51' 8 3/4"	INF	39' 7 1/4"	INF
160'	50' 9 1/4"	INF	39' 1/2"	INF
150'	49' 8 3/4"	INF	38' 5"	INF
140'	48' 7 1/4"	INF	37' 9"	INF
130'	47' 4 1/4"	INF	36' 11 3/4"	INF
120'	45' 11 1/2"	INF	36' 1 3/4"	INF
110'	44' 5 1/4"	INF	35' 2 1/4"	INF
100'	42' 8 3/4"	INF	34' 1 1/2"	INF
90'	40' 9 3/4"	INF	32' 10 3/4"	INF
80'	38' 7 3/4"	INF	31' 5 3/4"	INF
70'	36' 2 1/4"	INF	29' 10"	INF
60'	33' 4"	INF	27' 10 1/2"	INF
50'	30' 1/2"	230' 3 3/4"	25' 6 1/2"	INF
45'	28' 2 1/4"	151' 7 1/4"	24' 2 1/4"	INF
40'	26' 1 3/4"	106' 2 3/4"	22' 8 1/4"	304' 5"
35'	23' 11 1/4"	76' 8 1/2"	21' 1/4"	144' 4 1/2"
30'	21' 6 1/4"	55' 11 3/4"	19' 1 3/4"	84' 10 1/2"
29'	21'	52' 6 1/2"	18' 8 3/4"	77' 2 1/4"
28'	20' 5 3/4"	49' 3 3/4"	18' 3 3/4"	70' 4 1/2"
27'	19' 11 1/4"	46' 3"	17' 10 3/4"	64' 3 1/4"
26'	19' 4 3/4"	43' 4 1/4"	17' 5 1/2"	58' 9 1/2"
25'	18' 10 1/4"	40' 7 1/4"	17'	53' 9 3/4"
24'	18' 3 1/4"	38'	16' 6 1/2"	49' 3 3/4"
23'	17' 8 1/4"	35' 6 1/4"	16' 3/4"	45' 2 1/4"
22'	17' 1 1/4"	33' 2"	15' 7"	41' 5"
21'	16' 6"	30' 11"	15' 1"	37' 11 1/2"
20'	15' 10 1/2"	28' 9"	14' 6 3/4"	34' 9"
19'	15' 3"	26' 8 1/2"	14' 1/2"	31' 9 1/2"
18'	14' 7 1/4"	24' 9"	13' 6"	29' 1/2"
17'	13' 11 1/2"	22' 10 1/2"	12' 11 1/4"	26' 5 3/4"
16'	13' 3 1/4"	21' 1"	12' 4 1/4"	24' 1"
15'	12' 7"	19' 4 1/4"	11' 9"	21' 10 1/4"
14' 6"	12' 2 3/4"	18' 6 1/4"	11' 5 1/2"	20' 9 1/2"
14'	11' 10 1/2"	17' 8 1/4"	11' 1 3/4"	19' 9"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
13' 6"	11' 6 1/4"	16' 10 3/4"	10' 10"	18' 9"
13'	11' 2"	16' 1 1/4"	10' 6 1/4"	17' 9 1/2"
12' 6"	10' 9 1/2"	15' 4"	10' 2 1/4"	16' 10"
12'	10' 5"	14' 7"	9' 10 1/4"	15' 11 1/4"
11' 6"	10' 1/2"	13' 10"	9' 6 1/4"	15' 1 1/2"
11'	9' 8"	13' 1 1/4"	9' 2 1/4"	14' 2 1/4"
10' 6"	9' 3 1/2"	12' 4 3/4"	8' 10"	13' 4 1/4"
10'	8' 10 3/4"	11' 8 1/2"	8' 5 3/4"	12' 6 1/2"
9' 9"	8' 8 1/2"	11' 4 1/4"	8' 3 3/4"	12' 1 3/4"
9' 6"	8' 6"	11' 1/4"	8' 1 1/2"	11' 9"
9' 3"	8' 3 3/4"	10' 8"	7' 11 1/2"	11' 4 1/4"
9'	8' 1 1/4"	10' 4"	7' 9 1/4"	10' 11 3/4"
8' 9"	7' 10 3/4"	10'	7' 7"	10' 7 1/4"
8' 6"	7' 8 1/2"	9' 8"	7' 4 3/4"	10' 2 3/4"
8' 3"	7' 6"	9' 4 1/4"	7' 2 1/2"	9' 10 1/4"
8'	7' 3 1/2"	9' 1/4"	7' 1/4"	9' 6"
7' 9"	7' 1"	8' 8 1/2"	6' 10"	9' 1 3/4"
7' 6"	6' 10 1/2"	8' 4 1/2"	6' 7 3/4"	8' 9 1/2"
7' 3"	6' 8"	8' 3/4"	6' 5 1/4"	8' 5 1/4"
7'	6' 5 1/2"	7' 9"	6' 3"	8' 1 1/4"
6' 9"	6' 3"	7' 5 1/4"	6' 3/4"	7' 9"
6' 6"	6' 1/2"	7' 1 3/4"	5' 10 1/4"	7' 5"
6' 3"	5' 10"	6' 10"	5' 7 3/4"	7' 1 1/4"
6'	5' 7 1/4"	6' 6 1/2"	5' 5 1/2"	6' 9 1/4"
5' 9"	5' 4 3/4"	6' 2 3/4"	5' 3"	6' 5 1/4"
5' 6"	5' 2"	5' 11 1/4"	5' 1/2"	6' 1 1/2"
5' 3"	4' 11 1/2"	5' 7 3/4"	4' 10"	5' 9 3/4"
5'	4' 8 3/4"	5' 4 1/4"	4' 7 1/2"	5' 6"
4' 9"	4' 6 1/4"	5' 3/4"	4' 5"	5' 2 1/4"
4' 6"	4' 3 1/2"	4' 9 1/4"	4' 2 1/2"	4' 10 3/4"
4' 3"	4' 3/4"	4' 6"	3' 11 3/4"	4' 7"
4'	3' 10"	4' 2 1/2"	3' 9 1/4"	4' 3 1/2"
3' 9"	3' 7 1/4"	3' 11 1/4"	3' 6 1/2"	4'
3' 6"	3' 4 1/2"	3' 7 3/4"	3' 4"	3' 8 1/2"
3' 3"	3' 1 3/4"	3' 4 1/2"	3' 1 1/4"	3' 5 1/4"
3'	2' 11"	3' 1 1/4"	2' 10 1/2"	3' 1 3/4"
2' 9"	2' 8 1/4"	2' 10"	2' 7 3/4"	2' 10 1/2"
2' 6"	2' 5 1/4"	2' 6 3/4"	2' 5"	2' 7"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	979' 3"	INF	799' 11 1/4"	INF	555' 6"	INF
200'	166' 2 1/2"	256' 6 1/4"	160' 1 3/4"	290' 6"	147' 3"	351' 8 1/2"
100'	90' 9 1/2"	112' 4"	88' 11 3/4"	118' 4"	84' 10 1/2"	127' 3 3/4"
60'	56' 7"	64' 2 1/2"	55' 10 1/2"	66' 1 1/4"	54' 2 3/4"	68' 9 1/2"
40'	38' 5 1/2"	41' 9 3/4"	38' 1 3/4"	42' 7 1/4"	37' 4 1/2"	43' 8 1/4"
30'	29' 1 1/2"	31'	28' 11 1/2"	31' 5"	28' 6 1/4"	32'
25'	24' 4 3/4"	25' 8 1/4"	24' 3 1/4"	25' 11 3/4"	23' 11 1/2"	26' 4 1/2"
20'	19' 7 1/4"	20' 5 1/4"	19' 6 1/2"	20' 7 1/4"	19' 4"	20' 10 1/4"
18'	17' 8 1/4"	18' 4 1/4"	17' 7 1/2"	18' 6"	17' 5 1/2"	18' 8 1/4"
16'	15' 9"	16' 3 1/4"	15' 8 1/2"	16' 4 1/2"	15' 7"	16' 6 1/2"
15'	14' 9 1/2"	15' 2 3/4"	14' 9"	15' 4"	14' 7 1/2"	15' 5 1/2"
14'	13' 9 3/4"	14' 2 1/2"	13' 9 1/4"	14' 3 1/2"	13' 8 1/4"	14' 4 3/4"
13'	12' 10"	13' 2 1/4"	12' 9 3/4"	13' 3"	12' 8 3/4"	13' 4 1/4"
12'	11' 10 1/4"	12' 1 3/4"	11' 10"	12' 2 1/2"	11' 9 1/4"	12' 3 1/2"
11'	10' 10 3/4"	11' 1 1/2"	10' 10 1/4"	11' 2"	10' 9 3/4"	11' 3"
10'	9' 11"	10' 1 1/4"	9' 10 3/4"	10' 1 3/4"	9' 10"	10' 2 1/4"
9' 6"	9' 5"	9' 7"	9' 4 3/4"	9' 7 1/2"	9' 4 1/4"	9' 8"
9'	8' 11"	9' 1"	8' 11"	9' 1 1/4"	8' 10 1/2"	9' 2"
8' 6"	8' 5 1/4"	8' 6 3/4"	8' 5"	8' 7 1/4"	8' 4 3/4"	8' 7 3/4"
8'	7' 11 1/4"	8' 3/4"	7' 11 1/4"	8' 1"	7' 10 3/4"	8' 1 1/2"
7' 6"	7' 5 1/2"	7' 6 3/4"	7' 5 1/4"	7' 7"	7' 5"	7' 7 1/4"
7'	6' 11 1/2"	7' 1/2"	6' 11 1/4"	7' 3/4"	6' 11"	7' 1"
6' 9"	6' 8 1/2"	6' 9 1/2"	6' 8 1/2"	6' 9 3/4"	6' 8 1/4"	6' 10"
6' 6"	6' 5 1/2"	6' 6 1/2"	6' 5 1/2"	6' 6 3/4"	6' 5 1/4"	6' 7"
6' 3"	6' 2 1/2"	6' 3 1/2"	6' 2 1/2"	6' 3 1/2"	6' 2 1/4"	6' 3 3/4"
6'	5' 11 1/2"	6' 1/2"	5' 11 1/2"	6' 1/2"	5' 11 1/4"	6' 3/4"
5' 9"	5' 8 3/4"	5' 9 1/2"	5' 8 1/2"	5' 9 1/2"	5' 8 1/2"	5' 9 3/4"
5' 6"	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/2"	5' 5 1/2"	5' 6 3/4"
5' 3"	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/2"	5' 2 1/2"	5' 3 1/2"
5'	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/4"	4' 11 1/2"	5' 1/2"
4' 9"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 1/2"	4' 9 1/2"
4' 6"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/2"
4' 3"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"
3' 9"	8,00	3' 9 1/4"	11,00	3' 9 1/4"	16,00	3' 9 1/4"
3' 6"	3' 6"	3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"
3' 3"	3' 3"	3' 3"	3' 3"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	386' 1/2"	INF	268' 5"	INF	187' 2"	INF
200'	131' 11 1/2"	499'	114' 10 1/4"	1202' 11"	96' 11 1/4"	INF
100'	79' 7"	142' 5 1/4"	73' 3/4"	170' 10"	65' 5"	237' 3 3/4"
60'	52' 1/2"	72' 11 1/4"	49' 2 1/4"	79' 8 1/4"	45' 7 1/2"	91' 6 3/4"
40'	36' 4"	45' 3 3/4"	34' 11"	47' 9 1/2"	33' 1 1/4"	51' 9 1/2"
30'	27' 10 3/4"	32' 10 1/4"	27' 1"	34' 1 3/4"	25' 11 3/4"	36' 1 1/4"
25'	23' 6 1/2"	26' 11 1/4"	22' 11 1/2"	27' 9 1/2"	22' 2"	29' 3/4"
20'	19' 3/4"	21' 2 1/2"	18' 8 1/4"	21' 8 3/4"	18' 2"	22' 6"
18'	17' 3"	18' 11 1/2"	16' 11 1/4"	19' 4 1/2"	16' 6"	19' 11 3/4"
16'	15' 4 3/4"	16' 9"	15' 1 3/4"	17' 3/4"	14' 9 3/4"	17' 6 1/4"
15'	14' 5 3/4"	15' 8"	14' 3"	15' 11 1/4"	13' 11 1/2"	16' 4"
14'	13' 6 1/2"	14' 6 3/4"	13' 4 1/4"	14' 9 1/2"	13' 1"	15' 1 3/4"
13'	12' 7 1/4"	13' 5 3/4"	12' 5 1/4"	13' 8 1/4"	12' 2 1/2"	13' 11 3/4"
12'	11' 8"	12' 5"	11' 6 1/4"	12' 7"	11' 4"	12' 9 3/4"
11'	10' 8 3/4"	11' 4"	10' 7 1/4"	11' 5 3/4"	10' 5 1/4"	11' 8 1/4"
10'	9' 9 1/4"	10' 3 1/4"	9' 8"	10' 4 3/4"	9' 6 1/2"	10' 6 1/2"
9' 6"	9' 3 1/2"	9' 9"	9' 2 1/2"	9' 10 1/4"	9' 1"	10'
9'	8' 9 3/4"	9' 2 3/4"	8' 9"	9' 3 3/4"	8' 7 1/2"	9' 5 1/4"
8' 6"	8' 4"	8' 8 1/4"	8' 3 1/4"	8' 9 1/4"	8' 2"	8' 10 3/4"
8'	7' 10 1/4"	8' 2"	7' 9 1/2"	8' 2 3/4"	7' 8 1/2"	8' 4"
7' 6"	7' 4 1/2"	7' 7 3/4"	7' 4"	7' 8 1/2"	7' 3"	7' 9 1/2"
7'	6' 10 3/4"	7' 1 1/2"	6' 10 1/4"	7' 2 1/4"	6' 9 1/2"	7' 3"
6' 9"	6' 7 3/4"	6' 10 1/2"	6' 7 1/4"	6' 11"	6' 6 1/2"	6' 11 3/4"
6' 6"	6' 5"	6' 7 1/4"	6' 4 1/2"	6' 7 3/4"	6' 3 3/4"	6' 8 1/2"
6' 3"	6' 2"	6' 4 1/4"	6' 1 1/2"	6' 4 3/4"	6' 1"	6' 5 1/4"
6'	5' 11"	6' 1"	5' 10 3/4"	6' 1 1/2"	5' 10 1/4"	6' 2 1/4"
5' 9"	5' 8 1/4"	5' 10"	5' 7 3/4"	5' 10 1/4"	5' 7 1/4"	5' 11"
5' 6"	5' 5 1/4"	5' 7"	5' 5"	5' 7 1/4"	5' 4 1/2"	5' 7 3/4"
5' 3"	5' 2 1/4"	5' 3 3/4"	5' 2"	5' 4"	5' 1 1/2"	5' 4 1/2"
5'	4' 11 1/2"	5' 3/4"	4' 11 1/4"	5' 1"	4' 10 3/4"	5' 1 1/2"
4' 9"	4' 8 1/2"	4' 9 3/4"	4' 8 1/4"	4' 10"	4' 8"	4' 10 1/4"
4' 6"	4' 5 1/2"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"	4' 5"	4' 7"
4' 3"	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"	4' 2 1/4"	4' 4"
4'	3' 11 3/4"	4' 1/2"	3' 11 1/2"	4' 1/2"	3' 11 1/4"	4' 3/4"
3' 9"	3' 8 3/4"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"	3' 8 1/4"	3' 9 3/4"
3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"	3' 5 1/2"	3' 6 1/2"
3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 1/2"	3' 3 1/2"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	131' 1/4"	INF	92' 3/4"	INF
200'	79' 4 3/4"	INF	63' 3 1/4"	INF
100'	56' 11 1/2"	527' 7 1/2"	48' 2 1/4"	INF
60'	41' 4 1/2"	116' 1/4"	36' 7"	186' 9 1/2"
40'	30' 10"	58' 8 3/4"	28' 1 1/4"	72' 6 1/4"
30'	24' 6 3/4"	39' 3 3/4"	22' 9 3/4"	45'
25'	21' 1 1/2"	31' 1 1/4"	19' 10"	34' 6 1/4"
20'	17' 5 3/4"	23' 8"	16' 7"	25' 7"
18'	15' 11 1/4"	20' 10 3/4"	15' 2 1/2"	22' 4 1/4"
16'	14' 4 1/4"	18' 2 3/4"	13' 9 1/4"	19' 4"
15'	13' 6 3/4"	16' 11 1/4"	13' 1/4"	17' 10 1/2"
14'	12' 8 3/4"	15' 8"	12' 3 1/4"	16' 5 1/2"
13'	11' 11"	14' 5"	11' 6"	15' 3/4"
12'	11' 1"	13' 2 1/4"	10' 8 3/4"	13' 8 3/4"
11'	10' 2 3/4"	11' 11 3/4"	9' 11"	12' 5"
10'	9' 4 1/4"	10' 9 1/2"	9' 1 1/4"	11' 1 3/4"
9' 6"	8' 11"	10' 2 1/2"	8' 8 1/2"	10' 6 1/4"
9'	8' 5 3/4"	9' 7 1/2"	8' 3 1/2"	9' 10 3/4"
8' 6"	8' 1/2"	9' 1/2"	7' 10 1/4"	9' 3 1/2"
8'	7' 7 1/4"	8' 5 3/4"	7' 5 1/4"	8' 8 1/4"
7' 6"	7' 1 3/4"	7' 11"	7'	8' 1 1/4"
7'	6' 8 1/4"	7' 4 1/4"	6' 7"	7' 6 1/4"
6' 9"	6' 5 1/2"	7' 1"	6' 4 1/4"	7' 2 3/4"
6' 6"	6' 3"	6' 9 3/4"	6' 1 3/4"	6' 11 1/4"
6' 3"	6' 1/4"	6' 6 1/4"	5' 11"	6' 7 3/4"
6'	5' 9 1/2"	6' 3"	5' 8 1/4"	6' 4 1/4"
5' 9"	5' 6 1/2"	5' 11 3/4"	5' 5 3/4"	6' 1"
5' 6"	5' 3 3/4"	5' 8 1/2"	5' 3"	5' 9 1/2"
5' 3"	5' 1"	5' 5 1/4"	5' 1/4"	5' 6 1/4"
5'	4' 10 1/4"	5' 2"	4' 9 1/2"	5' 2 3/4"
4' 9"	4' 7 1/2"	4' 10 3/4"	4' 6 3/4"	4' 11 1/2"
4' 6"	4' 4 1/2"	4' 7 1/2"	4' 4"	4' 8 1/4"
4' 3"	4' 1 3/4"	4' 4 1/4"	4' 1 1/4"	4' 5"
4'	3' 11"	4' 1 1/4"	3' 10 1/2"	4' 1 3/4"
3' 9"	3' 8"	3' 10"	3' 7 3/4"	3' 10 1/2"
3' 6"	3' 5 1/4"	3' 6 3/4"	3' 5"	3' 7 1/4"
3' 3"	3' 2 1/4"	3' 3 3/4"	3' 2"	3' 4"



Depth of Field Tables in Meter for Compact Prime CP.3 Lenses for

Lenses	MFT Format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
CP.3 15 mm/T2.9	■	■	■
CP.3 18 mm/T2.9	■	■	■
CP.3 21 mm/T2.9	■	■	■
CP.3 25 mm/T2.1	■	■	■
CP.3 28 mm/T2.1	■	■	■
CP.3 35 mm/T2.1	■	■	■
CP.3 50 mm/T2.1	■	■	■
CP.3 85 mm/T2.1	■	■	■
CP.3 100 mm/T2.1 CF	■	■	■
CP.3 135 mm/T2.1	■	■	■

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,28	INF	3,35	INF	3,01	INF
10	3,04	INF	2,55	INF	2,35	INF
5	2,36	INF	2,06	INF	1,93	INF
3	1,82	9,60	1,64	33,77	1,56	INF
2,5	1,63	5,73	1,49	9,90	1,42	INF
2	1,41	3,58	1,30	4,81	1,25	INF
1,8	1,31	2,96	1,22	3,74	1,18	18,39
1,6	1,21	2,43	1,13	2,93	1,09	7,56
1,4	1,09	1,98	1,03	2,29	1,00	4,31
1,2	0,97	1,59	0,93	1,77	0,90	2,74
1	0,84	1,24	0,81	1,35	0,79	1,81
0,9	0,77	1,09	0,75	1,16	0,73	1,48
0,85	0,74	1,01	0,71	1,08	0,70	1,34
0,8	0,70	0,94	0,68	0,99	0,67	1,21
0,75	0,66	0,87	0,64	0,91	0,63	1,08
0,7	0,63	0,80	0,61	0,84	0,60	0,97
0,65	0,59	0,73	0,57	0,76	0,57	0,87
0,6	0,55	0,67	0,54	0,69	0,53	0,77
0,55	0,51	0,60	0,50	0,62	0,49	0,69
0,5	0,47	0,54	0,46	0,55	0,45	0,60
0,48	0,45	0,52	0,44	0,53	0,44	0,57
0,46	0,43	0,49	0,43	0,50	0,42	0,54
0,44	0,42	0,47	0,41	0,48	0,41	0,51
0,42	0,40	0,44	0,39	0,45	0,39	0,48
0,4	0,38	0,42	0,38	0,43	0,37	0,45
0,39	0,37	0,41	0,37	0,42	0,37	0,44
0,38	0,36	0,40	0,36	0,41	0,36	0,43
0,37	0,35	0,39	0,35	0,39	0,35	0,41
0,36	0,35	0,38	0,34	0,38	0,34	0,40
0,35	0,34	0,36	0,33	0,37	0,33	0,39
0,34	0,33	0,35	0,32	0,36	0,32	0,37
0,33	0,32	0,34	0,32	0,35	0,31	0,36
0,32	0,31	0,33	0,31	0,33	0,31	0,35
0,31	0,30	0,32	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,30	INF	1,59	INF	1,09	INF
10	1,90	INF	1,40	INF	1,01	INF
5	1,62	INF	1,25	INF	0,93	INF
3	1,36	INF	1,09	INF	0,84	INF
2,5	1,25	INF	1,02	INF	0,81	INF
2	1,12	INF	0,94	INF	0,76	INF
1,8	1,06	INF	0,90	INF	0,73	INF
1,6	1,00	INF	0,85	INF	0,70	INF
1,4	0,92	INF	0,80	INF	0,67	INF
1,2	0,84	7,90	0,74	INF	0,63	INF
1	0,74	3,10	0,67	27,75	0,58	INF
0,9	0,69	2,21	0,63	5,71	0,55	INF
0,85	0,66	1,89	0,60	3,89	0,53	INF
0,8	0,63	1,62	0,58	2,87	0,52	INF
0,75	0,61	1,40	0,56	2,21	0,50	11,67
0,7	0,57	1,21	0,53	1,75	0,48	4,67
0,65	0,54	1,05	0,51	1,42	0,46	2,77
0,6	0,51	0,91	0,48	1,16	0,44	1,88
0,55	0,48	0,78	0,45	0,95	0,41	1,36
0,5	0,44	0,67	0,42	0,79	0,39	1,03
0,48	0,43	0,63	0,41	0,73	0,38	0,92
0,46	0,41	0,59	0,39	0,67	0,37	0,83
0,44	0,40	0,56	0,38	0,62	0,36	0,75
0,42	0,38	0,52	0,37	0,58	0,35	0,68
0,4	0,37	0,49	0,35	0,53	0,33	0,62
0,39	0,36	0,47	0,35	0,51	0,33	0,59
0,38	0,35	0,45	0,34	0,49	0,32	0,56
0,37	0,34	0,44	0,33	0,47	0,32	0,53
0,36	0,33	0,42	0,32	0,45	0,31	0,51
0,35	0,33	0,41	0,32	0,43	0,30	0,48
0,34	0,32	0,39	0,31	0,42	0,30	0,46
0,33	0,31	0,38	0,30	0,40	0,29	0,44
0,32	0,30	0,36	0,29	0,38	0,28	0,41
0,31	0,29	0,35	0,29	0,37	0,28	0,39
0,3	0,28	0,33	0,28	0,35	0,27	0,37

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,77	INF
10	0,73	INF
5	0,69	INF
3	0,65	INF
2,5	0,63	INF
2	0,60	INF
1,8	0,59	INF
1,6	0,57	INF
1,4	0,55	INF
1,2	0,52	INF
1	0,49	INF
0,9	0,47	INF
0,85	0,46	INF
0,8	0,45	INF
0,75	0,44	INF
0,7	0,42	INF
0,65	0,41	INF
0,6	0,39	35,44
0,55	0,37	3,94
0,5	0,36	1,92
0,48	0,35	1,56
0,46	0,34	1,29
0,44	0,33	1,09
0,42	0,32	0,93
0,4	0,31	0,80
0,39	0,31	0,75
0,38	0,30	0,70
0,37	0,30	0,65
0,36	0,29	0,61
0,35	0,29	0,57
0,34	0,28	0,54
0,33	0,28	0,50
0,32	0,27	0,47
0,31	0,26	0,44
0,3	0,26	0,42

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6,18	INF	4,54	INF	3,63	INF
60	5,62	INF	4,24	INF	3,44	INF
50	5,52	INF	4,18	INF	3,40	INF
30	5,15	INF	3,97	INF	3,26	INF
20	4,76	INF	3,73	INF	3,10	INF
15	4,42	INF	3,52	INF	2,96	INF
12	4,13	INF	3,34	INF	2,83	INF
10	3,87	INF	3,17	INF	2,71	INF
9	3,72	INF	3,07	INF	2,63	INF
8	3,54	INF	2,95	INF	2,55	INF
7	3,34	INF	2,81	INF	2,44	INF
6	3,10	207,21	2,64	INF	2,31	INF
5,5	2,96	48,71	2,54	INF	2,24	INF
5	2,82	25,40	2,43	INF	2,16	INF
4,5	2,66	16,03	2,31	55,90	2,06	INF
4	2,48	10,97	2,18	21,30	1,96	INF
3,8	2,40	9,54	2,12	16,47	1,91	INF
3,6	2,33	8,34	2,06	13,15	1,86	INF
3,5	2,28	7,80	2,03	11,86	1,84	INF
3,4	2,24	7,30	2,00	10,74	1,81	INF
3,2	2,16	6,41	1,93	8,90	1,76	INF
3	2,07	5,63	1,86	7,46	1,70	65,99
2,8	1,97	4,95	1,78	6,29	1,64	24,56
2,6	1,88	4,34	1,70	5,33	1,57	14,24
2,5	1,82	4,06	1,66	4,91	1,53	11,53
2,4	1,77	3,79	1,62	4,52	1,50	9,56
2,2	1,66	3,30	1,53	3,83	1,42	6,88
2	1,55	2,86	1,43	3,24	1,34	5,15
1,9	1,49	2,65	1,38	2,98	1,30	4,50
1,8	1,43	2,45	1,33	2,73	1,25	3,94
1,7	1,37	2,27	1,28	2,50	1,21	3,46
1,6	1,31	2,09	1,22	2,28	1,16	3,05
1,5	1,24	1,91	1,17	2,07	1,11	2,68
1,45	1,21	1,83	1,14	1,97	1,08	2,52
1,4	1,17	1,75	1,11	1,88	1,05	2,36
1,35	1,14	1,67	1,08	1,79	1,03	2,21
1,3	1,10	1,59	1,05	1,70	1,00	2,07
1,25	1,07	1,51	1,02	1,61	0,97	1,94
1,2	1,03	1,44	0,98	1,52	0,94	1,81

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	1,00	1,37	0,95	1,44	0,91	1,70
1,1	0,96	1,29	0,92	1,36	0,88	1,58
1,05	0,92	1,22	0,89	1,28	0,85	1,47
1	0,89	1,15	0,85	1,20	0,82	1,37
0,98	0,87	1,13	0,84	1,17	0,81	1,33
0,96	0,86	1,10	0,82	1,14	0,79	1,29
0,95	0,85	1,09	0,82	1,13	0,79	1,27
0,94	0,84	1,07	0,81	1,12	0,78	1,25
0,92	0,82	1,04	0,79	1,09	0,77	1,22
0,9	0,81	1,02	0,78	1,06	0,76	1,18
0,88	0,79	0,99	0,77	1,03	0,74	1,14
0,86	0,78	0,97	0,75	1,00	0,73	1,11
0,85	0,77	0,95	0,74	0,99	0,72	1,09
0,84	0,76	0,94	0,74	0,97	0,71	1,07
0,82	0,75	0,91	0,72	0,94	0,70	1,04
0,8	0,73	0,89	0,71	0,92	0,69	1,00
0,78	0,71	0,86	0,69	0,89	0,67	0,97
0,76	0,70	0,84	0,68	0,86	0,66	0,94
0,75	0,69	0,83	0,67	0,85	0,65	0,92
0,74	0,68	0,81	0,66	0,84	0,64	0,91
0,72	0,66	0,79	0,65	0,81	0,63	0,87
0,7	0,65	0,76	0,63	0,78	0,62	0,84
0,68	0,63	0,74	0,62	0,76	0,60	0,81
0,66	0,61	0,71	0,60	0,73	0,59	0,78
0,65	0,61	0,70	0,59	0,72	0,58	0,77
0,64	0,60	0,69	0,58	0,71	0,57	0,75
0,62	0,58	0,67	0,57	0,68	0,56	0,72
0,6	0,56	0,64	0,55	0,66	0,54	0,69
0,59	0,55	0,63	0,54	0,64	0,53	0,68
0,58	0,55	0,62	0,53	0,63	0,52	0,67
0,57	0,54	0,61	0,53	0,62	0,52	0,65
0,56	0,53	0,60	0,52	0,61	0,51	0,64
0,55	0,52	0,58	0,51	0,59	0,50	0,62
0,54	0,51	0,57	0,50	0,58	0,49	0,61
0,53	0,50	0,56	0,49	0,57	0,49	0,60
0,52	0,49	0,55	0,49	0,56	0,48	0,58
0,51	0,49	0,54	0,48	0,55	0,47	0,57
0,5	0,48	0,53	0,47	0,53	0,46	0,56
0,49	0,47	0,52	0,46	0,52	0,45	0,54

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,46	0,50	0,45	0,51	0,44	0,53
0,47	0,45	0,49	0,44	0,50	0,44	0,52
0,46	0,44	0,48	0,43	0,49	0,43	0,51
0,45	0,43	0,47	0,43	0,48	0,42	0,49
0,44	0,42	0,46	0,42	0,46	0,41	0,48
0,43	0,41	0,45	0,41	0,45	0,40	0,47
0,42	0,40	0,44	0,40	0,44	0,39	0,46
0,41	0,40	0,43	0,39	0,43	0,39	0,44
0,4	0,39	0,41	0,38	0,42	0,38	0,43
0,39	0,38	0,40	0,37	0,41	0,37	0,42
0,38	0,37	0,39	0,36	0,40	0,36	0,41
0,37	0,36	0,38	0,36	0,39	0,35	0,39
0,36	0,35	0,37	0,35	0,37	0,34	0,38
0,35	0,34	0,36	0,34	0,36	0,33	0,37
0,34	0,33	0,35	0,33	0,35	0,33	0,36
0,33	0,32	0,34	0,32	0,34	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,32
0,3	0,29	0,31	0,29	0,31	0,29	0,31

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,77	INF	1,98	INF	1,40	INF
60	2,65	INF	1,92	INF	1,37	INF
50	2,63	INF	1,91	INF	1,37	INF
30	2,55	INF	1,87	INF	1,34	INF
20	2,45	INF	1,82	INF	1,32	INF
15	2,36	INF	1,77	INF	1,30	INF
12	2,28	INF	1,73	INF	1,27	INF
10	2,20	INF	1,68	INF	1,25	INF
9	2,16	INF	1,66	INF	1,23	INF
8	2,10	INF	1,62	INF	1,22	INF
7	2,03	INF	1,58	INF	1,19	INF
6	1,94	INF	1,53	INF	1,17	INF
5,5	1,89	INF	1,50	INF	1,15	INF
5	1,83	INF	1,46	INF	1,13	INF
4,5	1,76	INF	1,42	INF	1,11	INF
4	1,69	INF	1,37	INF	1,08	INF
3,8	1,65	INF	1,35	INF	1,06	INF
3,6	1,62	INF	1,33	INF	1,05	INF
3,5	1,60	INF	1,32	INF	1,04	INF
3,4	1,58	INF	1,30	INF	1,04	INF
3,2	1,54	INF	1,28	INF	1,02	INF
3	1,49	INF	1,25	INF	1,00	INF
2,8	1,45	INF	1,21	INF	0,98	INF
2,6	1,40	INF	1,18	INF	0,96	INF
2,5	1,37	INF	1,16	INF	0,95	INF
2,4	1,34	INF	1,14	INF	0,93	INF
2,2	1,28	INF	1,10	INF	0,91	INF
2	1,21	27,08	1,05	INF	0,88	INF
1,9	1,18	15,12	1,02	INF	0,86	INF
1,8	1,14	10,14	1,00	INF	0,84	INF
1,7	1,10	7,41	0,97	INF	0,82	INF
1,6	1,06	5,69	0,94	INF	0,80	INF
1,5	1,02	4,51	0,91	38,75	0,78	INF
1,45	1,00	4,04	0,89	19,07	0,77	INF
1,4	0,98	3,64	0,87	12,36	0,75	INF
1,35	0,96	3,29	0,86	8,97	0,74	INF
1,3	0,93	2,98	0,84	6,92	0,73	INF
1,25	0,91	2,71	0,82	5,55	0,71	INF
1,2	0,88	2,46	0,80	4,58	0,70	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,86	2,24	0,78	3,84	0,69	569,04
1,1	0,83	2,04	0,76	3,27	0,67	19,98
1,05	0,80	1,86	0,74	2,81	0,65	9,72
1	0,78	1,69	0,71	2,43	0,64	6,21
0,98	0,77	1,63	0,70	2,30	0,63	5,38
0,96	0,75	1,57	0,69	2,18	0,62	4,72
0,95	0,75	1,54	0,69	2,12	0,62	4,44
0,94	0,74	1,51	0,68	2,07	0,61	4,19
0,92	0,73	1,46	0,68	1,96	0,61	3,75
0,9	0,72	1,40	0,67	1,86	0,60	3,38
0,88	0,71	1,35	0,66	1,76	0,59	3,06
0,86	0,69	1,30	0,65	1,67	0,58	2,79
0,85	0,69	1,27	0,64	1,63	0,58	2,66
0,84	0,68	1,25	0,64	1,59	0,58	2,55
0,82	0,67	1,20	0,62	1,51	0,57	2,34
0,8	0,66	1,15	0,61	1,43	0,56	2,15
0,78	0,64	1,11	0,60	1,36	0,55	1,99
0,76	0,63	1,07	0,59	1,29	0,54	1,84
0,75	0,63	1,04	0,59	1,26	0,54	1,77
0,74	0,62	1,02	0,58	1,23	0,53	1,70
0,72	0,61	0,98	0,57	1,17	0,52	1,58
0,7	0,59	0,94	0,56	1,11	0,51	1,47
0,68	0,58	0,90	0,55	1,05	0,50	1,37
0,66	0,57	0,86	0,53	1,00	0,50	1,27
0,65	0,56	0,85	0,53	0,97	0,49	1,23
0,64	0,55	0,83	0,52	0,95	0,49	1,19
0,62	0,54	0,79	0,51	0,90	0,48	1,11
0,6	0,52	0,76	0,50	0,85	0,46	1,03
0,59	0,52	0,74	0,49	0,83	0,46	1,00
0,58	0,51	0,72	0,49	0,81	0,45	0,97
0,57	0,50	0,70	0,48	0,79	0,45	0,93
0,56	0,49	0,69	0,47	0,76	0,44	0,90
0,55	0,49	0,67	0,47	0,74	0,44	0,87
0,54	0,48	0,66	0,46	0,72	0,43	0,84
0,53	0,47	0,64	0,45	0,70	0,43	0,81
0,52	0,47	0,62	0,45	0,68	0,42	0,79
0,51	0,46	0,61	0,44	0,66	0,42	0,76
0,5	0,45	0,59	0,43	0,64	0,41	0,73
0,49	0,44	0,58	0,43	0,63	0,40	0,71

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,43	0,56	0,42	0,61	0,40	0,68
0,47	0,43	0,55	0,41	0,59	0,39	0,66
0,46	0,42	0,53	0,40	0,57	0,39	0,64
0,45	0,41	0,52	0,40	0,55	0,38	0,61
0,44	0,40	0,50	0,39	0,54	0,37	0,59
0,43	0,40	0,49	0,38	0,52	0,37	0,57
0,42	0,39	0,48	0,38	0,50	0,36	0,55
0,41	0,38	0,46	0,37	0,49	0,35	0,53
0,4	0,37	0,45	0,36	0,47	0,35	0,51
0,39	0,36	0,43	0,35	0,46	0,34	0,49
0,38	0,36	0,42	0,35	0,44	0,33	0,47
0,37	0,35	0,41	0,34	0,43	0,33	0,46
0,36	0,34	0,39	0,33	0,41	0,32	0,44
0,35	0,33	0,38	0,32	0,40	0,31	0,42
0,34	0,32	0,37	0,31	0,38	0,31	0,40
0,33	0,31	0,36	0,31	0,37	0,30	0,39
0,32	0,30	0,34	0,30	0,36	0,29	0,37
0,31	0,30	0,33	0,29	0,34	0,28	0,36
0,3	0,29	0,32	0,28	0,33	0,28	0,34

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,99	INF
60	0,98	INF
50	0,98	INF
30	0,97	INF
20	0,96	INF
15	0,95	INF
12	0,93	INF
10	0,92	INF
9	0,91	INF
8	0,91	INF
7	0,89	INF
6	0,88	INF
5,5	0,87	INF
5	0,86	INF
4,5	0,85	INF
4	0,83	INF
3,8	0,82	INF
3,6	0,82	INF
3,5	0,81	INF
3,4	0,81	INF
3,2	0,80	INF
3	0,79	INF
2,8	0,78	INF
2,6	0,76	INF
2,5	0,76	INF
2,4	0,75	INF
2,2	0,73	INF
2	0,71	INF
1,9	0,70	INF
1,8	0,69	INF
1,7	0,68	INF
1,6	0,67	INF
1,5	0,65	INF
1,45	0,64	INF
1,4	0,63	INF
1,35	0,63	INF
1,3	0,62	INF
1,25	0,61	INF
1,2	0,60	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
1,15	0,59	INF
1,1	0,58	INF
1,05	0,57	INF
1	0,55	INF
0,98	0,55	INF
0,96	0,54	INF
0,95	0,54	INF
0,94	0,54	INF
0,92	0,53	INF
0,9	0,53	INF
0,88	0,52	INF
0,86	0,52	124,74
0,85	0,51	38,50
0,84	0,51	22,55
0,82	0,50	12,13
0,8	0,50	8,17
0,78	0,49	6,09
0,76	0,48	4,80
0,75	0,48	4,32
0,74	0,48	3,93
0,72	0,47	3,29
0,7	0,46	2,81
0,68	0,46	2,44
0,66	0,45	2,14
0,65	0,45	2,01
0,64	0,44	1,89
0,62	0,43	1,68
0,6	0,43	1,51
0,59	0,42	1,43
0,58	0,42	1,36
0,57	0,41	1,29
0,56	0,41	1,22
0,55	0,40	1,16
0,54	0,40	1,11
0,53	0,39	1,06
0,52	0,39	1,01
0,51	0,39	0,96
0,5	0,38	0,92
0,49	0,38	0,88

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
0,48	0,37	0,84
0,47	0,37	0,80
0,46	0,36	0,76
0,45	0,36	0,73
0,44	0,35	0,70
0,43	0,34	0,67
0,42	0,34	0,64
0,41	0,33	0,61
0,4	0,33	0,58
0,39	0,32	0,55
0,38	0,32	0,53
0,37	0,31	0,51
0,36	0,30	0,48
0,35	0,30	0,46
0,34	0,29	0,44
0,33	0,29	0,42
0,32	0,28	0,40
0,31	0,27	0,38
0,3	0,27	0,36

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	8,36	INF	7,00	INF	7,20	INF
10	4,61	INF	4,17	INF	4,24	INF
5	3,18	12,15	2,97	21,71	3,00	INF
3	2,25	4,57	2,14	5,44	2,16	17,00
2	1,65	2,56	1,59	2,81	1,60	4,24
1,7	1,44	2,08	1,40	2,24	1,41	3,04
1,5	1,30	1,78	1,27	1,89	1,27	2,42
1,3	1,15	1,50	1,12	1,58	1,13	1,92
1,1	0,99	1,24	0,97	1,28	0,98	1,49
1	0,91	1,11	0,90	1,15	0,90	1,31
0,9	0,83	0,98	0,82	1,01	0,82	1,13
0,8	0,75	0,86	0,74	0,89	0,74	0,97
0,75	0,70	0,80	0,70	0,82	0,70	0,89
0,7	0,66	0,75	0,65	0,76	0,65	0,82
0,65	0,62	0,69	0,61	0,70	0,61	0,75
0,6	0,57	0,63	0,57	0,64	0,57	0,68
0,55	0,53	0,58	0,52	0,58	0,52	0,61
0,5	0,48	0,52	0,48	0,53	0,48	0,55
0,48	0,46	0,50	0,46	0,50	0,46	0,52
0,46	0,45	0,48	0,44	0,48	0,44	0,50
0,44	0,43	0,45	0,42	0,46	0,42	0,47
0,42	0,41	0,43	0,41	0,44	0,41	0,45
0,4	0,39	0,41	0,39	0,41	0,39	0,43
0,39	0,38	0,40	0,38	0,40	0,38	0,41
0,38	0,37	0,39	0,37	0,39	0,37	0,40
0,37	0,36	0,38	0,36	0,38	0,36	0,39
0,36	0,35	0,37	0,35	0,37	0,35	0,38
0,35	0,34	0,36	0,34	0,36	0,34	0,37
0,34	0,33	0,35	0,33	0,35	0,33	0,36
0,33	0,32	0,34	0,32	0,34	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,33
0,31	0,31	0,32	0,30	0,32	0,30	0,32
0,3	0,30	0,30	0,29	0,31	0,29	0,31
0,29	0,29	0,29	0,29	0,30	0,29	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,29
0,27	0,27	0,27	0,27	0,27	0,27	0,28
0,26	0,26	0,26	0,26	0,26	0,26	0,27
0,25	0,25	0,25	0,25	0,25	0,25	0,26
0,24	0,24	0,24	0,24	0,24	0,24	0,25

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	5,94	INF	3,93	INF	2,48	INF
10	3,78	INF	2,86	INF	2,02	INF
5	2,77	INF	2,25	INF	1,71	INF
3	2,04	INF	1,75	INF	1,41	INF
2	1,54	10,55	1,37	INF	1,16	INF
1,7	1,36	5,23	1,23	28,18	1,06	INF
1,5	1,23	3,61	1,13	8,05	0,98	INF
1,3	1,10	2,57	1,02	4,17	0,90	19,62
1,1	0,95	1,85	0,89	2,51	0,81	4,65
1	0,88	1,56	0,83	2,00	0,76	3,11
0,9	0,80	1,31	0,76	1,60	0,70	2,21
0,8	0,73	1,10	0,69	1,28	0,64	1,63
0,75	0,69	1,00	0,66	1,14	0,61	1,41
0,7	0,64	0,90	0,62	1,02	0,58	1,22
0,65	0,60	0,82	0,58	0,91	0,55	1,05
0,6	0,56	0,73	0,54	0,80	0,51	0,91
0,55	0,52	0,65	0,50	0,71	0,48	0,79
0,5	0,47	0,58	0,46	0,62	0,44	0,68
0,48	0,46	0,55	0,45	0,59	0,43	0,63
0,46	0,44	0,52	0,43	0,55	0,41	0,59
0,44	0,42	0,50	0,41	0,52	0,40	0,56
0,42	0,40	0,47	0,40	0,49	0,38	0,52
0,4	0,39	0,44	0,38	0,46	0,37	0,49
0,39	0,38	0,43	0,37	0,45	0,36	0,47
0,38	0,37	0,42	0,36	0,43	0,35	0,45
0,37	0,36	0,40	0,35	0,42	0,34	0,44
0,36	0,35	0,39	0,34	0,40	0,34	0,42
0,35	0,34	0,38	0,34	0,39	0,33	0,41
0,34	0,33	0,37	0,33	0,38	0,32	0,39
0,33	0,32	0,35	0,32	0,36	0,31	0,38
0,32	0,31	0,34	0,31	0,35	0,30	0,36
0,31	0,30	0,33	0,30	0,34	0,29	0,35
0,3	0,29	0,32	0,29	0,32	0,29	0,33
0,29	0,28	0,31	0,28	0,31	0,28	0,32
0,28	0,27	0,29	0,27	0,30	0,27	0,31
0,27	0,27	0,28	0,26	0,29	0,26	0,29
0,26	0,26	0,27	0,25	0,27	0,25	0,28
0,25	0,25	0,26	0,24	0,26	0,24	0,27
0,24	0,24	0,25	0,24	0,25	0,23	0,26

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,63	INF
10	1,42	INF
5	1,27	INF
3	1,10	INF
2	0,95	INF
1,7	0,88	INF
1,5	0,83	INF
1,3	0,77	INF
1,1	0,71	INF
1	0,67	14,37
0,9	0,63	4,83
0,8	0,58	2,65
0,75	0,56	2,08
0,7	0,53	1,68
0,65	0,51	1,37
0,6	0,48	1,13
0,55	0,45	0,93
0,5	0,42	0,77
0,48	0,41	0,72
0,46	0,39	0,67
0,44	0,38	0,62
0,42	0,37	0,57
0,4	0,35	0,53
0,39	0,35	0,51
0,38	0,34	0,49
0,37	0,33	0,47
0,36	0,32	0,45
0,35	0,32	0,43
0,34	0,31	0,41
0,33	0,30	0,40
0,32	0,29	0,38
0,31	0,29	0,36
0,3	0,28	0,35
0,29	0,27	0,33
0,28	0,26	0,32
0,27	0,25	0,30
0,26	0,25	0,29
0,25	0,24	0,27
0,24	0,23	0,26

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	16,96	INF	15,64	INF	11,68	INF
12	7,07	44,90	6,83	INF	5,96	INF
6	4,47	9,39	4,37	13,69	4,00	34,40
4	3,26	5,24	3,21	6,34	3,01	8,73
3	2,57	3,64	2,54	4,12	2,42	5,00
2,5	2,20	2,92	2,18	3,22	2,09	3,73
2	1,81	2,25	1,79	2,43	1,73	2,70
1,8	1,64	2,00	1,63	2,13	1,58	2,34
1,6	1,48	1,76	1,47	1,85	1,43	2,00
1,4	1,31	1,52	1,30	1,59	1,27	1,69
1,2	1,13	1,28	1,13	1,33	1,10	1,40
1,1	1,04	1,17	1,04	1,21	1,02	1,27
1	0,95	1,05	0,95	1,09	0,93	1,13
0,9	0,86	0,94	0,86	0,97	0,85	1,00
0,85	0,82	0,89	0,81	0,91	0,80	0,94
0,8	0,77	0,83	0,77	0,85	0,76	0,88
0,75	0,73	0,78	0,72	0,79	0,71	0,82
0,7	0,68	0,72	0,68	0,74	0,67	0,76
0,65	0,63	0,67	0,63	0,68	0,62	0,70
0,6	0,59	0,62	0,58	0,63	0,58	0,64
0,58	0,57	0,60	0,57	0,60	0,56	0,62
0,56	0,55	0,57	0,55	0,58	0,54	0,59
0,54	0,53	0,55	0,53	0,56	0,52	0,57
0,52	0,51	0,53	0,51	0,54	0,50	0,55
0,5	0,49	0,51	0,49	0,52	0,49	0,52
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,46	0,45	0,47	0,45	0,47	0,45	0,48
0,44	0,43	0,45	0,43	0,45	0,43	0,46
0,42	0,41	0,43	0,41	0,43	0,41	0,44
0,39	0,38	0,40	0,38	0,40	0,38	0,40
0,38	0,38	0,39	0,37	0,39	0,37	0,39
0,37	0,37	0,37	0,37	0,38	0,36	0,38
0,36	0,36	0,36	0,36	0,37	0,35	0,37
0,35	0,35	0,35	0,35	0,36	0,34	0,36
0,34	0,34	0,34	0,34	0,35	0,33	0,35
0,33	0,33	0,33	0,33	0,34	0,33	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,32
0,3	0,30	0,30	0,30	0,30	0,30	0,31
0,29	0,29	0,29	0,29	0,29	0,29	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,28

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	7,97	INF	5,38	INF	3,65	INF
12	4,83	INF	3,75	INF	2,83	INF
6	3,47	INF	2,88	INF	2,31	INF
4	2,70	16,09	2,34	INF	1,95	INF
3	2,22	6,74	1,97	12,56	1,69	INF
2,5	1,94	4,60	1,75	6,69	1,53	18,08
2	1,63	3,11	1,49	3,93	1,33	6,17
1,8	1,50	2,64	1,38	3,20	1,25	4,52
1,6	1,36	2,22	1,26	2,59	1,15	3,39
1,4	1,21	1,84	1,14	2,09	1,05	2,56
1,2	1,06	1,50	1,01	1,66	0,94	1,93
1,1	0,99	1,34	0,94	1,46	0,88	1,67
1	0,91	1,19	0,87	1,29	0,82	1,44
0,9	0,82	1,05	0,79	1,12	0,75	1,23
0,85	0,78	0,98	0,75	1,04	0,72	1,13
0,8	0,74	0,91	0,72	0,96	0,68	1,04
0,75	0,70	0,85	0,68	0,89	0,65	0,95
0,7	0,66	0,78	0,64	0,82	0,61	0,87
0,65	0,61	0,72	0,60	0,75	0,57	0,79
0,6	0,57	0,66	0,56	0,68	0,54	0,71
0,58	0,55	0,63	0,54	0,65	0,52	0,68
0,56	0,53	0,61	0,52	0,63	0,51	0,65
0,54	0,52	0,58	0,50	0,60	0,49	0,63
0,52	0,50	0,56	0,49	0,57	0,47	0,60
0,5	0,48	0,53	0,47	0,55	0,46	0,57
0,48	0,46	0,51	0,45	0,52	0,44	0,54
0,46	0,44	0,49	0,44	0,50	0,43	0,52
0,44	0,43	0,46	0,42	0,47	0,41	0,49
0,42	0,41	0,44	0,40	0,45	0,39	0,46
0,39	0,38	0,41	0,37	0,42	0,37	0,43
0,38	0,37	0,40	0,37	0,40	0,36	0,41
0,37	0,36	0,39	0,36	0,39	0,35	0,40
0,36	0,35	0,37	0,35	0,38	0,34	0,39
0,35	0,34	0,36	0,34	0,37	0,33	0,38
0,34	0,33	0,35	0,33	0,36	0,32	0,36
0,33	0,32	0,34	0,32	0,35	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32
0,29	0,29	0,30	0,28	0,30	0,28	0,30
0,28	0,28	0,29	0,27	0,29	0,27	0,29

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	2,52	INF	1,76	INF
12	2,11	INF	1,56	INF
6	1,81	INF	1,39	INF
4	1,59	INF	1,26	INF
3	1,41	INF	1,15	INF
2,5	1,30	INF	1,08	INF
2	1,16	32,83	0,98	INF
1,8	1,09	10,97	0,94	INF
1,6	1,02	5,99	0,88	INF
1,4	0,94	3,78	0,83	12,23
1,2	0,85	2,54	0,76	4,63
1,1	0,80	2,10	0,72	3,32
1	0,75	1,74	0,68	2,48
0,9	0,70	1,43	0,64	1,89
0,85	0,67	1,30	0,61	1,66
0,8	0,64	1,18	0,59	1,46
0,75	0,61	1,07	0,56	1,28
0,7	0,58	0,96	0,54	1,13
0,65	0,55	0,86	0,51	0,99
0,6	0,51	0,77	0,48	0,87
0,58	0,50	0,73	0,47	0,82
0,56	0,48	0,70	0,46	0,78
0,54	0,47	0,67	0,45	0,74
0,52	0,46	0,63	0,43	0,70
0,5	0,44	0,60	0,42	0,66
0,48	0,43	0,57	0,41	0,62
0,46	0,41	0,54	0,39	0,58
0,44	0,40	0,51	0,38	0,55
0,42	0,38	0,48	0,37	0,51
0,39	0,36	0,44	0,35	0,47
0,38	0,35	0,43	0,34	0,45
0,37	0,34	0,41	0,33	0,43
0,36	0,33	0,40	0,32	0,42
0,35	0,33	0,39	0,32	0,40
0,34	0,32	0,37	0,31	0,39
0,33	0,31	0,36	0,30	0,38
0,32	0,30	0,35	0,29	0,36
0,31	0,29	0,34	0,29	0,35
0,3	0,28	0,32	0,28	0,33
0,29	0,28	0,31	0,27	0,32
0,28	0,27	0,30	0,26	0,31

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	20,82	INF	11,75	INF	14,03	INF
10	6,80	19,09	5,45	16,52	5,88	INF
5	4,06	6,52	3,55	6,20	3,72	10,28
3	2,64	3,47	2,42	3,38	2,50	4,29
2	1,84	2,19	1,73	2,16	1,77	2,48
1,6	1,50	1,72	1,43	1,70	1,45	1,88
1,4	1,32	1,49	1,27	1,47	1,29	1,61
1,2	1,14	1,26	1,10	1,25	1,12	1,35
1	0,96	1,04	0,93	1,03	0,94	1,10
0,9	0,87	0,93	0,85	0,93	0,86	0,97
0,8	0,78	0,83	0,76	0,82	0,77	0,86
0,75	0,73	0,77	0,72	0,77	0,72	0,80
0,7	0,68	0,72	0,67	0,72	0,67	0,74
0,65	0,64	0,67	0,62	0,66	0,63	0,68
0,6	0,59	0,61	0,58	0,61	0,58	0,63
0,55	0,54	0,56	0,53	0,56	0,54	0,57
0,5	0,49	0,51	0,49	0,51	0,49	0,52
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,46	0,45	0,47	0,45	0,47	0,45	0,47
0,44	0,43	0,45	0,43	0,44	0,43	0,45
0,42	0,41	0,43	0,41	0,42	0,41	0,43
0,4	0,40	0,40	0,39	0,40	0,39	0,41
0,39	0,39	0,39	0,38	0,39	0,38	0,40
0,38	0,38	0,38	0,37	0,38	0,37	0,39
0,37	0,37	0,37	0,36	0,37	0,36	0,38
0,36	0,36	0,36	0,35	0,36	0,36	0,37
0,35	0,35	0,35	0,34	0,35	0,35	0,36
0,34	0,34	0,34	0,34	0,34	0,34	0,35
0,33	0,33	0,33	0,33	0,33	0,33	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,31
0,3	0,30	0,30	0,30	0,30	0,30	0,30
0,29	0,29	0,29	0,29	0,29	0,29	0,29
0,28	0,28	0,28	0,28	0,28	0,28	0,28
0,27	0,27	0,27	0,27	0,27	0,27	0,27
0,26	0,26	0,26	0,26	0,26	0,26	0,26
0,25	0,25	0,25	0,25	0,25	0,25	0,25
0,24	0,24	0,24	0,24	0,24	0,24	0,24

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	15,19	INF	10,87	INF	6,63	INF
10	6,07	INF	5,25	INF	4,03	INF
5	3,79	52,01	3,46	INF	2,89	INF
3	2,53	6,36	2,38	12,26	2,10	INF
2	1,79	3,03	1,71	3,90	1,57	5,78
1,6	1,46	2,18	1,41	2,58	1,32	3,26
1,4	1,30	1,81	1,26	2,08	1,18	2,49
1,2	1,12	1,48	1,10	1,65	1,04	1,89
1	0,95	1,18	0,93	1,28	0,89	1,42
0,9	0,86	1,04	0,84	1,11	0,81	1,21
0,8	0,77	0,91	0,76	0,96	0,73	1,03
0,75	0,72	0,84	0,71	0,89	0,69	0,94
0,7	0,68	0,78	0,67	0,81	0,65	0,86
0,65	0,63	0,71	0,62	0,74	0,61	0,78
0,6	0,58	0,65	0,58	0,68	0,56	0,71
0,55	0,54	0,59	0,53	0,61	0,52	0,64
0,5	0,49	0,53	0,48	0,55	0,48	0,57
0,48	0,47	0,51	0,47	0,52	0,46	0,54
0,46	0,45	0,49	0,45	0,50	0,44	0,51
0,44	0,43	0,46	0,43	0,47	0,42	0,49
0,42	0,41	0,44	0,41	0,45	0,40	0,46
0,4	0,39	0,42	0,39	0,43	0,39	0,44
0,39	0,38	0,41	0,38	0,41	0,38	0,42
0,38	0,37	0,40	0,37	0,40	0,37	0,41
0,37	0,36	0,38	0,36	0,39	0,36	0,40
0,36	0,36	0,37	0,35	0,38	0,35	0,39
0,35	0,35	0,36	0,34	0,37	0,34	0,37
0,34	0,34	0,35	0,33	0,36	0,33	0,36
0,33	0,33	0,34	0,32	0,34	0,32	0,35
0,32	0,32	0,33	0,32	0,33	0,31	0,34
0,31	0,31	0,32	0,31	0,32	0,30	0,33
0,3	0,30	0,31	0,30	0,31	0,29	0,32
0,29	0,29	0,30	0,29	0,30	0,28	0,30
0,28	0,28	0,29	0,28	0,29	0,27	0,29
0,27	0,27	0,28	0,27	0,28	0,27	0,28
0,26	0,26	0,26	0,26	0,27	0,26	0,27
0,25	0,25	0,25	0,25	0,26	0,25	0,26
0,24	0,24	0,24	0,24	0,25	0,24	0,25

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	4,09	INF	2,63	INF
10	2,94	INF	2,11	INF
5	2,29	INF	1,76	INF
3	1,77	INF	1,45	INF
2	1,38	15,39	1,18	INF
1,6	1,19	4,97	1,04	18,47
1,4	1,08	3,35	0,96	6,49
1,2	0,96	2,34	0,86	3,48
1	0,83	1,64	0,76	2,11
0,9	0,76	1,37	0,71	1,68
0,8	0,69	1,14	0,65	1,33
0,75	0,66	1,03	0,61	1,19
0,7	0,62	0,93	0,58	1,05
0,65	0,58	0,84	0,55	0,93
0,6	0,54	0,75	0,52	0,82
0,55	0,50	0,67	0,48	0,72
0,5	0,46	0,59	0,44	0,63
0,48	0,45	0,56	0,43	0,60
0,46	0,43	0,53	0,41	0,56
0,44	0,41	0,50	0,40	0,53
0,42	0,40	0,48	0,38	0,50
0,4	0,38	0,45	0,37	0,47
0,39	0,37	0,44	0,36	0,45
0,38	0,36	0,42	0,35	0,44
0,37	0,35	0,41	0,34	0,42
0,36	0,34	0,40	0,33	0,41
0,35	0,33	0,38	0,33	0,40
0,34	0,33	0,37	0,32	0,38
0,33	0,32	0,36	0,31	0,37
0,32	0,31	0,35	0,30	0,35
0,31	0,30	0,33	0,29	0,34
0,3	0,29	0,32	0,28	0,33
0,29	0,28	0,31	0,28	0,32
0,28	0,27	0,30	0,27	0,30
0,27	0,26	0,28	0,26	0,29
0,26	0,25	0,27	0,25	0,28
0,25	0,24	0,26	0,24	0,27
0,24	0,23	0,25	0,23	0,25

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	32,74	INF	40,82	INF	37,45	INF
10	7,69	14,32	8,06	22,85	7,92	81,02
6	5,09	7,31	5,25	9,00	5,19	12,48
4	3,58	4,53	3,66	5,12	3,63	6,06
3	2,76	3,28	2,81	3,58	2,79	4,01
2,5	2,33	2,69	2,36	2,88	2,35	3,15
2	1,89	2,12	1,91	2,23	1,91	2,39
1,8	1,72	1,89	1,73	1,98	1,72	2,10
1,6	1,53	1,67	1,55	1,74	1,54	1,83
1,4	1,35	1,45	1,36	1,50	1,36	1,57
1,3	1,26	1,35	1,26	1,39	1,26	1,44
1,2	1,16	1,24	1,17	1,27	1,17	1,32
1,1	1,07	1,13	1,08	1,16	1,07	1,20
1	0,98	1,03	0,98	1,05	0,98	1,08
0,95	0,93	0,97	0,93	0,99	0,93	1,02
0,9	0,88	0,92	0,88	0,94	0,88	0,96
0,85	0,83	0,87	0,84	0,88	0,83	0,90
0,8	0,78	0,82	0,79	0,83	0,79	0,85
0,75	0,74	0,76	0,74	0,78	0,74	0,79
0,7	0,69	0,71	0,69	0,72	0,69	0,73
0,65	0,64	0,66	0,64	0,67	0,64	0,68
0,6	0,59	0,61	0,59	0,61	0,59	0,62
0,58	0,57	0,59	0,57	0,59	0,57	0,60
0,56	0,55	0,57	0,55	0,57	0,55	0,58
0,54	0,53	0,55	0,54	0,55	0,53	0,56
0,52	0,51	0,53	0,52	0,53	0,51	0,54
0,5	0,49	0,51	0,50	0,51	0,50	0,51
0,49	0,49	0,49	0,49	0,50	0,49	0,50
0,48	0,48	0,48	0,48	0,49	0,48	0,49
0,47	0,47	0,47	0,47	0,48	0,47	0,48
0,46	0,46	0,46	0,46	0,47	0,46	0,47
0,45	0,45	0,45	0,45	0,46	0,45	0,46
0,44	0,44	0,44	0,44	0,45	0,44	0,45
0,43	0,43	0,43	0,43	0,44	0,43	0,44
0,42	0,42	0,42	0,42	0,43	0,42	0,43
0,41	0,41	0,41	0,41	0,42	0,41	0,42
0,4	0,40	0,40	0,40	0,41	0,40	0,41
0,39	0,39	0,39	0,39	0,39	0,39	0,40
0,38	0,38	0,38	0,38	0,38	0,38	0,39
0,37	0,37	0,37	0,37	0,37	0,37	0,38
0,36	0,36	0,36	0,36	0,36	0,36	0,37
0,35	0,35	0,35	0,35	0,35	0,35	0,36
0,34	0,34	0,34	0,34	0,34	0,34	0,35
0,33	0,33	0,33	0,33	0,33	0,33	0,33
0,32	0,32	0,32	0,32	0,32	0,32	0,32
0,31	0,31	0,31	0,31	0,31	0,31	0,31
0,3	0,30	0,30	0,30	0,30	0,30	0,30

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	25,17	INF	15,08	INF	9,07	INF
10	7,19	INF	6,05	INF	4,80	INF
6	4,87	21,85	4,33	INF	3,65	INF
4	3,47	7,63	3,19	10,99	2,81	24,69
3	2,70	4,62	2,53	5,65	2,29	7,86
2,5	2,29	3,51	2,17	4,07	1,99	5,08
2	1,86	2,58	1,78	2,87	1,66	3,32
1,8	1,69	2,25	1,62	2,46	1,53	2,79
1,6	1,51	1,94	1,46	2,09	1,38	2,32
1,4	1,33	1,65	1,29	1,76	1,23	1,91
1,3	1,24	1,51	1,21	1,60	1,16	1,72
1,2	1,15	1,37	1,12	1,44	1,08	1,54
1,1	1,06	1,24	1,04	1,30	1,00	1,38
1	0,97	1,11	0,95	1,16	0,92	1,22
0,95	0,92	1,05	0,90	1,09	0,87	1,14
0,9	0,87	0,99	0,86	1,02	0,83	1,07
0,85	0,83	0,93	0,81	0,96	0,79	1,00
0,8	0,78	0,87	0,77	0,89	0,75	0,93
0,75	0,73	0,81	0,72	0,83	0,70	0,86
0,7	0,69	0,75	0,68	0,77	0,66	0,79
0,65	0,64	0,69	0,63	0,71	0,62	0,72
0,6	0,59	0,63	0,58	0,65	0,57	0,66
0,58	0,57	0,61	0,56	0,62	0,55	0,64
0,56	0,55	0,59	0,55	0,60	0,54	0,61
0,54	0,53	0,57	0,53	0,57	0,52	0,59
0,52	0,51	0,54	0,51	0,55	0,50	0,56
0,5	0,49	0,52	0,49	0,53	0,48	0,54
0,49	0,48	0,51	0,48	0,52	0,47	0,53
0,48	0,47	0,50	0,47	0,51	0,46	0,51
0,47	0,46	0,49	0,46	0,49	0,45	0,50
0,46	0,45	0,48	0,45	0,48	0,45	0,49
0,45	0,44	0,47	0,44	0,47	0,44	0,48
0,44	0,44	0,45	0,43	0,46	0,43	0,47
0,43	0,43	0,44	0,42	0,45	0,42	0,46
0,42	0,42	0,43	0,41	0,44	0,41	0,44
0,41	0,41	0,42	0,40	0,43	0,40	0,43
0,4	0,40	0,41	0,39	0,42	0,39	0,42
0,39	0,39	0,40	0,38	0,40	0,38	0,41
0,38	0,38	0,39	0,37	0,39	0,37	0,40
0,37	0,37	0,38	0,36	0,38	0,36	0,39
0,36	0,36	0,37	0,36	0,37	0,35	0,38
0,35	0,35	0,36	0,35	0,36	0,34	0,36
0,34	0,34	0,35	0,34	0,35	0,33	0,35
0,33	0,33	0,34	0,33	0,34	0,32	0,34
0,32	0,32	0,33	0,32	0,33	0,31	0,33
0,31	0,31	0,32	0,31	0,32	0,30	0,32
0,3	0,30	0,30	0,30	0,31	0,30	0,31

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	5,73	INF	3,77	INF
10	3,69	INF	2,78	INF
6	2,98	INF	2,36	INF
4	2,40	INF	1,99	INF
3	2,01	16,98	1,72	INF
2,5	1,78	7,74	1,55	29,88
2	1,52	4,26	1,35	7,10
1,8	1,40	3,41	1,26	4,99
1,6	1,28	2,73	1,16	3,64
1,4	1,15	2,17	1,06	2,70
1,3	1,09	1,93	1,00	2,33
1,2	1,02	1,71	0,94	2,01
1,1	0,95	1,50	0,88	1,73
1	0,87	1,31	0,82	1,48
0,95	0,84	1,22	0,79	1,36
0,9	0,80	1,14	0,75	1,26
0,85	0,76	1,06	0,72	1,16
0,8	0,72	0,98	0,69	1,06
0,75	0,68	0,90	0,65	0,97
0,7	0,64	0,83	0,61	0,88
0,65	0,60	0,75	0,58	0,80
0,6	0,56	0,68	0,54	0,72
0,58	0,54	0,66	0,52	0,69
0,56	0,52	0,63	0,51	0,66
0,54	0,51	0,60	0,49	0,63
0,52	0,49	0,58	0,48	0,60
0,5	0,47	0,55	0,46	0,57
0,49	0,46	0,54	0,45	0,56
0,48	0,46	0,53	0,44	0,55
0,47	0,45	0,51	0,44	0,53
0,46	0,44	0,50	0,43	0,52
0,45	0,43	0,49	0,42	0,50
0,44	0,42	0,48	0,41	0,49
0,43	0,41	0,46	0,40	0,48
0,42	0,40	0,45	0,39	0,47
0,41	0,39	0,44	0,39	0,45
0,4	0,38	0,43	0,38	0,44
0,39	0,38	0,42	0,37	0,43
0,38	0,37	0,40	0,36	0,41
0,37	0,36	0,39	0,35	0,40
0,36	0,35	0,38	0,34	0,39
0,35	0,34	0,37	0,33	0,38
0,34	0,33	0,36	0,32	0,36
0,33	0,32	0,35	0,32	0,35
0,32	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	69,25	INF	120,26	INF	214,07	INF
20	15,54	28,07	17,16	55,84	18,29	INF
10	8,75	11,66	9,24	14,67	9,55	21,13
7	6,37	7,77	6,62	8,99	6,78	11,04
5	4,67	5,38	4,80	5,93	4,88	6,75
4	3,79	4,24	3,87	4,57	3,93	5,03
3,5	3,34	3,68	3,40	3,92	3,44	4,26
3	2,88	3,13	2,93	3,30	2,96	3,54
2,5	2,42	2,59	2,45	2,70	2,47	2,86
2,2	2,14	2,27	2,16	2,36	2,18	2,47
2	1,95	2,06	1,97	2,13	1,98	2,22
1,8	1,76	1,84	1,77	1,90	1,78	1,97
1,6	1,57	1,63	1,58	1,68	1,59	1,73
1,5	1,47	1,53	1,48	1,57	1,49	1,62
1,4	1,38	1,43	1,38	1,46	1,39	1,50
1,3	1,28	1,32	1,29	1,35	1,29	1,38
1,2	1,18	1,22	1,19	1,24	1,19	1,27
1,1	1,08	1,12	1,09	1,13	1,09	1,16
1	0,99	1,01	0,99	1,03	1,00	1,05
0,95	0,94	0,96	0,94	0,97	0,95	0,99
0,9	0,89	0,91	0,89	0,92	0,90	0,94
0,85	0,84	0,86	0,84	0,87	0,85	0,88
0,8	0,79	0,81	0,80	0,82	0,80	0,83
0,78	0,77	0,79	0,78	0,80	0,78	0,81
0,76	0,75	0,77	0,76	0,78	0,76	0,79
0,74	0,73	0,75	0,74	0,75	0,74	0,76
0,72	0,71	0,73	0,72	0,73	0,72	0,74
0,7	0,69	0,71	0,70	0,71	0,70	0,72
0,68	0,67	0,69	0,68	0,69	0,68	0,70
0,66	0,66	0,67	0,66	0,67	0,66	0,68
0,64	0,64	0,64	0,64	0,65	0,64	0,66
0,62	0,62	0,62	0,62	0,63	0,62	0,64
0,6	0,60	0,60	0,60	0,61	0,60	0,61
0,59	0,59	0,59	0,59	0,60	0,59	0,60
0,58	0,58	0,58	0,58	0,59	0,58	0,59
0,57	0,57	0,57	0,57	0,58	0,57	0,58
0,56	0,56	0,56	0,56	0,57	0,56	0,57
0,55	0,55	0,55	0,55	0,56	0,55	0,56
0,54	0,54	0,54	0,54	0,55	0,54	0,55
0,53	0,53	0,53	0,53	0,54	0,53	0,54
0,52	0,52	0,52	0,52	0,53	0,52	0,53
0,51	0,51	0,51	0,51	0,52	0,51	0,52
0,5	0,50	0,50	0,50	0,51	0,50	0,51
0,49	0,49	0,49	0,49	0,50	0,49	0,50
0,48	0,48	0,48	0,48	0,49	0,48	0,49
0,47	0,47	0,47	0,47	0,47	0,47	0,48
0,46	0,46	0,46	0,46	0,46	0,46	0,47
0,45	0,45	0,45	0,45	0,45	0,45	0,46

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	106,47	INF	44,56	INF	22,36	INF
20	16,84	INF	13,82	INF	10,59	INF
10	9,14	36,05	8,18	INF	6,93	INF
7	6,57	14,06	6,06	20,02	5,35	41,96
5	4,78	7,75	4,50	9,26	4,10	12,18
4	3,86	5,57	3,68	6,30	3,41	7,51
3,5	3,39	4,64	3,25	5,13	3,04	5,90
3	2,92	3,79	2,82	4,11	2,66	4,59
2,5	2,44	3,02	2,37	3,21	2,26	3,50
2,2	2,16	2,59	2,10	2,73	2,01	2,93
2	1,96	2,31	1,92	2,42	1,84	2,58
1,8	1,77	2,05	1,73	2,13	1,67	2,25
1,6	1,58	1,79	1,55	1,85	1,50	1,94
1,5	1,48	1,66	1,45	1,72	1,41	1,79
1,4	1,38	1,54	1,36	1,59	1,32	1,65
1,3	1,28	1,42	1,27	1,46	1,23	1,51
1,2	1,19	1,30	1,17	1,33	1,14	1,37
1,1	1,09	1,18	1,08	1,21	1,05	1,24
1	0,99	1,07	0,98	1,09	0,96	1,11
0,95	0,94	1,01	0,93	1,03	0,92	1,05
0,9	0,89	0,95	0,88	0,97	0,87	0,99
0,85	0,84	0,90	0,84	0,91	0,82	0,93
0,8	0,79	0,84	0,79	0,85	0,78	0,87
0,78	0,77	0,82	0,77	0,83	0,76	0,84
0,76	0,75	0,79	0,75	0,81	0,74	0,82
0,74	0,74	0,77	0,73	0,78	0,72	0,80
0,72	0,72	0,75	0,71	0,76	0,70	0,77
0,7	0,70	0,73	0,69	0,74	0,68	0,75
0,68	0,68	0,71	0,67	0,72	0,66	0,73
0,66	0,66	0,68	0,65	0,69	0,64	0,70
0,64	0,64	0,66	0,63	0,67	0,63	0,68
0,62	0,62	0,64	0,61	0,65	0,61	0,66
0,6	0,60	0,62	0,59	0,63	0,59	0,63
0,59	0,59	0,61	0,58	0,62	0,58	0,62
0,58	0,58	0,60	0,57	0,60	0,57	0,61
0,57	0,57	0,59	0,56	0,59	0,56	0,60
0,56	0,56	0,58	0,55	0,58	0,55	0,59
0,55	0,55	0,57	0,54	0,57	0,54	0,58
0,54	0,54	0,56	0,53	0,56	0,53	0,57
0,53	0,53	0,54	0,52	0,55	0,52	0,56
0,52	0,52	0,53	0,52	0,54	0,51	0,54
0,51	0,51	0,52	0,51	0,53	0,50	0,53
0,5	0,50	0,51	0,50	0,52	0,49	0,52
0,49	0,49	0,50	0,49	0,51	0,48	0,51
0,48	0,48	0,49	0,48	0,50	0,47	0,50
0,47	0,47	0,48	0,47	0,48	0,46	0,49
0,46	0,46	0,47	0,46	0,47	0,45	0,48
0,45	0,45	0,46	0,45	0,46	0,44	0,47

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	12,90	INF	8,02	INF
20	7,87	INF	5,75	INF
10	5,66	INF	4,48	INF
7	4,57	INF	3,77	INF
5	3,63	21,36	3,11	INF
4	3,08	10,20	2,70	20,26
3,5	2,77	7,43	2,47	11,59
3	2,45	5,45	2,21	7,38
2,5	2,11	3,97	1,93	4,90
2,2	1,90	3,25	1,75	3,84
2	1,75	2,82	1,62	3,25
1,8	1,59	2,43	1,49	2,74
1,6	1,44	2,07	1,35	2,29
1,5	1,36	1,90	1,28	2,09
1,4	1,27	1,74	1,21	1,89
1,3	1,19	1,59	1,14	1,71
1,2	1,11	1,44	1,06	1,53
1,1	1,02	1,29	0,98	1,37
1	0,94	1,15	0,90	1,21
0,95	0,89	1,09	0,86	1,14
0,9	0,85	1,02	0,82	1,07
0,85	0,81	0,95	0,78	0,99
0,8	0,76	0,89	0,74	0,92
0,78	0,74	0,87	0,72	0,90
0,76	0,72	0,84	0,71	0,87
0,74	0,71	0,82	0,69	0,84
0,72	0,69	0,79	0,67	0,82
0,7	0,67	0,77	0,65	0,79
0,68	0,65	0,74	0,64	0,76
0,66	0,63	0,72	0,62	0,74
0,64	0,62	0,69	0,60	0,71
0,62	0,60	0,67	0,58	0,69
0,6	0,58	0,65	0,57	0,66
0,59	0,57	0,63	0,56	0,65
0,58	0,56	0,62	0,55	0,64
0,57	0,55	0,61	0,54	0,62
0,56	0,54	0,60	0,53	0,61
0,55	0,53	0,59	0,52	0,60
0,54	0,52	0,57	0,51	0,59
0,53	0,51	0,56	0,51	0,57
0,52	0,50	0,55	0,50	0,56
0,51	0,50	0,54	0,49	0,55
0,5	0,49	0,53	0,48	0,54
0,49	0,48	0,52	0,47	0,53
0,48	0,47	0,51	0,46	0,51
0,47	0,46	0,49	0,45	0,50
0,46	0,45	0,48	0,44	0,49
0,45	0,44	0,47	0,43	0,48

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	182,44	INF	169,21	INF	140,77	INF
50	39,28	68,82	38,62	90,49	36,92	INF
20	18,04	22,44	17,90	24,33	17,53	27,73
15	13,87	16,33	13,79	17,30	13,57	18,95
12	11,27	12,83	11,22	13,42	11,07	14,39
10	9,49	10,57	9,45	10,96	9,35	11,60
8	7,67	8,36	7,65	8,60	7,58	8,99
7	6,75	7,27	6,73	7,45	6,67	7,74
6	5,81	6,20	5,80	6,33	5,76	6,53
5,5	5,34	5,67	5,33	5,77	5,30	5,94
5	4,87	5,14	4,86	5,22	4,83	5,36
4,5	4,40	4,61	4,39	4,68	4,36	4,79
4	3,92	4,09	3,91	4,14	3,89	4,23
3,8	3,73	3,88	3,72	3,93	3,70	4,00
3,6	3,53	3,67	3,53	3,71	3,51	3,78
3,4	3,34	3,46	3,34	3,50	3,32	3,56
3,2	3,15	3,25	3,14	3,29	3,13	3,34
3	2,95	3,05	2,95	3,08	2,94	3,12
2,8	2,76	2,84	2,76	2,87	2,75	2,91
2,6	2,57	2,63	2,56	2,66	2,56	2,69
2,4	2,37	2,43	2,37	2,45	2,36	2,48
2,2	2,18	2,22	2,17	2,24	2,17	2,26
2	1,98	2,02	1,98	2,03	1,97	2,05
1,9	1,88	1,92	1,88	1,93	1,88	1,95
1,8	1,78	1,82	1,78	1,83	1,78	1,84
1,7	1,69	1,71	1,68	1,72	1,68	1,74
1,6	1,59	1,61	1,59	1,62	1,58	1,63
1,5	1,49	1,51	1,49	1,52	1,49	1,53
1,4	1,39	1,41	1,39	1,42	1,39	1,42
1,3	1,29	1,31	1,29	1,31	1,29	1,32
1,2	1,19	1,21	1,19	1,21	1,19	1,22
1,1	1,09	1,11	1,09	1,11	1,09	1,11
1	1,00	1,00	1,00	1,01	0,99	1,01

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	98,68	INF	64,40	INF	41,62	INF
50	33,22	INF	28,18	INF	22,75	INF
20	16,65	33,03	15,29	43,08	13,54	70,90
15	13,04	21,27	12,19	25,02	11,06	32,37
12	10,71	15,69	10,13	17,63	9,34	20,97
10	9,09	12,42	8,67	13,61	8,09	15,51
8	7,41	9,47	7,13	10,14	6,73	11,15
7	6,54	8,09	6,33	8,58	6,01	9,29
6	5,66	6,78	5,50	7,11	5,26	7,60
5,5	5,22	6,15	5,08	6,42	4,87	6,81
5	4,77	5,53	4,65	5,74	4,48	6,05
4,5	4,31	4,92	4,22	5,09	4,08	5,33
4	3,85	4,33	3,77	4,46	3,66	4,64
3,8	3,66	4,09	3,60	4,21	3,49	4,37
3,6	3,48	3,86	3,42	3,96	3,33	4,10
3,4	3,29	3,63	3,24	3,72	3,15	3,85
3,2	3,10	3,40	3,06	3,48	2,98	3,59
3	2,92	3,18	2,87	3,24	2,81	3,34
2,8	2,73	2,95	2,69	3,01	2,63	3,09
2,6	2,54	2,73	2,50	2,78	2,46	2,85
2,4	2,35	2,51	2,32	2,55	2,28	2,61
2,2	2,16	2,29	2,13	2,32	2,10	2,37
2	1,96	2,07	1,94	2,10	1,92	2,14
1,9	1,87	1,97	1,85	1,99	1,82	2,02
1,8	1,77	1,86	1,76	1,88	1,73	1,91
1,7	1,67	1,75	1,66	1,77	1,64	1,80
1,6	1,58	1,65	1,56	1,66	1,55	1,68
1,5	1,48	1,54	1,47	1,55	1,45	1,57
1,4	1,38	1,43	1,37	1,45	1,36	1,46
1,3	1,29	1,33	1,28	1,34	1,27	1,35
1,2	1,19	1,22	1,18	1,23	1,17	1,24
1,1	1,09	1,12	1,08	1,13	1,08	1,14
1	0,99	1,02	0,99	1,02	0,98	1,03

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	27,58	INF	18,59	INF
50	17,81	INF	13,58	INF
20	11,63	INF	9,68	INF
15	9,75	54,72	8,34	INF
12	8,40	28,48	7,33	56,90
10	7,37	19,25	6,54	29,02
8	6,23	12,95	5,63	16,72
7	5,61	10,50	5,12	12,84
6	4,95	8,38	4,57	9,80
5,5	4,61	7,43	4,28	8,52
5	4,26	6,54	3,97	7,36
4,5	3,89	5,70	3,65	6,32
4	3,51	4,92	3,32	5,36
3,8	3,36	4,61	3,18	5,00
3,6	3,20	4,32	3,04	4,66
3,4	3,04	4,03	2,90	4,33
3,2	2,88	3,75	2,75	4,00
3	2,72	3,48	2,60	3,69
2,8	2,56	3,21	2,45	3,39
2,6	2,39	2,95	2,30	3,10
2,4	2,22	2,69	2,14	2,81
2,2	2,05	2,44	1,98	2,54
2	1,88	2,19	1,82	2,27
1,9	1,79	2,07	1,74	2,14
1,8	1,70	1,95	1,66	2,02
1,7	1,61	1,83	1,57	1,89
1,6	1,52	1,72	1,49	1,76
1,5	1,43	1,60	1,40	1,64
1,4	1,34	1,49	1,31	1,52
1,3	1,25	1,37	1,23	1,40
1,2	1,16	1,26	1,14	1,29
1,1	1,06	1,15	1,05	1,17
1	0,97	1,04	0,96	1,06

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	239,71	INF	237,25	INF	164,57	INF
100	70,62	INF	70,39	INF	62,26	INF
90	65,48	INF	65,29	INF	58,23	INF
80	60,03	INF	59,87	INF	53,88	INF
70	54,22	98,79	54,09	INF	49,16	INF
60	48,03	79,96	47,92	INF	44,01	INF
50	41,41	63,12	41,33	76,46	38,39	98,32
45	37,92	55,35	37,85	65,33	35,37	80,65
40	34,31	47,97	34,26	55,28	32,21	65,85
35	30,57	40,95	30,52	46,15	28,89	53,29
30	26,69	34,26	26,65	37,82	25,40	42,48
25	22,66	27,88	22,64	30,19	21,73	33,08
20	18,48	21,80	18,46	23,18	17,85	24,84
15	14,13	15,99	14,12	16,71	13,76	17,55
14	13,24	14,85	13,23	15,48	12,92	16,20
13	12,34	13,73	12,34	14,26	12,06	14,87
12	11,44	12,62	11,43	13,07	11,20	13,57
11	10,53	11,52	10,52	11,89	10,32	12,30
10	9,61	10,43	9,60	10,73	9,44	11,06
9,5	9,15	9,88	9,14	10,15	8,99	10,45
9	8,68	9,34	8,68	9,58	8,54	9,85
8,5	8,22	8,80	8,21	9,02	8,09	9,25
8	7,75	8,27	7,75	8,45	7,64	8,66
7,5	7,28	7,73	7,28	7,90	7,18	8,08
7	6,81	7,20	6,81	7,34	6,72	7,50
6,5	6,33	6,67	6,33	6,79	6,26	6,93
6	5,86	6,15	5,86	6,25	5,80	6,36
5,5	5,38	5,62	5,38	5,71	5,33	5,80
5	4,90	5,10	4,90	5,17	4,86	5,24
4,8	4,71	4,89	4,71	4,96	4,67	5,02
4,6	4,52	4,69	4,52	4,74	4,48	4,80
4,5	4,42	4,58	4,42	4,64	4,39	4,70
4,4	4,32	4,48	4,32	4,53	4,29	4,59
4,2	4,13	4,27	4,13	4,32	4,10	4,37
4	3,94	4,06	3,94	4,11	3,91	4,15
3,8	3,74	3,86	3,74	3,90	3,72	3,94
3,6	3,55	3,65	3,55	3,68	3,53	3,72
3,5	3,45	3,55	3,45	3,58	3,43	3,61
3,4	3,36	3,45	3,36	3,48	3,34	3,51
3,2	3,16	3,24	3,16	3,27	3,14	3,29
3	2,97	3,04	2,97	3,06	2,95	3,08
2,9	2,87	2,93	2,87	2,95	2,85	2,98
2,8	2,77	2,83	2,77	2,85	2,76	2,87
2,7	2,67	2,73	2,67	2,75	2,66	2,77
2,6	2,57	2,63	2,57	2,64	2,56	2,66

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,48	2,52	2,48	2,54	2,47	2,56
2,4	2,38	2,42	2,38	2,44	2,37	2,45
2,3	2,28	2,32	2,28	2,33	2,27	2,35
2,2	2,18	2,22	2,18	2,23	2,17	2,24
2,1	2,08	2,12	2,08	2,13	2,08	2,14
2	1,99	2,01	1,99	2,02	1,98	2,03
1,95	1,94	1,96	1,94	1,97	1,93	1,98
1,9	1,89	1,91	1,89	1,92	1,88	1,93
1,85	1,84	1,86	1,84	1,87	1,83	1,88
1,8	1,79	1,81	1,79	1,82	1,78	1,83
1,75	1,74	1,76	1,74	1,77	1,73	1,78
1,7	1,69	1,71	1,69	1,72	1,68	1,72
1,65	1,64	1,66	1,64	1,67	1,64	1,67
1,6	1,59	1,61	1,59	1,61	1,59	1,62
1,55	1,54	1,56	1,54	1,56	1,54	1,57
1,5	1,49	1,51	1,49	1,51	1,49	1,52
1,45	1,44	1,46	1,44	1,46	1,44	1,47
1,4	1,39	1,41	1,39	1,41	1,39	1,42
1,35	1,34	1,36	1,34	1,36	1,34	1,36
1,3	1,29	1,31	1,29	1,31	1,29	1,31
1,25	1,24	1,26	1,24	1,26	1,24	1,26
1,2	1,20	1,20	1,20	1,21	1,19	1,21
1,15	1,15	1,15	1,15	1,16	1,14	1,16
1,1	1,10	1,10	1,10	1,11	1,09	1,11
1,05	1,05	1,05	1,05	1,06	1,04	1,06
1	1,00	1,00	1,00	1,00	1,00	1,01
0,98	0,98	0,98	0,98	0,98	0,98	0,99
0,96	0,96	0,96	0,96	0,96	0,96	0,97
0,95	0,95	0,95	0,95	0,95	0,95	0,96
0,94	0,94	0,94	0,94	0,94	0,94	0,95
0,92	0,92	0,92	0,92	0,92	0,92	0,93
0,9	0,90	0,90	0,90	0,90	0,90	0,91
0,88	0,88	0,88	0,88	0,88	0,88	0,89
0,86	0,86	0,86	0,86	0,86	0,86	0,86
0,85	0,85	0,85	0,85	0,85	0,85	0,85
0,84	0,84	0,84	0,84	0,84	0,84	0,84
0,82	0,82	0,82	0,82	0,82	0,82	0,82
0,8	0,80	0,80	0,80	0,80	0,80	0,80
0,78	0,78	0,78	0,78	0,78	0,78	0,78
0,76	0,76	0,76	0,76	0,76	0,76	0,76
0,75	0,75	0,75	0,75	0,75	0,75	0,75
0,74	0,74	0,74	0,74	0,74	0,74	0,74
0,72	0,72	0,72	0,72	0,72	0,72	0,72
0,7	0,70	0,70	0,70	0,70	0,70	0,70

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	112,38	INF	76,42	INF	51,79	INF
100	52,97	INF	43,37	INF	34,17	INF
90	50,03	INF	41,39	INF	32,93	INF
80	46,79	INF	39,14	INF	31,50	INF
70	43,19	INF	36,59	INF	29,83	INF
60	39,17	INF	33,67	INF	27,86	INF
50	34,65	INF	30,28	INF	25,50	INF
45	32,18	INF	28,38	INF	24,14	INF
40	29,54	88,37	26,31	INF	22,63	INF
35	26,73	67,11	24,06	INF	20,94	INF
30	23,72	50,81	21,59	69,23	19,05	INF
25	20,48	37,92	18,88	47,29	16,91	71,06
20	17,01	27,46	15,89	32,05	14,48	41,42
15	13,26	18,82	12,57	20,85	11,67	24,43
14	12,47	17,26	11,86	18,96	11,06	21,87
13	11,67	15,76	11,14	17,16	10,43	19,51
12	10,86	14,31	10,40	15,45	9,78	17,32
11	10,04	12,91	9,64	13,83	9,11	15,30
10	9,20	11,55	8,87	12,27	8,41	13,42
9,5	8,78	10,88	8,47	11,53	8,06	12,53
9	8,35	10,23	8,07	10,79	7,70	11,67
8,5	7,92	9,59	7,67	10,08	7,33	10,84
8	7,48	8,95	7,26	9,38	6,96	10,03
7,5	7,04	8,33	6,85	8,70	6,58	9,25
7	6,60	7,71	6,43	8,03	6,19	8,50
6,5	6,16	7,11	6,01	7,37	5,80	7,77
6	5,71	6,51	5,58	6,73	5,40	7,06
5,5	5,25	5,93	5,15	6,11	4,99	6,37
5	4,80	5,35	4,71	5,49	4,58	5,71
4,8	4,61	5,12	4,53	5,25	4,41	5,45
4,6	4,43	4,89	4,35	5,01	4,24	5,19
4,5	4,34	4,78	4,26	4,89	4,16	5,06
4,4	4,24	4,66	4,17	4,77	4,07	4,93
4,2	4,06	4,44	3,99	4,54	3,90	4,68
4	3,87	4,22	3,81	4,31	3,73	4,43
3,8	3,68	3,99	3,63	4,07	3,56	4,19
3,6	3,50	3,77	3,45	3,84	3,38	3,94
3,5	3,40	3,66	3,36	3,73	3,29	3,82
3,4	3,31	3,55	3,26	3,61	3,20	3,70
3,2	3,12	3,33	3,08	3,39	3,03	3,47
3	2,93	3,12	2,90	3,16	2,85	3,23
2,9	2,83	3,01	2,80	3,05	2,76	3,11
2,8	2,74	2,90	2,71	2,94	2,67	3,00
2,7	2,64	2,79	2,62	2,83	2,58	2,88
2,6	2,55	2,69	2,52	2,72	2,49	2,77

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,45	2,58	2,43	2,61	2,40	2,65
2,4	2,35	2,47	2,33	2,50	2,30	2,54
2,3	2,26	2,37	2,24	2,39	2,21	2,43
2,2	2,16	2,26	2,14	2,28	2,12	2,32
2,1	2,07	2,15	2,05	2,18	2,03	2,21
2	1,97	2,05	1,95	2,07	1,93	2,09
1,95	1,92	2,00	1,91	2,01	1,89	2,04
1,9	1,87	1,94	1,86	1,96	1,84	1,98
1,85	1,82	1,89	1,81	1,91	1,79	1,93
1,8	1,78	1,84	1,76	1,85	1,75	1,87
1,75	1,73	1,79	1,72	1,80	1,70	1,82
1,7	1,68	1,73	1,67	1,75	1,65	1,77
1,65	1,63	1,68	1,62	1,69	1,61	1,71
1,6	1,58	1,63	1,57	1,64	1,56	1,66
1,55	1,53	1,58	1,52	1,59	1,51	1,60
1,5	1,48	1,53	1,48	1,54	1,46	1,55
1,45	1,43	1,47	1,43	1,48	1,42	1,50
1,4	1,39	1,42	1,38	1,43	1,37	1,44
1,35	1,34	1,37	1,33	1,38	1,32	1,39
1,3	1,29	1,32	1,28	1,33	1,27	1,34
1,25	1,24	1,27	1,23	1,27	1,23	1,28
1,2	1,19	1,22	1,19	1,22	1,18	1,23
1,15	1,14	1,16	1,14	1,17	1,13	1,18
1,1	1,09	1,11	1,09	1,12	1,08	1,12
1,05	1,04	1,06	1,04	1,07	1,03	1,07
1	0,99	1,01	0,99	1,01	0,99	1,02
0,98	0,97	0,99	0,97	0,99	0,97	1,00
0,96	0,95	0,97	0,95	0,97	0,95	0,98
0,95	0,94	0,96	0,94	0,96	0,94	0,97
0,94	0,93	0,95	0,93	0,95	0,93	0,96
0,92	0,91	0,93	0,91	0,93	0,91	0,94
0,9	0,89	0,91	0,89	0,91	0,89	0,91
0,88	0,88	0,89	0,87	0,89	0,87	0,89
0,86	0,86	0,87	0,85	0,87	0,85	0,87
0,85	0,85	0,86	0,84	0,86	0,84	0,86
0,84	0,84	0,85	0,83	0,85	0,83	0,85
0,82	0,82	0,83	0,81	0,83	0,81	0,83
0,8	0,80	0,81	0,79	0,81	0,79	0,81
0,78	0,78	0,79	0,77	0,79	0,77	0,79
0,76	0,76	0,77	0,75	0,77	0,75	0,77
0,75	0,75	0,75	0,75	0,76	0,74	0,76
0,74	0,74	0,74	0,74	0,75	0,73	0,75
0,72	0,72	0,72	0,72	0,73	0,71	0,73
0,7	0,70	0,70	0,70	0,71	0,69	0,71

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	35,14	INF	24,08	INF
100	26,05	INF	19,44	INF
90	25,32	INF	19,04	INF
80	24,47	INF	18,55	INF
70	23,45	INF	17,96	INF
60	22,22	INF	17,23	INF
50	20,70	INF	16,31	INF
45	19,79	INF	15,74	INF
40	18,77	INF	15,09	INF
35	17,60	INF	14,33	INF
30	16,25	INF	13,42	INF
25	14,67	INF	12,33	INF
20	12,80	68,85	10,99	INF
15	10,56	31,89	9,30	55,70
14	10,06	27,65	8,91	43,90
13	9,54	23,97	8,50	35,27
12	8,99	20,75	8,06	28,70
11	8,42	17,91	7,61	23,52
10	7,83	15,38	7,12	19,33
9,5	7,52	14,22	6,86	17,52
9	7,21	13,12	6,60	15,87
8,5	6,88	12,07	6,33	14,36
8	6,55	11,08	6,05	12,97
7,5	6,22	10,13	5,76	11,69
7	5,87	9,23	5,47	10,51
6,5	5,52	8,37	5,16	9,41
6	5,16	7,56	4,84	8,38
5,5	4,78	6,77	4,52	7,43
5	4,40	6,02	4,18	6,53
4,8	4,25	5,73	4,04	6,19
4,6	4,09	5,45	3,90	5,86
4,5	4,01	5,31	3,83	5,69
4,4	3,94	5,17	3,75	5,53
4,2	3,78	4,89	3,61	5,22
4	3,61	4,62	3,46	4,91
3,8	3,45	4,35	3,31	4,61
3,6	3,29	4,09	3,16	4,31
3,5	3,20	3,96	3,08	4,17
3,4	3,12	3,83	3,01	4,02
3,2	2,95	3,58	2,85	3,74
3	2,78	3,33	2,69	3,47
2,9	2,70	3,20	2,61	3,33
2,8	2,61	3,08	2,53	3,20
2,7	2,52	2,96	2,45	3,07
2,6	2,44	2,84	2,37	2,94

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
2,5	2,35	2,72	2,29	2,81
2,4	2,26	2,60	2,20	2,68
2,3	2,17	2,48	2,12	2,56
2,2	2,08	2,36	2,04	2,43
2,1	1,99	2,25	1,95	2,31
2	1,91	2,13	1,86	2,19
1,95	1,86	2,07	1,82	2,13
1,9	1,81	2,02	1,78	2,07
1,85	1,77	1,96	1,74	2,01
1,8	1,72	1,90	1,69	1,95
1,75	1,68	1,85	1,65	1,89
1,7	1,63	1,79	1,60	1,83
1,65	1,59	1,74	1,56	1,77
1,6	1,54	1,68	1,52	1,71
1,55	1,49	1,62	1,47	1,65
1,5	1,45	1,57	1,43	1,60
1,45	1,40	1,51	1,38	1,54
1,4	1,36	1,46	1,34	1,48
1,35	1,31	1,40	1,29	1,43
1,3	1,26	1,35	1,25	1,37
1,25	1,22	1,30	1,20	1,31
1,2	1,17	1,24	1,15	1,26
1,15	1,12	1,19	1,11	1,20
1,1	1,07	1,13	1,06	1,15
1,05	1,03	1,08	1,02	1,09
1	0,98	1,03	0,97	1,04
0,98	0,96	1,01	0,95	1,02
0,96	0,94	0,98	0,93	0,99
0,95	0,93	0,97	0,92	0,98
0,94	0,92	0,96	0,91	0,97
0,92	0,90	0,94	0,90	0,95
0,9	0,88	0,92	0,88	0,93
0,88	0,86	0,90	0,86	0,91
0,86	0,85	0,88	0,84	0,89
0,85	0,84	0,87	0,83	0,87
0,84	0,83	0,86	0,82	0,86
0,82	0,81	0,84	0,80	0,84
0,8	0,79	0,82	0,78	0,82
0,78	0,77	0,79	0,76	0,80
0,76	0,75	0,77	0,74	0,78
0,75	0,74	0,76	0,74	0,77
0,74	0,73	0,75	0,73	0,76
0,72	0,71	0,73	0,71	0,74
0,7	0,69	0,71	0,69	0,72

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	456,97	INF	389,98	INF	267,26	INF
60	53,06	70,36	52,03	76,39	49,04	85,06
30	28,17	32,37	27,88	33,58	27,00	35,15
15	14,53	15,57	14,45	15,83	14,22	16,17
12	11,70	12,36	11,65	12,53	11,50	12,73
10	9,79	10,25	9,76	10,36	9,65	10,50
9	8,83	9,20	8,80	9,29	8,72	9,40
8	7,87	8,16	7,84	8,23	7,78	8,31
7	6,90	7,12	6,88	7,17	6,83	7,35
6	5,93	6,09	5,91	6,12	5,87	6,17
5,5	5,44	5,57	5,43	5,60	5,39	5,64
5	4,95	5,06	4,94	5,09	4,91	5,12
4,5	4,46	4,55	4,45	4,57	4,43	4,59
4	3,97	4,04	3,96	4,05	3,95	4,07
3,8	3,77	3,83	3,77	3,85	3,75	3,87
3,6	3,57	3,63	3,57	3,64	3,56	3,66
3,4	3,38	3,43	3,37	3,44	3,36	3,45
3,2	3,18	3,22	3,18	3,23	3,17	3,25
3	2,98	3,02	2,98	3,03	2,97	3,04
2,8	2,78	2,82	2,78	2,82	2,77	2,83
2,6	2,59	2,62	2,58	2,62	2,58	2,63
2,4	2,39	2,41	2,39	2,42	2,38	2,42
2,2	2,19	2,21	2,19	2,21	2,18	2,22
2	1,99	2,01	1,99	2,01	1,99	2,02
1,9	1,89	1,91	1,89	1,91	1,89	1,91
1,8	1,79	1,81	1,79	1,81	1,79	1,81
1,7	1,69	1,71	1,69	1,71	1,69	1,71
1,6	1,60	1,61	1,59	1,61	1,59	1,61
1,5	1,50	1,50	1,50	1,51	1,49	1,51
1,4	1,40	1,40	1,40	1,41	1,39	1,41
1,3	1,30	1,30	1,30	1,30	1,30	1,31
1,2	1,20	1,20	1,20	1,20	1,20	1,21
1,1	1,10	1,10	1,10	1,10	1,10	1,10
1	1,00	1,00	1,00	1,00	1,00	1,00

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	183,61	INF	126,32	INF	87,31	INF
60	45,28	101,05	40,74	136,63	35,64	269,26
30	25,82	37,59	24,29	41,60	22,39	48,90
15	13,89	16,66	13,44	17,40	12,84	18,54
12	11,28	13,04	10,98	13,48	10,58	14,15
10	9,50	10,70	9,29	11,00	9,00	11,44
9	8,59	9,56	8,42	9,80	8,19	10,15
8	7,68	8,44	7,54	8,62	7,35	8,89
7	6,75	7,33	6,65	7,47	6,50	7,67
6	5,82	6,24	5,74	6,34	5,63	6,48
5,5	5,35	5,70	5,28	5,78	5,19	5,90
5	4,88	5,16	4,82	5,23	4,75	5,32
4,5	4,40	4,63	4,36	4,68	4,29	4,76
4	3,92	4,10	3,89	4,14	3,84	4,20
3,8	3,73	3,89	3,70	3,93	3,65	3,98
3,6	3,54	3,68	3,51	3,71	3,47	3,76
3,4	3,34	3,47	3,32	3,50	3,28	3,54
3,2	3,15	3,26	3,13	3,29	3,10	3,32
3	2,96	3,06	2,94	3,08	2,91	3,11
2,8	2,76	2,85	2,75	2,87	2,72	2,89
2,6	2,57	2,64	2,55	2,66	2,53	2,68
2,4	2,37	2,43	2,36	2,45	2,34	2,47
2,2	2,18	2,23	2,17	2,24	2,15	2,25
2	1,98	2,02	1,97	2,03	1,96	2,04
1,9	1,88	1,92	1,88	1,93	1,87	1,94
1,8	1,79	1,82	1,78	1,83	1,77	1,84
1,7	1,69	1,72	1,68	1,72	1,67	1,73
1,6	1,59	1,61	1,58	1,62	1,58	1,63
1,5	1,49	1,51	1,49	1,52	1,48	1,52
1,4	1,39	1,41	1,39	1,41	1,38	1,42
1,3	1,29	1,31	1,29	1,31	1,29	1,32
1,2	1,19	1,21	1,19	1,21	1,19	1,21
1,1	1,10	1,11	1,09	1,11	1,09	1,11
1	1,00	1,00	0,99	1,01	0,99	1,01

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	60,69	INF	42,42	INF
60	30,25	INF	24,92	INF
30	20,14	64,95	17,65	121,34
15	12,08	20,44	11,14	23,90
12	10,06	15,22	9,41	17,05
10	8,62	12,13	8,14	13,25
9	7,87	10,68	7,47	11,54
8	7,10	9,29	6,77	9,93
7	6,31	7,96	6,05	8,43
6	5,49	6,69	5,29	7,01
5,5	5,07	6,07	4,90	6,33
5	4,64	5,46	4,50	5,67
4,5	4,21	4,87	4,10	5,03
4	3,77	4,29	3,68	4,41
3,8	3,59	4,06	3,51	4,17
3,6	3,42	3,83	3,34	3,93
3,4	3,24	3,60	3,17	3,69
3,2	3,05	3,38	3,00	3,45
3	2,87	3,15	2,82	3,22
2,8	2,69	2,93	2,65	2,99
2,6	2,51	2,71	2,47	2,76
2,4	2,32	2,49	2,29	2,53
2,2	2,13	2,28	2,11	2,31
2	1,95	2,06	1,92	2,09
1,9	1,85	1,96	1,83	1,98
1,8	1,76	1,85	1,74	1,87
1,7	1,66	1,74	1,65	1,76
1,6	1,57	1,64	1,55	1,65
1,5	1,47	1,53	1,46	1,55
1,4	1,38	1,43	1,37	1,44
1,3	1,28	1,32	1,27	1,33
1,2	1,18	1,22	1,18	1,23
1,1	1,09	1,12	1,08	1,12
1	0,99	1,01	0,98	1,02

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3,44	INF	2,70	INF	2,31	INF
10	2,60	INF	2,16	INF	1,91	INF
5	2,09	INF	1,80	INF	1,63	INF
3	1,66	22,25	1,47	INF	1,36	INF
2,5	1,50	8,62	1,35	42,30	1,26	INF
2	1,32	4,49	1,20	7,55	1,13	INF
1,8	1,23	3,55	1,13	5,19	1,07	INF
1,6	1,14	2,81	1,06	3,73	1,00	42,83
1,4	1,04	2,22	0,97	2,74	0,92	7,95
1,2	0,93	1,73	0,88	2,02	0,84	3,82
1	0,81	1,33	0,77	1,48	0,74	2,21
0,9	0,75	1,15	0,72	1,26	0,69	1,73
0,85	0,72	1,06	0,69	1,16	0,66	1,53
0,8	0,68	0,98	0,65	1,06	0,64	1,36
0,75	0,65	0,90	0,62	0,97	0,61	1,20
0,7	0,61	0,83	0,59	0,88	0,58	1,06
0,65	0,57	0,75	0,56	0,80	0,54	0,94
0,6	0,54	0,68	0,52	0,72	0,51	0,83
0,55	0,50	0,62	0,49	0,64	0,48	0,72
0,5	0,46	0,55	0,45	0,57	0,44	0,63
0,48	0,44	0,53	0,43	0,54	0,43	0,60
0,46	0,43	0,50	0,42	0,52	0,41	0,56
0,44	0,41	0,48	0,40	0,49	0,40	0,53
0,42	0,39	0,45	0,39	0,46	0,38	0,50
0,4	0,38	0,43	0,37	0,44	0,37	0,47
0,39	0,37	0,42	0,36	0,42	0,36	0,45
0,38	0,36	0,40	0,35	0,41	0,35	0,44
0,37	0,35	0,39	0,35	0,40	0,34	0,42
0,36	0,34	0,38	0,34	0,39	0,33	0,41
0,35	0,33	0,37	0,33	0,38	0,33	0,39
0,34	0,33	0,36	0,32	0,36	0,32	0,38
0,33	0,32	0,35	0,31	0,35	0,31	0,37
0,32	0,31	0,33	0,30	0,34	0,30	0,35
0,31	0,30	0,32	0,30	0,33	0,29	0,34
0,3	0,29	0,31	0,29	0,32	0,28	0,33

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1,74	INF	1,23	INF	0,87	INF
10	1,51	INF	1,12	INF	0,81	INF
5	1,33	INF	1,02	INF	0,76	INF
3	1,15	INF	0,92	INF	0,71	INF
2,5	1,08	INF	0,87	INF	0,68	INF
2	0,99	INF	0,81	INF	0,65	INF
1,8	0,94	INF	0,78	INF	0,63	INF
1,6	0,89	INF	0,75	INF	0,61	INF
1,4	0,83	INF	0,71	INF	0,59	INF
1,2	0,76	INF	0,66	INF	0,56	INF
1	0,69	5,73	0,61	INF	0,52	INF
0,9	0,64	3,23	0,57	INF	0,50	INF
0,85	0,62	2,57	0,56	23,97	0,48	INF
0,8	0,60	2,09	0,54	7,25	0,47	INF
0,75	0,57	1,73	0,52	4,06	0,46	INF
0,7	0,54	1,44	0,50	2,70	0,44	INF
0,65	0,52	1,21	0,47	1,95	0,43	16,54
0,6	0,49	1,02	0,45	1,48	0,41	4,11
0,55	0,46	0,86	0,43	1,15	0,39	2,18
0,5	0,42	0,73	0,40	0,91	0,37	1,40
0,48	0,41	0,68	0,39	0,83	0,36	1,20
0,46	0,40	0,63	0,38	0,76	0,35	1,05
0,44	0,38	0,59	0,36	0,69	0,34	0,92
0,42	0,37	0,55	0,35	0,63	0,33	0,81
0,4	0,36	0,51	0,34	0,58	0,32	0,71
0,39	0,35	0,49	0,33	0,55	0,31	0,67
0,38	0,34	0,47	0,33	0,53	0,31	0,63
0,37	0,33	0,45	0,32	0,50	0,30	0,60
0,36	0,33	0,44	0,31	0,48	0,30	0,56
0,35	0,32	0,42	0,31	0,46	0,29	0,53
0,34	0,31	0,40	0,30	0,44	0,29	0,50
0,33	0,30	0,39	0,29	0,42	0,28	0,47
0,32	0,30	0,37	0,29	0,40	0,27	0,45
0,31	0,29	0,36	0,28	0,38	0,27	0,42
0,3	0,28	0,34	0,27	0,36	0,26	0,40

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,62	INF
10	0,60	INF
5	0,58	INF
3	0,55	INF
2,5	0,53	INF
2	0,51	INF
1,8	0,50	INF
1,6	0,49	INF
1,4	0,48	INF
1,2	0,46	INF
1	0,44	INF
0,9	0,42	INF
0,85	0,41	INF
0,8	0,40	INF
0,75	0,40	INF
0,7	0,38	INF
0,65	0,37	INF
0,6	0,36	INF
0,55	0,35	INF
0,5	0,33	9,69
0,48	0,33	4,22
0,46	0,32	2,62
0,44	0,31	1,86
0,42	0,30	1,41
0,4	0,30	1,12
0,39	0,29	1,01
0,38	0,29	0,91
0,37	0,28	0,83
0,36	0,28	0,76
0,35	0,27	0,69
0,34	0,27	0,64
0,33	0,26	0,59
0,32	0,26	0,54
0,31	0,25	0,50
0,3	0,25	0,47

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,96	INF	3,68	INF	2,88	INF
60	4,60	INF	3,48	INF	2,76	INF
50	4,53	INF	3,44	INF	2,74	INF
30	4,29	INF	3,30	INF	2,65	INF
20	4,01	INF	3,14	INF	2,54	INF
15	3,77	INF	2,99	INF	2,45	INF
12	3,56	INF	2,86	INF	2,36	INF
10	3,37	INF	2,73	INF	2,28	INF
9	3,25	INF	2,66	INF	2,22	INF
8	3,11	INF	2,57	INF	2,16	INF
7	2,96	INF	2,46	INF	2,09	INF
6	2,77	INF	2,33	INF	2,00	INF
5,5	2,66	INF	2,26	INF	1,94	INF
5	2,55	INF	2,17	INF	1,88	INF
4,5	2,41	46,45	2,08	INF	1,81	INF
4	2,27	19,77	1,97	INF	1,73	INF
3,8	2,21	15,55	1,92	150,83	1,69	INF
3,6	2,14	12,56	1,87	45,23	1,66	INF
3,5	2,11	11,38	1,85	32,78	1,64	INF
3,4	2,07	10,34	1,82	25,38	1,61	INF
3,2	2,00	8,63	1,77	16,99	1,57	INF
3	1,92	7,26	1,71	12,36	1,53	INF
2,8	1,84	6,15	1,64	9,42	1,48	INF
2,6	1,76	5,23	1,58	7,40	1,42	INF
2,5	1,71	4,82	1,54	6,60	1,39	94,05
2,4	1,67	4,45	1,51	5,91	1,36	34,69
2,2	1,57	3,78	1,43	4,78	1,30	14,25
2	1,47	3,21	1,35	3,89	1,23	8,35
1,9	1,42	2,95	1,30	3,51	1,20	6,74
1,8	1,36	2,70	1,26	3,17	1,16	5,55
1,7	1,31	2,48	1,21	2,85	1,12	4,63
1,6	1,25	2,26	1,16	2,57	1,08	3,91
1,5	1,19	2,06	1,11	2,31	1,04	3,32
1,45	1,16	1,96	1,08	2,19	1,01	3,06
1,4	1,13	1,87	1,06	2,07	0,99	2,83
1,35	1,10	1,78	1,03	1,96	0,97	2,62
1,3	1,07	1,69	1,00	1,85	0,94	2,42
1,25	1,03	1,60	0,97	1,74	0,92	2,24
1,2	1,00	1,52	0,94	1,64	0,89	2,07

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,97	1,43	0,92	1,54	0,87	1,92
1,1	0,93	1,35	0,89	1,45	0,84	1,77
1,05	0,90	1,28	0,85	1,36	0,81	1,63
1	0,86	1,20	0,82	1,27	0,78	1,51
0,98	0,85	1,17	0,81	1,24	0,77	1,46
0,96	0,83	1,14	0,80	1,21	0,76	1,41
0,95	0,83	1,13	0,79	1,19	0,75	1,39
0,94	0,82	1,11	0,78	1,17	0,75	1,36
0,92	0,80	1,08	0,77	1,14	0,74	1,32
0,9	0,79	1,05	0,76	1,11	0,72	1,28
0,88	0,77	1,03	0,74	1,08	0,71	1,23
0,86	0,76	1,00	0,73	1,05	0,70	1,19
0,85	0,75	0,98	0,72	1,03	0,69	1,17
0,84	0,74	0,97	0,72	1,01	0,69	1,15
0,82	0,73	0,94	0,70	0,98	0,68	1,11
0,8	0,71	0,91	0,69	0,95	0,66	1,07
0,78	0,70	0,89	0,67	0,92	0,65	1,03
0,76	0,68	0,86	0,66	0,89	0,64	0,99
0,75	0,68	0,85	0,65	0,88	0,63	0,98
0,74	0,67	0,83	0,65	0,87	0,62	0,96
0,72	0,65	0,81	0,63	0,84	0,61	0,92
0,7	0,64	0,78	0,62	0,81	0,60	0,89
0,68	0,62	0,76	0,60	0,78	0,58	0,85
0,66	0,60	0,73	0,59	0,75	0,57	0,82
0,65	0,60	0,72	0,58	0,74	0,56	0,80
0,64	0,59	0,71	0,57	0,73	0,55	0,79
0,62	0,57	0,68	0,56	0,70	0,54	0,75
0,6	0,56	0,66	0,54	0,67	0,53	0,72
0,59	0,55	0,64	0,53	0,66	0,52	0,71
0,58	0,54	0,63	0,53	0,65	0,51	0,69
0,57	0,53	0,62	0,52	0,63	0,50	0,68
0,56	0,52	0,61	0,51	0,62	0,50	0,66
0,55	0,51	0,59	0,50	0,61	0,49	0,65
0,54	0,50	0,58	0,49	0,60	0,48	0,63
0,53	0,50	0,57	0,49	0,58	0,47	0,62
0,52	0,49	0,56	0,48	0,57	0,47	0,60
0,51	0,48	0,55	0,47	0,56	0,46	0,59
0,5	0,47	0,53	0,46	0,54	0,45	0,57
0,49	0,46	0,52	0,45	0,53	0,44	0,56

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,45	0,51	0,45	0,52	0,44	0,55
0,47	0,45	0,50	0,44	0,51	0,43	0,53
0,46	0,44	0,49	0,43	0,50	0,42	0,52
0,45	0,43	0,48	0,42	0,48	0,41	0,50
0,44	0,42	0,46	0,41	0,47	0,40	0,49
0,43	0,41	0,45	0,40	0,46	0,40	0,48
0,42	0,40	0,44	0,40	0,45	0,39	0,46
0,41	0,39	0,43	0,39	0,44	0,38	0,45
0,4	0,38	0,42	0,38	0,42	0,37	0,44
0,39	0,37	0,41	0,37	0,41	0,36	0,43
0,38	0,37	0,40	0,36	0,40	0,36	0,41
0,37	0,36	0,38	0,35	0,39	0,35	0,40
0,36	0,35	0,37	0,34	0,38	0,34	0,39
0,35	0,34	0,36	0,33	0,37	0,33	0,38
0,34	0,33	0,35	0,33	0,35	0,32	0,36
0,33	0,32	0,34	0,32	0,34	0,31	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,17	INF	1,56	INF	1,12	INF
60	2,10	INF	1,53	INF	1,10	INF
50	2,09	INF	1,52	INF	1,10	INF
30	2,04	INF	1,50	INF	1,08	INF
20	1,98	INF	1,47	INF	1,07	INF
15	1,92	INF	1,44	INF	1,05	INF
12	1,87	INF	1,41	INF	1,04	INF
10	1,82	INF	1,38	INF	1,02	INF
9	1,78	INF	1,36	INF	1,01	INF
8	1,75	INF	1,34	INF	1,00	INF
7	1,70	INF	1,31	INF	0,99	INF
6	1,64	INF	1,28	INF	0,97	INF
5,5	1,60	INF	1,26	INF	0,96	INF
5	1,56	INF	1,23	INF	0,95	INF
4,5	1,51	INF	1,20	INF	0,93	INF
4	1,46	INF	1,17	INF	0,91	INF
3,8	1,43	INF	1,15	INF	0,90	INF
3,6	1,41	INF	1,14	INF	0,89	INF
3,5	1,39	INF	1,13	INF	0,89	INF
3,4	1,38	INF	1,12	INF	0,88	INF
3,2	1,35	INF	1,10	INF	0,87	INF
3	1,31	INF	1,08	INF	0,86	INF
2,8	1,28	INF	1,05	INF	0,84	INF
2,6	1,24	INF	1,03	INF	0,83	INF
2,5	1,22	INF	1,01	INF	0,82	INF
2,4	1,19	INF	1,00	INF	0,81	INF
2,2	1,15	INF	0,97	INF	0,79	INF
2	1,10	INF	0,93	INF	0,77	INF
1,9	1,07	INF	0,91	INF	0,75	INF
1,8	1,04	INF	0,89	INF	0,74	INF
1,7	1,01	35,63	0,87	INF	0,73	INF
1,6	0,97	14,32	0,85	INF	0,71	INF
1,5	0,94	8,54	0,82	INF	0,69	INF
1,45	0,92	6,98	0,81	INF	0,68	INF
1,4	0,90	5,84	0,79	INF	0,68	INF
1,35	0,88	4,97	0,78	INF	0,67	INF
1,3	0,86	4,28	0,76	INF	0,66	INF
1,25	0,84	3,73	0,75	33,68	0,64	INF
1,2	0,82	3,27	0,73	14,39	0,63	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,80	2,88	0,72	8,87	0,62	INF
1,1	0,78	2,55	0,70	6,26	0,61	INF
1,05	0,76	2,27	0,68	4,73	0,60	INF
1	0,73	2,02	0,66	3,73	0,58	INF
0,98	0,72	1,93	0,65	3,42	0,58	INF
0,96	0,71	1,85	0,65	3,15	0,57	INF
0,95	0,71	1,81	0,64	3,02	0,57	77,59
0,94	0,70	1,77	0,64	2,91	0,56	36,80
0,92	0,69	1,69	0,63	2,69	0,56	17,65
0,9	0,68	1,61	0,62	2,50	0,55	11,44
0,88	0,67	1,54	0,61	2,33	0,55	8,36
0,86	0,66	1,47	0,60	2,17	0,54	6,53
0,85	0,65	1,44	0,60	2,09	0,54	5,86
0,84	0,65	1,41	0,60	2,02	0,53	5,31
0,82	0,64	1,35	0,59	1,89	0,53	4,44
0,8	0,63	1,29	0,58	1,77	0,52	3,79
0,78	0,62	1,23	0,57	1,66	0,51	3,28
0,76	0,60	1,18	0,56	1,56	0,50	2,88
0,75	0,60	1,15	0,55	1,51	0,50	2,71
0,74	0,59	1,12	0,55	1,46	0,50	2,55
0,72	0,58	1,07	0,54	1,37	0,49	2,27
0,7	0,57	1,02	0,53	1,29	0,48	2,04
0,68	0,56	0,98	0,52	1,21	0,47	1,84
0,66	0,54	0,93	0,51	1,14	0,47	1,67
0,65	0,54	0,91	0,50	1,11	0,46	1,59
0,64	0,53	0,89	0,50	1,07	0,46	1,52
0,62	0,52	0,85	0,49	1,01	0,45	1,39
0,6	0,51	0,80	0,48	0,95	0,44	1,27
0,59	0,50	0,78	0,47	0,92	0,43	1,21
0,58	0,49	0,76	0,47	0,89	0,43	1,16
0,57	0,49	0,75	0,46	0,86	0,43	1,11
0,56	0,48	0,73	0,45	0,84	0,42	1,07
0,55	0,47	0,71	0,45	0,81	0,42	1,02
0,54	0,47	0,69	0,44	0,79	0,41	0,98
0,53	0,46	0,67	0,44	0,76	0,41	0,94
0,52	0,45	0,65	0,43	0,74	0,40	0,90
0,51	0,44	0,64	0,42	0,71	0,40	0,87
0,5	0,44	0,62	0,42	0,69	0,39	0,83
0,49	0,43	0,60	0,41	0,67	0,39	0,80

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,42	0,59	0,40	0,65	0,38	0,77
0,47	0,42	0,57	0,40	0,63	0,38	0,73
0,46	0,41	0,55	0,39	0,61	0,37	0,71
0,45	0,40	0,54	0,39	0,59	0,36	0,68
0,44	0,39	0,52	0,38	0,57	0,36	0,65
0,43	0,39	0,51	0,37	0,55	0,35	0,62
0,42	0,38	0,49	0,37	0,53	0,35	0,60
0,41	0,37	0,48	0,36	0,51	0,34	0,57
0,4	0,36	0,46	0,35	0,49	0,34	0,55
0,39	0,36	0,45	0,34	0,48	0,33	0,53
0,38	0,35	0,43	0,34	0,46	0,32	0,51
0,37	0,34	0,42	0,33	0,44	0,32	0,48
0,36	0,33	0,40	0,32	0,43	0,31	0,46
0,35	0,32	0,39	0,32	0,41	0,30	0,44
0,34	0,32	0,38	0,31	0,40	0,30	0,43
0,33	0,31	0,36	0,30	0,38	0,29	0,41
0,32	0,30	0,35	0,29	0,37	0,28	0,39
0,31	0,29	0,34	0,29	0,35	0,28	0,37
0,3	0,28	0,32	0,28	0,34	0,27	0,35

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,81	INF
60	0,80	INF
50	0,80	INF
30	0,79	INF
20	0,78	INF
15	0,78	INF
12	0,77	INF
10	0,76	INF
9	0,76	INF
8	0,75	INF
7	0,74	INF
6	0,73	INF
5,5	0,73	INF
5	0,72	INF
4,5	0,71	INF
4	0,70	INF
3,8	0,70	INF
3,6	0,69	INF
3,5	0,69	INF
3,4	0,68	INF
3,2	0,68	INF
3	0,67	INF
2,8	0,66	INF
2,6	0,65	INF
2,5	0,65	INF
2,4	0,64	INF
2,2	0,63	INF
2	0,62	INF
1,9	0,61	INF
1,8	0,60	INF
1,7	0,59	INF
1,6	0,58	INF
1,5	0,57	INF
1,45	0,57	INF
1,4	0,56	INF
1,35	0,56	INF
1,3	0,55	INF
1,25	0,54	INF
1,2	0,53	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
1,15	0,53	INF
1,1	0,52	INF
1,05	0,51	INF
1	0,50	INF
0,98	0,50	INF
0,96	0,49	INF
0,95	0,49	INF
0,94	0,49	INF
0,92	0,48	INF
0,9	0,48	INF
0,88	0,48	INF
0,86	0,47	INF
0,85	0,47	INF
0,84	0,47	INF
0,82	0,46	INF
0,8	0,46	INF
0,78	0,45	INF
0,76	0,45	INF
0,75	0,44	INF
0,74	0,44	INF
0,72	0,44	178,27
0,7	0,43	16,45
0,68	0,42	8,39
0,66	0,42	5,53
0,65	0,41	4,69
0,64	0,41	4,06
0,62	0,40	3,17
0,6	0,40	2,57
0,59	0,39	2,33
0,58	0,39	2,13
0,57	0,39	1,96
0,56	0,38	1,81
0,55	0,38	1,67
0,54	0,38	1,55
0,53	0,37	1,45
0,52	0,37	1,35
0,51	0,36	1,26
0,5	0,36	1,18
0,49	0,36	1,11

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
0,48	0,35	1,04
0,47	0,35	0,98
0,46	0,34	0,93
0,45	0,34	0,87
0,44	0,33	0,83
0,43	0,33	0,78
0,42	0,32	0,74
0,41	0,32	0,70
0,4	0,31	0,66
0,39	0,31	0,63
0,38	0,30	0,59
0,37	0,30	0,56
0,36	0,29	0,53
0,35	0,29	0,50
0,34	0,28	0,48
0,33	0,28	0,45
0,32	0,27	0,43
0,31	0,27	0,41
0,3	0,26	0,39

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6,71	INF	5,58	INF	5,26	INF
10	4,07	INF	3,63	INF	3,49	INF
5	2,92	19,09	2,69	INF	2,61	INF
3	2,12	5,26	2,00	6,79	1,96	INF
2	1,58	2,76	1,51	3,12	1,49	5,42
1,7	1,39	2,21	1,34	2,42	1,32	3,58
1,5	1,26	1,87	1,22	2,02	1,20	2,75
1,3	1,12	1,56	1,09	1,66	1,08	2,11
1,1	0,97	1,28	0,95	1,34	0,94	1,61
1	0,89	1,14	0,87	1,19	0,87	1,39
0,9	0,81	1,01	0,80	1,05	0,79	1,19
0,8	0,73	0,88	0,72	0,91	0,72	1,01
0,75	0,69	0,82	0,68	0,84	0,68	0,93
0,7	0,65	0,76	0,64	0,78	0,64	0,85
0,65	0,61	0,70	0,60	0,71	0,60	0,77
0,6	0,57	0,64	0,56	0,65	0,56	0,70
0,55	0,52	0,58	0,52	0,59	0,51	0,63
0,5	0,48	0,53	0,47	0,53	0,47	0,56
0,48	0,46	0,50	0,46	0,51	0,45	0,53
0,46	0,44	0,48	0,44	0,49	0,44	0,51
0,44	0,42	0,46	0,42	0,46	0,42	0,48
0,42	0,41	0,44	0,40	0,44	0,40	0,46
0,4	0,39	0,41	0,39	0,42	0,38	0,43
0,39	0,38	0,40	0,38	0,41	0,38	0,42
0,38	0,37	0,39	0,37	0,40	0,37	0,41
0,37	0,36	0,38	0,36	0,38	0,36	0,40
0,36	0,35	0,37	0,35	0,37	0,35	0,38
0,35	0,34	0,36	0,34	0,36	0,34	0,37
0,34	0,33	0,35	0,33	0,35	0,33	0,36
0,33	0,32	0,34	0,32	0,34	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,32
0,3	0,29	0,31	0,29	0,31	0,29	0,31
0,29	0,29	0,30	0,28	0,30	0,28	0,30
0,28	0,28	0,28	0,27	0,29	0,27	0,29
0,27	0,27	0,27	0,27	0,28	0,26	0,28
0,26	0,26	0,26	0,26	0,26	0,26	0,27
0,25	0,25	0,25	0,25	0,25	0,25	0,26
0,24	0,24	0,24	0,24	0,24	0,24	0,25

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,16	INF	2,82	INF	1,86	INF
10	2,98	INF	2,24	INF	1,60	INF
5	2,32	INF	1,85	INF	1,40	INF
3	1,79	INF	1,51	INF	1,20	INF
2	1,40	50,32	1,22	INF	1,02	INF
1,7	1,25	8,48	1,11	INF	0,94	INF
1,5	1,14	4,88	1,03	54,45	0,88	INF
1,3	1,03	3,14	0,94	7,31	0,82	INF
1,1	0,90	2,11	0,83	3,35	0,74	14,81
1	0,84	1,74	0,78	2,48	0,70	5,63
0,9	0,77	1,43	0,72	1,89	0,65	3,21
0,8	0,70	1,18	0,66	1,45	0,60	2,09
0,75	0,66	1,06	0,63	1,27	0,58	1,73
0,7	0,62	0,95	0,59	1,12	0,55	1,44
0,65	0,59	0,86	0,56	0,98	0,52	1,21
0,6	0,55	0,76	0,52	0,86	0,49	1,02
0,55	0,51	0,68	0,49	0,75	0,46	0,86
0,5	0,46	0,60	0,45	0,65	0,43	0,73
0,48	0,45	0,57	0,43	0,61	0,41	0,68
0,46	0,43	0,54	0,42	0,58	0,40	0,63
0,44	0,41	0,51	0,40	0,54	0,39	0,59
0,42	0,40	0,48	0,39	0,51	0,37	0,55
0,4	0,38	0,45	0,37	0,47	0,36	0,51
0,39	0,37	0,44	0,36	0,46	0,35	0,49
0,38	0,36	0,42	0,35	0,44	0,34	0,47
0,37	0,35	0,41	0,35	0,43	0,34	0,46
0,36	0,34	0,40	0,34	0,41	0,33	0,44
0,35	0,34	0,38	0,33	0,40	0,32	0,42
0,34	0,33	0,37	0,32	0,38	0,31	0,40
0,33	0,32	0,36	0,31	0,37	0,30	0,39
0,32	0,31	0,35	0,30	0,36	0,30	0,37
0,31	0,30	0,33	0,30	0,34	0,29	0,36
0,3	0,29	0,32	0,29	0,33	0,28	0,34
0,29	0,28	0,31	0,28	0,32	0,27	0,33
0,28	0,27	0,30	0,27	0,30	0,26	0,31
0,27	0,26	0,28	0,26	0,29	0,26	0,30
0,26	0,25	0,27	0,25	0,28	0,25	0,29
0,25	0,25	0,26	0,24	0,27	0,24	0,27
0,24	0,24	0,25	0,23	0,25	0,23	0,26

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,26	INF
10	1,14	INF
5	1,04	INF
3	0,93	INF
2	0,82	INF
1,7	0,77	INF
1,5	0,74	INF
1,3	0,69	INF
1,1	0,64	INF
1	0,61	INF
0,9	0,58	INF
0,8	0,54	5,73
0,75	0,52	3,55
0,7	0,50	2,48
0,65	0,48	1,84
0,6	0,45	1,42
0,55	0,43	1,11
0,5	0,40	0,89
0,48	0,39	0,81
0,46	0,38	0,74
0,44	0,37	0,68
0,42	0,35	0,62
0,4	0,34	0,57
0,39	0,33	0,55
0,38	0,33	0,52
0,37	0,32	0,50
0,36	0,31	0,48
0,35	0,31	0,46
0,34	0,30	0,44
0,33	0,29	0,42
0,32	0,29	0,40
0,31	0,28	0,38
0,3	0,27	0,36
0,29	0,26	0,34
0,28	0,26	0,33
0,27	0,25	0,31
0,26	0,24	0,30
0,25	0,23	0,28
0,24	0,23	0,27

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	13,53	INF	11,95	INF	8,82	INF
12	6,41	139,34	6,03	INF	5,13	INF
6	4,20	10,91	4,04	18,78	3,61	1259,81
4	3,12	5,68	3,03	7,23	2,79	11,53
3	2,48	3,84	2,43	4,48	2,27	5,79
2,5	2,13	3,05	2,09	3,43	1,98	4,14
2	1,76	2,33	1,74	2,54	1,66	2,90
1,8	1,61	2,06	1,58	2,22	1,52	2,49
1,6	1,45	1,80	1,43	1,92	1,38	2,11
1,4	1,28	1,55	1,27	1,63	1,23	1,77
1,2	1,12	1,30	1,11	1,36	1,08	1,45
1,1	1,03	1,18	1,02	1,23	1,00	1,31
1	0,94	1,07	0,94	1,11	0,91	1,16
0,9	0,85	0,95	0,85	0,98	0,83	1,03
0,85	0,81	0,90	0,80	0,92	0,79	0,96
0,8	0,76	0,84	0,76	0,86	0,75	0,90
0,75	0,72	0,79	0,72	0,80	0,70	0,83
0,7	0,67	0,73	0,67	0,75	0,66	0,77
0,65	0,63	0,68	0,62	0,69	0,62	0,71
0,6	0,58	0,62	0,58	0,63	0,57	0,65
0,58	0,56	0,60	0,56	0,61	0,55	0,62
0,56	0,54	0,58	0,54	0,59	0,54	0,60
0,54	0,53	0,56	0,52	0,56	0,52	0,58
0,52	0,51	0,53	0,51	0,54	0,50	0,55
0,5	0,49	0,51	0,49	0,52	0,48	0,53
0,48	0,47	0,49	0,47	0,50	0,46	0,51
0,46	0,45	0,47	0,45	0,48	0,45	0,48
0,44	0,43	0,45	0,43	0,45	0,43	0,46
0,42	0,41	0,43	0,41	0,43	0,41	0,44
0,39	0,38	0,40	0,38	0,40	0,38	0,41
0,38	0,37	0,39	0,37	0,39	0,37	0,39
0,37	0,36	0,38	0,36	0,38	0,36	0,38
0,36	0,35	0,37	0,35	0,37	0,35	0,37
0,35	0,35	0,36	0,34	0,36	0,34	0,36
0,34	0,34	0,34	0,33	0,35	0,33	0,35
0,33	0,33	0,33	0,33	0,34	0,32	0,34
0,32	0,32	0,32	0,32	0,33	0,31	0,33
0,31	0,31	0,31	0,31	0,32	0,30	0,32
0,3	0,30	0,30	0,30	0,31	0,30	0,31
0,29	0,29	0,29	0,29	0,29	0,29	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,29

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6,09	INF	4,16	INF	2,86	INF
12	4,08	INF	3,12	INF	2,34	INF
6	3,07	INF	2,50	INF	1,98	INF
4	2,46	44,80	2,09	INF	1,71	INF
3	2,05	9,15	1,79	42,84	1,51	INF
2,5	1,81	5,59	1,60	10,64	1,38	INF
2	1,54	3,53	1,39	5,00	1,22	11,99
1,8	1,42	2,93	1,29	3,86	1,15	6,97
1,6	1,30	2,42	1,19	3,01	1,07	4,57
1,4	1,17	1,97	1,08	2,34	0,98	3,17
1,2	1,03	1,59	0,96	1,81	0,88	2,25
1,1	0,95	1,41	0,90	1,58	0,83	1,90
1	0,88	1,24	0,83	1,37	0,78	1,60
0,9	0,80	1,09	0,77	1,18	0,72	1,34
0,85	0,76	1,01	0,73	1,09	0,69	1,23
0,8	0,73	0,94	0,70	1,01	0,66	1,12
0,75	0,68	0,87	0,66	0,93	0,62	1,02
0,7	0,64	0,80	0,62	0,85	0,59	0,92
0,65	0,60	0,73	0,58	0,77	0,56	0,83
0,6	0,56	0,67	0,54	0,70	0,52	0,75
0,58	0,54	0,64	0,53	0,67	0,51	0,71
0,56	0,53	0,62	0,51	0,64	0,49	0,68
0,54	0,51	0,59	0,50	0,61	0,48	0,65
0,52	0,49	0,57	0,48	0,59	0,46	0,62
0,5	0,47	0,54	0,46	0,56	0,45	0,59
0,48	0,46	0,52	0,45	0,53	0,43	0,56
0,46	0,44	0,49	0,43	0,51	0,42	0,53
0,44	0,42	0,47	0,41	0,48	0,40	0,50
0,42	0,40	0,45	0,40	0,46	0,39	0,47
0,39	0,38	0,41	0,37	0,42	0,36	0,43
0,38	0,37	0,40	0,36	0,41	0,35	0,42
0,37	0,36	0,39	0,35	0,40	0,34	0,41
0,36	0,35	0,38	0,34	0,38	0,34	0,40
0,35	0,34	0,37	0,33	0,37	0,33	0,38
0,34	0,33	0,35	0,33	0,36	0,32	0,37
0,33	0,32	0,34	0,32	0,35	0,31	0,36
0,32	0,31	0,33	0,31	0,34	0,30	0,34
0,31	0,30	0,32	0,30	0,33	0,29	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32
0,29	0,28	0,30	0,28	0,30	0,28	0,31
0,28	0,27	0,29	0,27	0,29	0,27	0,30

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	2,00	INF	1,41	INF
12	1,73	INF	1,28	INF
6	1,53	INF	1,17	INF
4	1,37	INF	1,08	INF
3	1,24	INF	1,00	INF
2,5	1,16	INF	0,94	INF
2	1,05	INF	0,87	INF
1,8	0,99	INF	0,84	INF
1,6	0,93	18,06	0,80	INF
1,4	0,87	6,46	0,75	INF
1,2	0,79	3,48	0,69	17,07
1,1	0,75	2,69	0,66	6,82
1	0,71	2,11	0,63	3,97
0,9	0,66	1,68	0,59	2,63
0,85	0,63	1,50	0,57	2,19
0,8	0,61	1,33	0,55	1,85
0,75	0,58	1,19	0,53	1,57
0,7	0,55	1,05	0,51	1,34
0,65	0,52	0,93	0,48	1,14
0,6	0,49	0,83	0,46	0,98
0,58	0,48	0,78	0,45	0,92
0,56	0,47	0,74	0,44	0,86
0,54	0,45	0,71	0,43	0,81
0,52	0,44	0,67	0,42	0,76
0,5	0,43	0,63	0,40	0,71
0,48	0,41	0,60	0,39	0,67
0,46	0,40	0,57	0,38	0,62
0,44	0,39	0,53	0,37	0,58
0,42	0,37	0,50	0,36	0,54
0,39	0,35	0,46	0,34	0,49
0,38	0,34	0,44	0,33	0,47
0,37	0,33	0,43	0,32	0,45
0,36	0,33	0,41	0,32	0,44
0,35	0,32	0,40	0,31	0,42
0,34	0,31	0,38	0,30	0,40
0,33	0,30	0,37	0,29	0,39
0,32	0,30	0,36	0,29	0,37
0,31	0,29	0,34	0,28	0,36
0,3	0,28	0,33	0,27	0,34
0,29	0,27	0,32	0,26	0,33
0,28	0,26	0,30	0,26	0,31

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	16,67	INF	9,95	INF	10,74	INF
10	6,29	24,74	5,03	22,25	5,22	INF
5	3,88	7,07	3,37	6,85	3,45	13,25
3	2,57	3,62	2,34	3,56	2,38	4,72
2	1,80	2,25	1,69	2,23	1,71	2,61
1,6	1,47	1,75	1,40	1,74	1,41	1,96
1,4	1,30	1,51	1,25	1,50	1,26	1,66
1,2	1,13	1,28	1,09	1,27	1,10	1,38
1	0,95	1,05	0,92	1,05	0,93	1,12
0,9	0,86	0,94	0,84	0,94	0,84	0,99
0,8	0,77	0,83	0,75	0,83	0,76	0,87
0,75	0,72	0,78	0,71	0,78	0,71	0,81
0,7	0,68	0,72	0,67	0,72	0,67	0,75
0,65	0,63	0,67	0,62	0,67	0,62	0,69
0,6	0,58	0,62	0,58	0,61	0,58	0,63
0,55	0,54	0,56	0,53	0,56	0,53	0,58
0,5	0,49	0,51	0,48	0,51	0,49	0,52
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,46	0,45	0,47	0,45	0,47	0,45	0,48
0,44	0,43	0,45	0,43	0,45	0,43	0,46
0,42	0,41	0,43	0,41	0,43	0,41	0,43
0,4	0,39	0,41	0,39	0,41	0,39	0,41
0,39	0,38	0,40	0,38	0,40	0,38	0,40
0,38	0,38	0,39	0,37	0,38	0,37	0,39
0,37	0,37	0,37	0,36	0,37	0,36	0,38
0,36	0,36	0,36	0,35	0,36	0,35	0,37
0,35	0,35	0,35	0,34	0,35	0,34	0,36
0,34	0,34	0,34	0,33	0,34	0,33	0,35
0,33	0,33	0,33	0,32	0,33	0,32	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,32
0,3	0,30	0,30	0,30	0,30	0,30	0,31
0,29	0,29	0,29	0,29	0,29	0,29	0,29
0,28	0,28	0,28	0,28	0,28	0,28	0,28
0,27	0,27	0,27	0,27	0,27	0,27	0,27
0,26	0,26	0,26	0,26	0,26	0,26	0,26
0,25	0,25	0,25	0,25	0,25	0,25	0,25
0,24	0,24	0,24	0,24	0,24	0,24	0,24

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	10,34	INF	7,39	INF	4,74	INF
10	5,13	INF	4,29	INF	3,25	INF
5	3,41	INF	3,03	INF	2,48	INF
3	2,36	7,90	2,17	26,61	1,88	INF
2	1,70	3,33	1,60	4,67	1,44	8,95
1,6	1,41	2,32	1,34	2,89	1,23	4,06
1,4	1,25	1,91	1,20	2,27	1,11	2,92
1,2	1,09	1,55	1,05	1,77	0,99	2,12
1	0,93	1,22	0,90	1,35	0,85	1,54
0,9	0,84	1,07	0,82	1,16	0,78	1,30
0,8	0,75	0,93	0,74	0,99	0,71	1,09
0,75	0,71	0,86	0,70	0,91	0,67	0,99
0,7	0,67	0,79	0,65	0,84	0,63	0,90
0,65	0,62	0,73	0,61	0,76	0,59	0,81
0,6	0,58	0,66	0,57	0,69	0,55	0,73
0,55	0,53	0,60	0,52	0,62	0,51	0,65
0,5	0,48	0,54	0,48	0,56	0,47	0,58
0,48	0,47	0,51	0,46	0,53	0,45	0,55
0,46	0,45	0,49	0,44	0,51	0,43	0,52
0,44	0,43	0,47	0,42	0,48	0,42	0,50
0,42	0,41	0,44	0,41	0,46	0,40	0,47
0,4	0,39	0,42	0,39	0,43	0,38	0,44
0,39	0,38	0,41	0,38	0,42	0,37	0,43
0,38	0,37	0,40	0,37	0,41	0,36	0,42
0,37	0,36	0,39	0,36	0,39	0,35	0,40
0,36	0,35	0,38	0,35	0,38	0,35	0,39
0,35	0,34	0,36	0,34	0,37	0,34	0,38
0,34	0,33	0,35	0,33	0,36	0,33	0,37
0,33	0,32	0,34	0,32	0,35	0,32	0,35
0,32	0,32	0,33	0,31	0,34	0,31	0,34
0,31	0,31	0,32	0,30	0,32	0,30	0,33
0,3	0,30	0,31	0,29	0,31	0,29	0,32
0,29	0,29	0,30	0,28	0,30	0,28	0,31
0,28	0,28	0,29	0,28	0,29	0,27	0,29
0,27	0,27	0,28	0,27	0,28	0,26	0,28
0,26	0,26	0,27	0,26	0,27	0,25	0,27
0,25	0,25	0,26	0,25	0,26	0,25	0,26
0,24	0,24	0,24	0,24	0,25	0,24	0,25

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	3,05	INF	2,02	INF
10	2,37	INF	1,71	INF
5	1,94	INF	1,48	INF
3	1,56	INF	1,25	INF
2	1,25	INF	1,05	INF
1,6	1,09	8,75	0,94	INF
1,4	1,00	4,69	0,87	33,85
1,2	0,90	2,90	0,80	6,04
1	0,79	1,89	0,71	2,81
0,9	0,73	1,54	0,66	2,07
0,8	0,66	1,24	0,61	1,56
0,75	0,63	1,12	0,58	1,36
0,7	0,60	1,00	0,55	1,19
0,65	0,56	0,89	0,53	1,03
0,6	0,53	0,79	0,49	0,90
0,55	0,49	0,70	0,46	0,78
0,5	0,45	0,61	0,43	0,67
0,48	0,44	0,58	0,42	0,63
0,46	0,42	0,55	0,40	0,59
0,44	0,40	0,52	0,39	0,56
0,42	0,39	0,49	0,37	0,52
0,4	0,37	0,46	0,36	0,49
0,39	0,36	0,45	0,35	0,47
0,38	0,35	0,43	0,34	0,45
0,37	0,35	0,42	0,34	0,44
0,36	0,34	0,40	0,33	0,42
0,35	0,33	0,39	0,32	0,41
0,34	0,32	0,38	0,31	0,39
0,33	0,31	0,36	0,30	0,38
0,32	0,30	0,35	0,30	0,36
0,31	0,30	0,34	0,29	0,35
0,3	0,29	0,33	0,28	0,34
0,29	0,28	0,31	0,27	0,32
0,28	0,27	0,30	0,26	0,31
0,27	0,26	0,29	0,26	0,29
0,26	0,25	0,28	0,25	0,28
0,25	0,24	0,26	0,24	0,27
0,24	0,23	0,25	0,23	0,26

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	26,21	INF	28,88	INF	24,38	INF
10	7,28	16,06	7,46	29,74	7,13	INF
6	4,91	7,73	4,99	9,89	4,84	15,18
4	3,49	4,69	3,53	5,39	3,46	6,63
3	2,71	3,36	2,73	3,70	2,69	4,24
2,5	2,30	2,74	2,31	2,96	2,28	3,29
2	1,87	2,15	1,88	2,28	1,86	2,46
1,8	1,70	1,92	1,70	2,02	1,69	2,16
1,6	1,52	1,69	1,52	1,77	1,51	1,88
1,4	1,34	1,47	1,34	1,53	1,33	1,60
1,3	1,25	1,36	1,25	1,41	1,24	1,47
1,2	1,15	1,25	1,16	1,29	1,15	1,34
1,1	1,06	1,14	1,07	1,17	1,06	1,22
1	0,97	1,03	0,97	1,06	0,97	1,09
0,95	0,92	0,98	0,93	1,00	0,92	1,03
0,9	0,88	0,93	0,88	0,95	0,87	0,97
0,85	0,83	0,87	0,83	0,89	0,83	0,91
0,8	0,78	0,82	0,78	0,83	0,78	0,85
0,75	0,73	0,77	0,74	0,78	0,73	0,80
0,7	0,69	0,71	0,69	0,73	0,68	0,74
0,65	0,64	0,66	0,64	0,67	0,64	0,68
0,6	0,59	0,61	0,59	0,62	0,59	0,63
0,58	0,57	0,59	0,57	0,60	0,57	0,61
0,56	0,55	0,57	0,55	0,57	0,55	0,58
0,54	0,53	0,55	0,53	0,55	0,53	0,56
0,52	0,51	0,53	0,51	0,53	0,51	0,54
0,5	0,49	0,51	0,49	0,51	0,49	0,52
0,49	0,48	0,50	0,48	0,50	0,48	0,51
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,47	0,46	0,48	0,47	0,48	0,46	0,48
0,46	0,45	0,47	0,46	0,47	0,45	0,47
0,45	0,45	0,45	0,45	0,46	0,44	0,46
0,44	0,44	0,44	0,44	0,45	0,44	0,45
0,43	0,43	0,43	0,43	0,44	0,43	0,44
0,42	0,42	0,42	0,42	0,43	0,42	0,43
0,41	0,41	0,41	0,41	0,42	0,41	0,42
0,4	0,40	0,40	0,40	0,41	0,40	0,41
0,39	0,39	0,39	0,39	0,40	0,39	0,40
0,38	0,38	0,38	0,38	0,39	0,38	0,39
0,37	0,37	0,37	0,37	0,38	0,37	0,38
0,36	0,36	0,36	0,36	0,36	0,36	0,37
0,35	0,35	0,35	0,35	0,35	0,35	0,36
0,34	0,34	0,34	0,34	0,34	0,34	0,35
0,33	0,33	0,33	0,33	0,33	0,33	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,31
0,3	0,30	0,30	0,30	0,30	0,30	0,30

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	16,69	INF	10,56	INF	6,67	INF
10	6,29	INF	5,18	INF	4,04	INF
6	4,45	39,31	3,87	INF	3,20	INF
4	3,25	9,00	2,94	16,01	2,54	INF
3	2,57	5,08	2,37	6,72	2,11	11,49
2,5	2,19	3,77	2,05	4,59	1,85	6,37
2	1,80	2,72	1,70	3,11	1,57	3,82
1,8	1,64	2,35	1,56	2,64	1,45	3,12
1,6	1,47	2,02	1,41	2,22	1,32	2,55
1,4	1,30	1,70	1,25	1,84	1,18	2,06
1,3	1,22	1,55	1,17	1,67	1,11	1,84
1,2	1,13	1,41	1,09	1,50	1,04	1,64
1,1	1,04	1,27	1,01	1,34	0,97	1,45
1	0,95	1,13	0,93	1,19	0,89	1,27
0,95	0,91	1,07	0,88	1,12	0,85	1,19
0,9	0,86	1,00	0,84	1,05	0,81	1,11
0,85	0,82	0,94	0,80	0,98	0,77	1,03
0,8	0,77	0,88	0,75	0,91	0,73	0,95
0,75	0,72	0,82	0,71	0,84	0,69	0,88
0,7	0,68	0,76	0,67	0,78	0,65	0,81
0,65	0,63	0,70	0,62	0,72	0,61	0,74
0,6	0,58	0,64	0,58	0,65	0,56	0,67
0,58	0,57	0,62	0,56	0,63	0,55	0,65
0,56	0,55	0,59	0,54	0,61	0,53	0,62
0,54	0,53	0,57	0,52	0,58	0,51	0,60
0,52	0,51	0,55	0,50	0,56	0,49	0,57
0,5	0,49	0,52	0,48	0,53	0,48	0,55
0,49	0,48	0,51	0,48	0,52	0,47	0,53
0,48	0,47	0,50	0,47	0,51	0,46	0,52
0,47	0,46	0,49	0,46	0,50	0,45	0,51
0,46	0,45	0,48	0,45	0,49	0,44	0,50
0,45	0,44	0,47	0,44	0,48	0,43	0,48
0,44	0,43	0,46	0,43	0,46	0,42	0,47
0,43	0,42	0,45	0,42	0,45	0,41	0,46
0,42	0,41	0,44	0,41	0,44	0,40	0,45
0,41	0,40	0,42	0,40	0,43	0,40	0,44
0,4	0,39	0,41	0,39	0,42	0,39	0,43
0,39	0,38	0,40	0,38	0,41	0,38	0,41
0,38	0,38	0,39	0,37	0,40	0,37	0,40
0,37	0,37	0,38	0,36	0,38	0,36	0,39
0,36	0,36	0,37	0,35	0,37	0,35	0,38
0,35	0,35	0,36	0,34	0,36	0,34	0,37
0,34	0,34	0,35	0,33	0,35	0,33	0,36
0,33	0,33	0,34	0,32	0,34	0,32	0,34
0,32	0,32	0,33	0,32	0,33	0,31	0,33
0,31	0,31	0,32	0,31	0,32	0,30	0,32
0,3	0,30	0,31	0,30	0,31	0,29	0,31

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	4,35	INF	2,93	INF
10	3,07	INF	2,30	INF
6	2,57	INF	2,01	INF
4	2,13	INF	1,74	INF
3	1,82	INF	1,53	INF
2,5	1,63	13,87	1,39	INF
2	1,41	5,60	1,23	16,70
1,8	1,31	4,20	1,16	8,31
1,6	1,21	3,21	1,08	5,10
1,4	1,09	2,46	0,99	3,41
1,3	1,03	2,15	0,94	2,83
1,2	0,97	1,87	0,89	2,37
1,1	0,91	1,63	0,84	1,98
1	0,84	1,41	0,78	1,66
0,95	0,81	1,30	0,75	1,51
0,9	0,77	1,21	0,72	1,38
0,85	0,74	1,11	0,69	1,26
0,8	0,70	1,02	0,66	1,14
0,75	0,66	0,94	0,63	1,04
0,7	0,62	0,86	0,59	0,94
0,65	0,59	0,78	0,56	0,84
0,6	0,55	0,71	0,52	0,75
0,58	0,53	0,68	0,51	0,72
0,56	0,51	0,65	0,49	0,69
0,54	0,50	0,62	0,48	0,66
0,52	0,48	0,59	0,46	0,62
0,5	0,46	0,56	0,45	0,59
0,49	0,46	0,55	0,44	0,58
0,48	0,45	0,54	0,43	0,56
0,47	0,44	0,52	0,43	0,55
0,46	0,43	0,51	0,42	0,53
0,45	0,42	0,50	0,41	0,52
0,44	0,41	0,49	0,40	0,50
0,43	0,41	0,47	0,39	0,49
0,42	0,40	0,46	0,39	0,48
0,41	0,39	0,45	0,38	0,46
0,4	0,38	0,43	0,37	0,45
0,39	0,37	0,42	0,36	0,44
0,38	0,36	0,41	0,35	0,42
0,37	0,35	0,40	0,35	0,41
0,36	0,34	0,39	0,34	0,40
0,35	0,34	0,37	0,33	0,38
0,34	0,33	0,36	0,32	0,37
0,33	0,32	0,35	0,31	0,36
0,32	0,31	0,34	0,30	0,35
0,31	0,30	0,33	0,30	0,33
0,3	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	44,15	INF	59,78	INF	64,94	INF
20	13,80	26,95	15,01	64,74	15,31	INF
10	8,18	11,47	8,58	15,22	8,68	23,50
7	6,06	7,69	6,28	9,19	6,33	11,65
5	4,51	5,34	4,62	6,01	4,65	6,97
4	3,68	4,21	3,76	4,62	3,77	5,15
3,5	3,25	3,66	3,31	3,96	3,33	4,35
3	2,82	3,12	2,86	3,33	2,87	3,60
2,5	2,37	2,58	2,40	2,72	2,41	2,90
2,2	2,10	2,26	2,13	2,37	2,13	2,50
2	1,92	2,05	1,94	2,14	1,94	2,24
1,8	1,74	1,84	1,75	1,91	1,75	1,99
1,6	1,55	1,63	1,56	1,68	1,56	1,75
1,5	1,46	1,53	1,47	1,57	1,47	1,63
1,4	1,36	1,42	1,37	1,46	1,37	1,51
1,3	1,27	1,32	1,28	1,35	1,28	1,39
1,2	1,17	1,22	1,18	1,25	1,18	1,28
1,1	1,08	1,11	1,08	1,14	1,08	1,16
1	0,98	1,01	0,99	1,03	0,99	1,05
0,95	0,93	0,96	0,94	0,98	0,94	1,00
0,9	0,89	0,91	0,89	0,92	0,89	0,94
0,85	0,84	0,86	0,84	0,87	0,84	0,89
0,8	0,79	0,81	0,79	0,82	0,79	0,83
0,78	0,77	0,79	0,77	0,80	0,77	0,81
0,76	0,75	0,77	0,75	0,78	0,75	0,79
0,74	0,73	0,75	0,73	0,76	0,73	0,77
0,72	0,71	0,73	0,71	0,73	0,71	0,74
0,7	0,69	0,71	0,69	0,71	0,69	0,72
0,68	0,67	0,68	0,67	0,69	0,67	0,70
0,66	0,65	0,66	0,65	0,67	0,65	0,68
0,64	0,63	0,64	0,63	0,65	0,63	0,66
0,62	0,61	0,62	0,61	0,63	0,62	0,64
0,6	0,59	0,60	0,60	0,61	0,60	0,62
0,59	0,58	0,59	0,59	0,60	0,59	0,61
0,58	0,57	0,58	0,58	0,59	0,58	0,59
0,57	0,56	0,57	0,57	0,58	0,57	0,58
0,56	0,55	0,56	0,56	0,57	0,56	0,57
0,55	0,55	0,55	0,55	0,56	0,55	0,56
0,54	0,54	0,54	0,54	0,55	0,54	0,55
0,53	0,53	0,53	0,53	0,54	0,53	0,54
0,52	0,52	0,52	0,52	0,53	0,52	0,53
0,51	0,51	0,51	0,51	0,52	0,51	0,52
0,5	0,50	0,50	0,50	0,51	0,50	0,51
0,49	0,49	0,49	0,49	0,50	0,49	0,50
0,48	0,48	0,48	0,48	0,49	0,48	0,49
0,47	0,47	0,47	0,47	0,48	0,47	0,48
0,46	0,46	0,46	0,46	0,46	0,46	0,47
0,45	0,45	0,45	0,45	0,45	0,45	0,46

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	43,50	INF	24,65	INF	14,45	INF
20	13,72	INF	11,07	INF	8,42	INF
10	8,15	51,83	7,14	INF	5,94	INF
7	6,04	15,94	5,47	27,08	4,74	INF
5	4,49	8,29	4,17	10,52	3,74	15,96
4	3,67	5,84	3,46	6,85	3,16	8,79
3,5	3,25	4,82	3,08	5,49	2,84	6,65
3	2,81	3,91	2,69	4,33	2,50	5,03
2,5	2,37	3,09	2,28	3,35	2,15	3,74
2,2	2,10	2,64	2,03	2,82	1,92	3,10
2	1,92	2,35	1,86	2,50	1,77	2,71
1,8	1,73	2,08	1,69	2,19	1,61	2,35
1,6	1,55	1,81	1,51	1,90	1,45	2,01
1,5	1,45	1,68	1,42	1,75	1,37	1,85
1,4	1,36	1,56	1,33	1,62	1,29	1,70
1,3	1,27	1,43	1,24	1,48	1,20	1,55
1,2	1,17	1,31	1,15	1,35	1,12	1,41
1,1	1,08	1,19	1,06	1,22	1,03	1,27
1	0,98	1,07	0,97	1,10	0,94	1,14
0,95	0,93	1,02	0,92	1,04	0,90	1,07
0,9	0,88	0,96	0,87	0,98	0,85	1,01
0,85	0,84	0,90	0,83	0,92	0,81	0,94
0,8	0,79	0,84	0,78	0,86	0,76	0,88
0,78	0,77	0,82	0,76	0,84	0,75	0,86
0,76	0,75	0,80	0,74	0,81	0,73	0,83
0,74	0,73	0,78	0,72	0,79	0,71	0,81
0,72	0,71	0,75	0,70	0,77	0,69	0,78
0,7	0,69	0,73	0,68	0,74	0,67	0,76
0,68	0,67	0,71	0,66	0,72	0,66	0,73
0,66	0,65	0,69	0,65	0,70	0,64	0,71
0,64	0,63	0,67	0,63	0,68	0,62	0,69
0,62	0,61	0,64	0,61	0,65	0,60	0,66
0,6	0,59	0,62	0,59	0,63	0,58	0,64
0,59	0,58	0,61	0,58	0,62	0,57	0,63
0,58	0,57	0,60	0,57	0,61	0,56	0,62
0,57	0,56	0,59	0,56	0,60	0,55	0,61
0,56	0,55	0,58	0,55	0,59	0,54	0,59
0,55	0,54	0,57	0,54	0,57	0,53	0,58
0,54	0,53	0,56	0,53	0,56	0,53	0,57
0,53	0,52	0,55	0,52	0,55	0,52	0,56
0,52	0,52	0,54	0,51	0,54	0,51	0,55
0,51	0,51	0,52	0,50	0,53	0,50	0,54
0,5	0,50	0,51	0,49	0,52	0,49	0,53
0,49	0,49	0,50	0,48	0,51	0,48	0,51
0,48	0,48	0,49	0,47	0,50	0,47	0,50
0,47	0,47	0,48	0,46	0,49	0,46	0,49
0,46	0,46	0,47	0,45	0,48	0,45	0,48
0,45	0,45	0,46	0,44	0,46	0,44	0,47

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	9,02	INF	5,87	INF
20	6,25	INF	4,56	INF
10	4,78	INF	3,73	INF
7	3,98	INF	3,23	INF
5	3,25	55,54	2,74	INF
4	2,80	14,39	2,41	INF
3,5	2,55	9,41	2,23	22,44
3	2,28	6,44	2,02	10,63
2,5	1,98	4,47	1,78	6,12
2,2	1,79	3,57	1,63	4,54
2	1,66	3,06	1,52	3,74
1,8	1,52	2,60	1,40	3,08
1,6	1,38	2,19	1,28	2,52
1,5	1,30	2,01	1,22	2,27
1,4	1,23	1,83	1,15	2,04
1,3	1,15	1,66	1,09	1,83
1,2	1,07	1,49	1,02	1,63
1,1	0,99	1,34	0,95	1,44
1	0,91	1,19	0,87	1,27
0,95	0,87	1,12	0,84	1,19
0,9	0,83	1,05	0,80	1,11
0,85	0,79	0,98	0,76	1,03
0,8	0,75	0,91	0,72	0,96
0,78	0,73	0,88	0,70	0,93
0,76	0,71	0,86	0,69	0,90
0,74	0,69	0,83	0,67	0,87
0,72	0,68	0,81	0,66	0,84
0,7	0,66	0,78	0,64	0,81
0,68	0,64	0,75	0,62	0,78
0,66	0,62	0,73	0,61	0,76
0,64	0,61	0,70	0,59	0,73
0,62	0,59	0,68	0,57	0,70
0,6	0,57	0,65	0,56	0,68
0,59	0,56	0,64	0,55	0,66
0,58	0,55	0,63	0,54	0,65
0,57	0,54	0,62	0,53	0,64
0,56	0,54	0,61	0,52	0,62
0,55	0,53	0,59	0,51	0,61
0,54	0,52	0,58	0,51	0,60
0,53	0,51	0,57	0,50	0,59
0,52	0,50	0,56	0,49	0,57
0,51	0,49	0,55	0,48	0,56
0,5	0,48	0,53	0,47	0,55
0,49	0,47	0,52	0,46	0,54
0,48	0,46	0,51	0,45	0,52
0,47	0,45	0,50	0,45	0,51
0,46	0,44	0,49	0,44	0,50
0,45	0,44	0,48	0,43	0,49

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	100,99	INF	88,66	INF	76,47	INF
50	33,49	58,69	32,02	77,59	30,28	INF
20	16,73	21,26	16,35	23,30	15,88	27,03
15	13,09	15,70	12,86	16,78	12,57	18,62
12	10,75	12,44	10,59	13,11	10,39	14,20
10	9,12	10,30	9,01	10,76	8,86	11,48
8	7,43	8,19	7,35	8,47	7,26	8,91
7	6,56	7,15	6,50	7,36	6,43	7,69
6	5,68	6,11	5,63	6,26	5,58	6,50
5,5	5,23	5,59	5,19	5,72	5,14	5,91
5	4,77	5,07	4,74	5,18	4,70	5,34
4,5	4,32	4,56	4,29	4,64	4,26	4,77
4	3,86	4,05	3,84	4,11	3,81	4,21
3,8	3,67	3,84	3,65	3,90	3,63	3,99
3,6	3,48	3,64	3,47	3,69	3,45	3,77
3,4	3,30	3,43	3,28	3,48	3,26	3,55
3,2	3,11	3,23	3,10	3,27	3,08	3,33
3	2,92	3,03	2,91	3,06	2,89	3,11
2,8	2,73	2,82	2,72	2,85	2,71	2,90
2,6	2,54	2,62	2,53	2,65	2,52	2,68
2,4	2,35	2,42	2,34	2,44	2,33	2,47
2,2	2,16	2,21	2,15	2,23	2,14	2,26
2	1,97	2,01	1,96	2,03	1,95	2,05
1,9	1,87	1,91	1,86	1,92	1,86	1,94
1,8	1,77	1,81	1,77	1,82	1,76	1,84
1,7	1,68	1,71	1,67	1,72	1,67	1,73
1,6	1,58	1,61	1,58	1,62	1,57	1,63
1,5	1,48	1,51	1,48	1,51	1,47	1,53
1,4	1,38	1,41	1,38	1,41	1,38	1,42
1,3	1,29	1,30	1,28	1,31	1,28	1,32
1,2	1,19	1,20	1,19	1,21	1,18	1,22
1,1	1,09	1,10	1,09	1,11	1,09	1,11
1	0,99	1,00	0,99	1,01	0,99	1,01

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	58,31	INF	41,65	INF	28,93	INF
50	26,96	INF	22,77	INF	18,37	INF
20	14,93	33,15	13,55	46,26	11,87	96,14
15	11,96	21,32	11,06	26,06	9,92	36,77
12	9,98	15,72	9,35	18,14	8,52	22,73
10	8,56	12,44	8,09	13,91	7,47	16,45
8	7,05	9,48	6,74	10,30	6,30	11,63
7	6,27	8,10	6,02	8,70	5,67	9,62
6	5,46	6,79	5,26	7,20	5,00	7,81
5,5	5,04	6,15	4,88	6,49	4,65	6,98
5	4,62	5,53	4,48	5,80	4,29	6,19
4,5	4,19	4,92	4,08	5,13	3,92	5,44
4	3,75	4,33	3,66	4,49	3,53	4,72
3,8	3,58	4,10	3,50	4,24	3,38	4,44
3,6	3,40	3,86	3,33	3,99	3,22	4,17
3,4	3,22	3,63	3,16	3,74	3,06	3,90
3,2	3,04	3,40	2,98	3,50	2,90	3,64
3	2,86	3,18	2,81	3,26	2,73	3,38
2,8	2,68	2,95	2,63	3,03	2,57	3,13
2,6	2,50	2,73	2,46	2,79	2,40	2,88
2,4	2,31	2,51	2,28	2,56	2,23	2,63
2,2	2,13	2,29	2,10	2,33	2,06	2,39
2	1,94	2,07	1,92	2,11	1,88	2,16
1,9	1,85	1,97	1,82	2,00	1,79	2,04
1,8	1,75	1,86	1,73	1,89	1,70	1,92
1,7	1,66	1,75	1,64	1,78	1,62	1,81
1,6	1,56	1,65	1,55	1,67	1,53	1,69
1,5	1,47	1,54	1,45	1,56	1,43	1,58
1,4	1,37	1,43	1,36	1,45	1,34	1,47
1,3	1,28	1,33	1,27	1,34	1,25	1,36
1,2	1,18	1,22	1,17	1,24	1,16	1,25
1,1	1,08	1,12	1,08	1,13	1,07	1,14
1	0,99	1,02	0,98	1,02	0,97	1,03

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	20,13	INF	14,06	INF
50	14,39	INF	11,01	INF
20	10,08	INF	8,30	INF
15	8,64	86,31	7,30	INF
12	7,56	35,17	6,52	153,81
10	6,72	22,08	5,89	42,70
8	5,76	14,17	5,14	20,49
7	5,23	11,29	4,71	14,94
6	4,66	8,87	4,24	10,98
5,5	4,35	7,81	3,99	9,39
5	4,03	6,83	3,72	8,00
4,5	3,71	5,92	3,44	6,78
4	3,36	5,08	3,15	5,69
3,8	3,22	4,76	3,02	5,29
3,6	3,08	4,44	2,90	4,90
3,4	2,93	4,14	2,77	4,54
3,2	2,78	3,84	2,64	4,18
3	2,63	3,56	2,50	3,84
2,8	2,48	3,28	2,36	3,51
2,6	2,32	3,00	2,22	3,20
2,4	2,16	2,74	2,07	2,90
2,2	2,00	2,48	1,92	2,61
2	1,83	2,22	1,77	2,33
1,9	1,75	2,10	1,69	2,19
1,8	1,67	1,98	1,62	2,06
1,7	1,58	1,86	1,54	1,93
1,6	1,50	1,74	1,45	1,80
1,5	1,41	1,62	1,37	1,67
1,4	1,32	1,50	1,29	1,54
1,3	1,23	1,38	1,21	1,42
1,2	1,14	1,27	1,12	1,30
1,1	1,05	1,16	1,03	1,18
1	0,96	1,05	0,95	1,07

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	191,80	INF	178,29	INF	123,99	INF
100	65,79	INF	64,12	INF	55,41	INF
90	61,31	INF	59,86	INF	52,20	INF
80	56,51	INF	55,27	INF	48,68	INF
70	51,33	INF	50,31	INF	44,79	INF
60	45,75	87,22	44,94	INF	40,48	INF
50	39,70	67,56	39,09	85,57	35,68	INF
45	36,49	58,73	35,97	71,87	33,06	96,06
40	33,13	50,48	32,70	59,89	30,29	75,78
35	29,63	42,76	29,29	49,31	27,33	59,59
30	25,97	35,52	25,71	39,92	24,19	46,39
25	22,14	28,71	21,95	31,51	20,84	35,40
20	18,13	22,30	18,00	23,95	17,25	26,12
15	13,93	16,25	13,85	17,10	13,40	18,18
14	13,06	15,08	13,00	15,81	12,60	16,73
13	12,19	13,93	12,13	14,55	11,79	15,32
12	11,31	12,79	11,26	13,30	10,96	13,94
11	10,42	11,66	10,37	12,08	10,12	12,61
10	9,52	10,54	9,48	10,88	9,27	11,31
9,5	9,06	9,98	9,03	10,29	8,84	10,67
9	8,61	9,43	8,58	9,71	8,41	10,04
8,5	8,15	8,88	8,12	9,13	7,97	9,42
8	7,69	8,34	7,67	8,55	7,53	8,81
7,5	7,23	7,80	7,21	7,98	7,08	8,20
7	6,76	7,26	6,74	7,42	6,64	7,61
6,5	6,29	6,72	6,28	6,86	6,19	7,02
6	5,82	6,19	5,81	6,30	5,73	6,44
5,5	5,35	5,66	5,34	5,75	5,28	5,86
5	4,88	5,13	4,87	5,21	4,81	5,30
4,8	4,69	4,92	4,68	4,99	4,63	5,07
4,6	4,50	4,71	4,49	4,77	4,44	4,85
4,5	4,40	4,60	4,39	4,66	4,35	4,74
4,4	4,31	4,50	4,30	4,56	4,26	4,63
4,2	4,11	4,29	4,11	4,34	4,07	4,41
4	3,92	4,08	3,92	4,13	3,88	4,18
3,8	3,73	3,87	3,73	3,92	3,69	3,97
3,6	3,54	3,66	3,53	3,70	3,50	3,75
3,5	3,44	3,56	3,44	3,60	3,41	3,64
3,4	3,34	3,46	3,34	3,49	3,32	3,53
3,2	3,15	3,25	3,15	3,28	3,13	3,31
3	2,96	3,04	2,95	3,07	2,93	3,10
2,9	2,86	2,94	2,86	2,96	2,84	2,99
2,8	2,76	2,84	2,76	2,86	2,74	2,89
2,7	2,67	2,74	2,66	2,76	2,65	2,78
2,6	2,57	2,63	2,57	2,65	2,55	2,67

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,47	2,53	2,47	2,55	2,46	2,57
2,4	2,37	2,43	2,37	2,44	2,36	2,46
2,3	2,28	2,33	2,27	2,34	2,26	2,36
2,2	2,18	2,22	2,18	2,24	2,17	2,25
2,1	2,08	2,12	2,08	2,13	2,07	2,15
2	1,98	2,02	1,98	2,03	1,97	2,04
1,95	1,93	1,97	1,93	1,98	1,92	1,99
1,9	1,88	1,92	1,88	1,93	1,87	1,94
1,85	1,83	1,87	1,83	1,87	1,83	1,89
1,8	1,79	1,81	1,78	1,82	1,78	1,83
1,75	1,74	1,76	1,74	1,77	1,73	1,78
1,7	1,69	1,71	1,69	1,72	1,68	1,73
1,65	1,64	1,66	1,64	1,67	1,63	1,68
1,6	1,59	1,61	1,59	1,62	1,58	1,63
1,55	1,54	1,56	1,54	1,57	1,53	1,57
1,5	1,49	1,51	1,49	1,52	1,48	1,52
1,45	1,44	1,46	1,44	1,46	1,44	1,47
1,4	1,39	1,41	1,39	1,41	1,39	1,42
1,35	1,34	1,36	1,34	1,36	1,34	1,37
1,3	1,29	1,31	1,29	1,31	1,29	1,32
1,25	1,24	1,26	1,24	1,26	1,24	1,26
1,2	1,19	1,21	1,19	1,21	1,19	1,21
1,15	1,14	1,16	1,14	1,16	1,14	1,16
1,1	1,10	1,10	1,09	1,11	1,09	1,11
1,05	1,05	1,05	1,05	1,06	1,04	1,06
1	1,00	1,00	1,00	1,01	0,99	1,01
0,98	0,98	0,98	0,98	0,99	0,97	0,99
0,96	0,96	0,96	0,96	0,97	0,95	0,97
0,95	0,95	0,95	0,95	0,96	0,94	0,96
0,94	0,94	0,94	0,94	0,95	0,93	0,95
0,92	0,92	0,92	0,92	0,92	0,92	0,93
0,9	0,90	0,90	0,90	0,90	0,90	0,91
0,88	0,88	0,88	0,88	0,88	0,88	0,89
0,86	0,86	0,86	0,86	0,86	0,86	0,87
0,85	0,85	0,85	0,85	0,85	0,85	0,86
0,84	0,84	0,84	0,84	0,84	0,84	0,85
0,82	0,82	0,82	0,82	0,82	0,82	0,83
0,8	0,80	0,80	0,80	0,80	0,80	0,80
0,78	0,78	0,78	0,78	0,78	0,78	0,78
0,76	0,76	0,76	0,76	0,76	0,76	0,76
0,75	0,75	0,75	0,75	0,75	0,75	0,75
0,74	0,74	0,74	0,74	0,74	0,74	0,74
0,72	0,72	0,72	0,72	0,72	0,72	0,72
0,7	0,70	0,70	0,70	0,70	0,70	0,70

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	85,31	INF	58,55	INF	40,08	INF
100	46,10	INF	36,98	INF	28,66	INF
90	43,86	INF	35,53	INF	27,78	INF
80	41,34	INF	33,87	INF	26,76	INF
70	38,51	INF	31,94	INF	25,54	INF
60	35,28	INF	29,69	INF	24,09	INF
50	31,58	INF	27,03	INF	22,31	INF
45	29,51	INF	25,50	INF	21,26	INF
40	27,28	INF	23,82	INF	20,08	INF
35	24,87	82,82	21,96	INF	18,75	INF
30	22,24	59,32	19,89	INF	17,22	INF
25	19,38	42,45	17,57	58,32	15,46	INF
20	16,24	29,76	14,95	36,75	13,40	54,12
15	12,79	19,86	11,98	22,73	10,96	28,33
14	12,06	18,14	11,34	20,50	10,42	24,94
13	11,31	16,49	10,67	18,41	9,86	21,91
12	10,55	14,90	9,99	16,46	9,28	19,19
11	9,77	13,39	9,29	14,62	8,67	16,74
10	8,97	11,93	8,57	12,90	8,04	14,51
9,5	8,57	11,22	8,20	12,07	7,72	13,47
9	8,16	10,53	7,83	11,27	7,39	12,48
8,5	7,75	9,85	7,45	10,49	7,05	11,53
8	7,33	9,18	7,06	9,74	6,70	10,62
7,5	6,91	8,52	6,67	9,00	6,35	9,75
7	6,49	7,88	6,28	8,29	5,99	8,92
6,5	6,06	7,25	5,87	7,59	5,62	8,11
6	5,62	6,63	5,46	6,91	5,25	7,34
5,5	5,18	6,02	5,05	6,25	4,86	6,60
5	4,74	5,43	4,62	5,61	4,47	5,89
4,8	4,56	5,19	4,45	5,36	4,31	5,61
4,6	4,38	4,96	4,28	5,11	4,15	5,34
4,5	4,29	4,84	4,19	4,99	4,07	5,20
4,4	4,20	4,72	4,11	4,86	3,99	5,07
4,2	4,01	4,49	3,93	4,62	3,82	4,80
4	3,83	4,26	3,76	4,38	3,66	4,54
3,8	3,65	4,04	3,58	4,14	3,49	4,28
3,6	3,46	3,81	3,40	3,90	3,32	4,03
3,5	3,37	3,70	3,32	3,78	3,24	3,90
3,4	3,28	3,59	3,23	3,66	3,15	3,78
3,2	3,09	3,36	3,05	3,43	2,98	3,53
3	2,91	3,14	2,87	3,20	2,81	3,29
2,9	2,81	3,03	2,77	3,09	2,72	3,17
2,8	2,72	2,92	2,68	2,97	2,63	3,05
2,7	2,62	2,81	2,59	2,86	2,54	2,93
2,6	2,53	2,70	2,50	2,75	2,46	2,81

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,44	2,60	2,41	2,64	2,37	2,69
2,4	2,34	2,49	2,31	2,52	2,28	2,57
2,3	2,25	2,38	2,22	2,41	2,19	2,46
2,2	2,15	2,27	2,13	2,30	2,10	2,34
2,1	2,06	2,17	2,04	2,19	2,01	2,23
2	1,96	2,06	1,94	2,08	1,92	2,12
1,95	1,91	2,01	1,89	2,03	1,87	2,06
1,9	1,86	1,95	1,85	1,97	1,82	2,00
1,85	1,82	1,90	1,80	1,92	1,78	1,95
1,8	1,77	1,85	1,75	1,87	1,73	1,89
1,75	1,72	1,79	1,71	1,81	1,69	1,84
1,7	1,67	1,74	1,66	1,76	1,64	1,78
1,65	1,62	1,69	1,61	1,70	1,59	1,73
1,6	1,57	1,64	1,56	1,65	1,55	1,67
1,55	1,53	1,58	1,52	1,60	1,50	1,62
1,5	1,48	1,53	1,47	1,54	1,45	1,56
1,45	1,43	1,48	1,42	1,49	1,41	1,51
1,4	1,38	1,43	1,37	1,44	1,36	1,45
1,35	1,33	1,37	1,33	1,38	1,31	1,40
1,3	1,28	1,32	1,28	1,33	1,27	1,34
1,25	1,24	1,27	1,23	1,28	1,22	1,29
1,2	1,19	1,22	1,18	1,23	1,17	1,24
1,15	1,14	1,17	1,13	1,17	1,12	1,18
1,1	1,09	1,12	1,08	1,12	1,08	1,13
1,05	1,04	1,06	1,04	1,07	1,03	1,08
1	0,99	1,01	0,99	1,02	0,98	1,02
0,98	0,97	0,99	0,97	1,00	0,96	1,00
0,96	0,95	0,97	0,95	0,98	0,94	0,98
0,95	0,94	0,96	0,94	0,96	0,93	0,97
0,94	0,93	0,95	0,93	0,95	0,92	0,96
0,92	0,91	0,93	0,91	0,93	0,90	0,94
0,9	0,89	0,91	0,89	0,91	0,89	0,92
0,88	0,87	0,89	0,87	0,89	0,87	0,90
0,86	0,85	0,87	0,85	0,87	0,85	0,88
0,85	0,84	0,86	0,84	0,86	0,84	0,87
0,84	0,83	0,85	0,83	0,85	0,83	0,86
0,82	0,81	0,83	0,81	0,83	0,81	0,83
0,8	0,79	0,81	0,79	0,81	0,79	0,81
0,78	0,78	0,79	0,77	0,79	0,77	0,79
0,76	0,76	0,77	0,75	0,77	0,75	0,77
0,75	0,75	0,76	0,74	0,76	0,74	0,76
0,74	0,74	0,75	0,73	0,75	0,73	0,75
0,72	0,72	0,73	0,71	0,73	0,71	0,73
0,7	0,70	0,70	0,69	0,71	0,69	0,71

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	27,46	INF	18,97	INF
100	21,59	INF	15,98	INF
90	21,09	INF	15,70	INF
80	20,49	INF	15,37	INF
70	19,78	INF	14,97	INF
60	18,89	INF	14,46	INF
50	17,78	INF	13,80	INF
45	17,11	INF	13,40	INF
40	16,34	INF	12,92	INF
35	15,45	INF	12,36	INF
30	14,40	INF	11,68	INF
25	13,15	INF	10,85	INF
20	11,63	INF	9,80	INF
15	9,76	42,84	8,44	INF
14	9,33	35,51	8,12	87,72
13	8,88	29,65	7,78	58,87
12	8,40	24,87	7,41	42,55
11	7,91	20,89	7,02	32,05
10	7,38	17,52	6,61	24,72
9,5	7,11	16,02	6,39	21,83
9	6,83	14,64	6,16	19,33
8,5	6,54	13,34	5,92	17,13
8	6,24	12,14	5,68	15,18
7,5	5,93	11,01	5,43	13,45
7	5,62	9,95	5,16	11,90
6,5	5,30	8,96	4,89	10,51
6	4,96	8,03	4,61	9,24
5,5	4,62	7,15	4,31	8,09
5	4,26	6,32	4,00	7,04
4,8	4,12	6,00	3,87	6,64
4,6	3,97	5,69	3,74	6,26
4,5	3,90	5,53	3,68	6,07
4,4	3,82	5,38	3,61	5,89
4,2	3,67	5,08	3,48	5,53
4	3,52	4,79	3,34	5,18
3,8	3,37	4,50	3,20	4,85
3,6	3,21	4,22	3,06	4,52
3,5	3,13	4,08	2,99	4,36
3,4	3,05	3,94	2,92	4,21
3,2	2,89	3,67	2,77	3,90
3	2,73	3,41	2,62	3,60
2,9	2,64	3,28	2,55	3,46
2,8	2,56	3,15	2,47	3,31
2,7	2,48	3,02	2,39	3,17
2,6	2,40	2,90	2,31	3,03

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
2,5	2,31	2,77	2,24	2,89
2,4	2,23	2,65	2,16	2,76
2,3	2,14	2,53	2,08	2,63
2,2	2,05	2,40	2,00	2,49
2,1	1,97	2,28	1,91	2,36
2	1,88	2,16	1,83	2,24
1,95	1,84	2,11	1,79	2,17
1,9	1,79	2,05	1,75	2,11
1,85	1,75	1,99	1,71	2,05
1,8	1,70	1,93	1,66	1,99
1,75	1,66	1,87	1,62	1,92
1,7	1,61	1,81	1,58	1,86
1,65	1,57	1,76	1,54	1,80
1,6	1,53	1,70	1,49	1,74
1,55	1,48	1,64	1,45	1,68
1,5	1,43	1,59	1,41	1,62
1,45	1,39	1,53	1,36	1,56
1,4	1,34	1,47	1,32	1,50
1,35	1,30	1,42	1,28	1,45
1,3	1,25	1,36	1,23	1,39
1,25	1,21	1,31	1,19	1,33
1,2	1,16	1,25	1,14	1,27
1,15	1,11	1,20	1,10	1,22
1,1	1,07	1,14	1,05	1,16
1,05	1,02	1,09	1,01	1,10
1	0,97	1,03	0,96	1,05
0,98	0,95	1,01	0,94	1,02
0,96	0,94	0,99	0,93	1,00
0,95	0,93	0,98	0,92	0,99
0,94	0,92	0,97	0,91	0,98
0,92	0,90	0,95	0,89	0,96
0,9	0,88	0,93	0,87	0,94
0,88	0,86	0,90	0,85	0,91
0,86	0,84	0,88	0,83	0,89
0,85	0,83	0,87	0,82	0,88
0,84	0,82	0,86	0,82	0,87
0,82	0,80	0,84	0,80	0,85
0,8	0,78	0,82	0,78	0,83
0,78	0,77	0,80	0,76	0,80
0,76	0,75	0,78	0,74	0,78
0,75	0,74	0,77	0,73	0,77
0,74	0,73	0,76	0,72	0,76
0,72	0,71	0,73	0,70	0,74
0,7	0,69	0,71	0,68	0,72

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	361,09	INF	300,03	INF	207,29	INF
60	51,48	73,36	50,04	81,14	46,58	93,69
30	27,72	32,99	27,30	34,47	26,24	36,53
15	14,41	15,71	14,30	16,03	14,01	16,45
12	11,62	12,45	11,55	12,64	11,36	12,91
10	9,74	10,31	9,69	10,44	9,55	10,62
9	8,79	9,25	8,75	9,35	8,64	9,50
8	7,83	8,19	7,80	8,28	7,71	8,39
7	6,87	7,15	6,85	7,21	6,78	7,35
6	5,91	6,11	5,89	6,15	5,84	6,21
5,5	5,42	5,59	5,41	5,63	5,37	5,68
5	4,93	5,07	4,92	5,10	4,89	5,14
4,5	4,45	4,56	4,44	4,58	4,41	4,62
4	3,96	4,05	3,95	4,07	3,93	4,09
3,8	3,76	3,84	3,76	3,86	3,74	3,88
3,6	3,57	3,64	3,56	3,65	3,54	3,67
3,4	3,37	3,43	3,37	3,45	3,35	3,46
3,2	3,17	3,23	3,17	3,24	3,16	3,26
3	2,98	3,03	2,97	3,04	2,96	3,05
2,8	2,78	2,82	2,78	2,83	2,77	2,84
2,6	2,58	2,62	2,58	2,63	2,57	2,64
2,4	2,39	2,42	2,38	2,42	2,38	2,43
2,2	2,19	2,21	2,19	2,22	2,18	2,22
2	1,99	2,01	1,99	2,01	1,98	2,02
1,9	1,89	1,91	1,89	1,91	1,89	1,92
1,8	1,79	1,81	1,79	1,81	1,79	1,82
1,7	1,69	1,71	1,69	1,71	1,69	1,71
1,6	1,59	1,61	1,59	1,61	1,59	1,61
1,5	1,49	1,51	1,49	1,51	1,49	1,51
1,4	1,40	1,40	1,39	1,41	1,39	1,41
1,3	1,30	1,30	1,30	1,31	1,29	1,31
1,2	1,20	1,20	1,20	1,20	1,19	1,21
1,1	1,10	1,10	1,10	1,10	1,10	1,11
1	1,00	1,00	1,00	1,00	1,00	1,00

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	143,41	INF	99,30	INF	69,00	INF
60	42,36	119,50	37,47	193,94	32,17	1537,36
30	24,85	39,87	23,09	45,69	20,97	57,46
15	13,61	17,09	13,07	18,07	12,37	19,64
12	11,09	13,29	10,74	13,87	10,26	14,78
10	9,37	10,88	9,11	11,26	8,77	11,85
9	8,49	9,70	8,28	10,00	7,99	10,46
8	7,59	8,55	7,42	8,78	7,20	9,13
7	6,69	7,41	6,56	7,59	6,38	7,84
6	5,77	6,30	5,67	6,42	5,54	6,60
5,5	5,31	5,75	5,23	5,85	5,12	6,00
5	4,84	5,20	4,77	5,29	4,68	5,41
4,5	4,37	4,66	4,32	4,73	4,24	4,82
4	3,90	4,13	3,86	4,18	3,80	4,25
3,8	3,71	3,91	3,67	3,96	3,62	4,03
3,6	3,52	3,70	3,48	3,74	3,44	3,80
3,4	3,33	3,49	3,30	3,53	3,25	3,58
3,2	3,14	3,28	3,11	3,31	3,07	3,36
3	2,94	3,07	2,92	3,10	2,89	3,13
2,8	2,75	2,86	2,73	2,88	2,70	2,92
2,6	2,56	2,65	2,54	2,67	2,52	2,70
2,4	2,37	2,44	2,35	2,46	2,33	2,48
2,2	2,17	2,23	2,16	2,25	2,14	2,27
2	1,98	2,03	1,97	2,04	1,95	2,06
1,9	1,88	1,93	1,87	1,94	1,86	1,95
1,8	1,78	1,82	1,77	1,83	1,76	1,84
1,7	1,68	1,72	1,68	1,73	1,67	1,74
1,6	1,59	1,62	1,58	1,62	1,57	1,63
1,5	1,49	1,51	1,48	1,52	1,47	1,53
1,4	1,39	1,41	1,38	1,42	1,38	1,42
1,3	1,29	1,31	1,29	1,31	1,28	1,32
1,2	1,19	1,21	1,19	1,21	1,18	1,22
1,1	1,09	1,11	1,09	1,11	1,09	1,11
1	1,00	1,01	0,99	1,01	0,99	1,01

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	48,16	INF	33,77	INF
60	26,79	INF	21,68	INF
30	18,56	90,28	15,96	474,13
15	11,49	22,40	10,45	27,95
12	9,66	16,28	8,91	19,01
10	8,33	12,78	7,77	14,40
9	7,62	11,18	7,16	12,39
8	6,90	9,67	6,52	10,56
7	6,15	8,24	5,84	8,87
6	5,37	6,88	5,14	7,31
5,5	4,97	6,22	4,77	6,57
5	4,56	5,59	4,39	5,87
4,5	4,14	4,97	4,00	5,18
4	3,72	4,36	3,61	4,53
3,8	3,54	4,12	3,44	4,27
3,6	3,37	3,89	3,28	4,02
3,4	3,20	3,65	3,12	3,77
3,2	3,02	3,42	2,95	3,52
3	2,84	3,19	2,78	3,28
2,8	2,66	2,96	2,61	3,04
2,6	2,48	2,74	2,44	2,80
2,4	2,30	2,52	2,26	2,57
2,2	2,12	2,30	2,08	2,34
2	1,93	2,08	1,91	2,11
1,9	1,84	1,97	1,82	2,00
1,8	1,75	1,86	1,72	1,89
1,7	1,65	1,75	1,63	1,78
1,6	1,56	1,65	1,54	1,67
1,5	1,46	1,54	1,45	1,56
1,4	1,37	1,43	1,36	1,45
1,3	1,27	1,33	1,26	1,34
1,2	1,18	1,22	1,17	1,23
1,1	1,08	1,12	1,08	1,13
1	0,99	1,02	0,98	1,02

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,89	INF	2,26	INF	1,88	INF
10	2,28	INF	1,88	INF	1,61	INF
5	1,88	INF	1,60	INF	1,41	INF
3	1,53	INF	1,34	INF	1,21	INF
2,5	1,39	17,56	1,24	INF	1,13	INF
2	1,23	6,06	1,12	17,98	1,02	INF
1,8	1,16	4,45	1,06	8,54	0,98	INF
1,6	1,08	3,34	0,99	5,16	0,92	INF
1,4	0,99	2,52	0,92	3,42	0,86	60,17
1,2	0,89	1,91	0,83	2,36	0,78	6,40
1	0,78	1,42	0,74	1,65	0,70	2,85
0,9	0,73	1,22	0,69	1,37	0,66	2,08
0,85	0,69	1,12	0,66	1,25	0,63	1,80
0,8	0,66	1,03	0,63	1,13	0,61	1,56
0,75	0,63	0,94	0,60	1,03	0,58	1,35
0,7	0,60	0,86	0,57	0,93	0,55	1,18
0,65	0,56	0,78	0,54	0,84	0,52	1,02
0,6	0,53	0,71	0,51	0,75	0,49	0,89
0,55	0,49	0,63	0,48	0,67	0,46	0,77
0,5	0,45	0,56	0,44	0,59	0,43	0,66
0,48	0,44	0,54	0,43	0,56	0,42	0,62
0,46	0,42	0,51	0,41	0,53	0,40	0,59
0,44	0,41	0,48	0,40	0,50	0,39	0,55
0,42	0,39	0,46	0,38	0,47	0,37	0,51
0,4	0,37	0,43	0,37	0,45	0,36	0,48
0,39	0,36	0,42	0,36	0,43	0,35	0,47
0,38	0,36	0,41	0,35	0,42	0,34	0,45
0,37	0,35	0,40	0,34	0,41	0,34	0,43
0,36	0,34	0,38	0,33	0,39	0,33	0,42
0,35	0,33	0,37	0,33	0,38	0,32	0,40
0,34	0,32	0,36	0,32	0,37	0,31	0,39
0,33	0,31	0,35	0,31	0,36	0,31	0,37
0,32	0,31	0,34	0,30	0,34	0,30	0,36
0,31	0,30	0,33	0,29	0,33	0,29	0,35
0,3	0,29	0,31	0,28	0,32	0,28	0,33

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1,41	INF	1,01	INF	0,72	INF
10	1,26	INF	0,94	INF	0,69	INF
5	1,14	INF	0,87	INF	0,66	INF
3	1,01	INF	0,80	INF	0,62	INF
2,5	0,95	INF	0,76	INF	0,60	INF
2	0,88	INF	0,72	INF	0,57	INF
1,8	0,85	INF	0,70	INF	0,56	INF
1,6	0,81	INF	0,67	INF	0,54	INF
1,4	0,76	INF	0,64	INF	0,53	INF
1,2	0,70	INF	0,60	INF	0,50	INF
1	0,64	48,06	0,56	INF	0,47	INF
0,9	0,60	6,24	0,53	INF	0,46	INF
0,85	0,58	4,13	0,52	INF	0,45	INF
0,8	0,56	2,99	0,50	INF	0,43	INF
0,75	0,54	2,28	0,48	32,76	0,42	INF
0,7	0,52	1,80	0,47	6,24	0,41	INF
0,65	0,49	1,44	0,45	3,23	0,40	INF
0,6	0,47	1,17	0,43	2,07	0,38	INF
0,55	0,44	0,96	0,41	1,46	0,37	6,12
0,5	0,41	0,79	0,38	1,08	0,35	2,29
0,48	0,40	0,73	0,37	0,96	0,34	1,78
0,46	0,39	0,68	0,36	0,86	0,33	1,44
0,44	0,37	0,63	0,35	0,78	0,32	1,19
0,42	0,36	0,58	0,34	0,70	0,32	1,00
0,4	0,35	0,54	0,33	0,63	0,31	0,85
0,39	0,34	0,51	0,32	0,60	0,30	0,79
0,38	0,33	0,49	0,32	0,57	0,30	0,73
0,37	0,33	0,47	0,31	0,54	0,29	0,68
0,36	0,32	0,45	0,31	0,51	0,29	0,64
0,35	0,31	0,44	0,30	0,49	0,28	0,59
0,34	0,31	0,42	0,29	0,46	0,28	0,55
0,33	0,30	0,40	0,29	0,44	0,27	0,52
0,32	0,29	0,38	0,28	0,42	0,27	0,49
0,31	0,28	0,37	0,27	0,40	0,26	0,45
0,3	0,28	0,35	0,27	0,38	0,26	0,43

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,53	INF
10	0,51	INF
5	0,50	INF
3	0,48	INF
2,5	0,47	INF
2	0,45	INF
1,8	0,45	INF
1,6	0,44	INF
1,4	0,43	INF
1,2	0,41	INF
1	0,40	INF
0,9	0,38	INF
0,85	0,38	INF
0,8	0,37	INF
0,75	0,36	INF
0,7	0,36	INF
0,65	0,35	INF
0,6	0,34	INF
0,55	0,33	INF
0,5	0,31	INF
0,48	0,31	INF
0,46	0,30	INF
0,44	0,30	8,32
0,42	0,29	3,25
0,4	0,28	1,96
0,39	0,28	1,61
0,38	0,27	1,36
0,37	0,27	1,17
0,36	0,27	1,02
0,35	0,26	0,90
0,34	0,26	0,80
0,33	0,25	0,72
0,32	0,25	0,65
0,31	0,25	0,59
0,3	0,24	0,53

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,15	INF	3,10	INF	2,40	INF
60	3,90	INF	2,96	INF	2,31	INF
50	3,85	INF	2,93	INF	2,30	INF
30	3,67	INF	2,83	INF	2,23	INF
20	3,47	INF	2,71	INF	2,16	INF
15	3,29	INF	2,60	INF	2,09	INF
12	3,13	INF	2,50	INF	2,03	INF
10	2,98	INF	2,41	INF	1,97	INF
9	2,89	INF	2,35	INF	1,93	INF
8	2,78	INF	2,28	INF	1,88	INF
7	2,66	INF	2,19	INF	1,83	INF
6	2,51	INF	2,09	INF	1,76	INF
5,5	2,42	INF	2,03	INF	1,72	INF
5	2,32	INF	1,97	INF	1,67	INF
4,5	2,22	INF	1,89	INF	1,61	INF
4	2,09	104,33	1,80	INF	1,55	INF
3,8	2,04	42,62	1,76	INF	1,52	INF
3,6	1,98	25,72	1,72	INF	1,49	INF
3,5	1,95	21,16	1,70	INF	1,48	INF
3,4	1,92	17,82	1,68	INF	1,46	INF
3,2	1,86	13,24	1,63	211,07	1,42	INF
3	1,80	10,26	1,58	36,97	1,39	INF
2,8	1,73	8,16	1,53	19,03	1,35	INF
2,6	1,65	6,60	1,47	12,20	1,30	INF
2,5	1,61	5,96	1,44	10,16	1,28	INF
2,4	1,57	5,40	1,41	8,60	1,25	INF
2,2	1,49	4,44	1,34	6,38	1,20	INF
2	1,40	3,66	1,27	4,87	1,14	22,64
1,9	1,35	3,32	1,23	4,28	1,11	13,63
1,8	1,30	3,02	1,19	3,78	1,08	9,46
1,7	1,25	2,73	1,15	3,34	1,05	7,04
1,6	1,20	2,47	1,10	2,95	1,01	5,47
1,5	1,14	2,23	1,06	2,61	0,97	4,37
1,45	1,12	2,12	1,04	2,45	0,95	3,93
1,4	1,09	2,01	1,01	2,30	0,93	3,55
1,35	1,06	1,90	0,99	2,16	0,91	3,22
1,3	1,03	1,80	0,96	2,03	0,89	2,92
1,25	1,00	1,70	0,94	1,90	0,87	2,66
1,2	0,97	1,60	0,91	1,78	0,85	2,42

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,94	1,51	0,88	1,67	0,82	2,21
1,1	0,91	1,42	0,85	1,56	0,80	2,01
1,05	0,87	1,34	0,83	1,45	0,78	1,84
1	0,84	1,25	0,80	1,35	0,75	1,68
0,98	0,83	1,22	0,78	1,31	0,74	1,61
0,96	0,81	1,19	0,77	1,28	0,73	1,56
0,95	0,81	1,17	0,77	1,26	0,72	1,53
0,94	0,80	1,15	0,76	1,24	0,72	1,50
0,92	0,78	1,12	0,75	1,20	0,71	1,44
0,9	0,77	1,09	0,73	1,17	0,70	1,39
0,88	0,76	1,06	0,72	1,13	0,69	1,34
0,86	0,74	1,03	0,71	1,10	0,67	1,29
0,85	0,74	1,02	0,70	1,08	0,67	1,26
0,84	0,73	1,00	0,70	1,06	0,66	1,24
0,82	0,71	0,97	0,68	1,03	0,65	1,19
0,8	0,70	0,94	0,67	0,99	0,64	1,15
0,78	0,68	0,91	0,66	0,96	0,63	1,10
0,76	0,67	0,88	0,64	0,93	0,62	1,06
0,75	0,66	0,87	0,64	0,91	0,61	1,04
0,74	0,66	0,86	0,63	0,90	0,60	1,02
0,72	0,64	0,83	0,62	0,87	0,59	0,98
0,7	0,62	0,80	0,60	0,84	0,58	0,94
0,68	0,61	0,77	0,59	0,81	0,57	0,90
0,66	0,59	0,75	0,57	0,78	0,55	0,86
0,65	0,59	0,73	0,57	0,76	0,55	0,84
0,64	0,58	0,72	0,56	0,75	0,54	0,82
0,62	0,56	0,69	0,55	0,72	0,53	0,79
0,6	0,55	0,67	0,53	0,69	0,51	0,75
0,59	0,54	0,65	0,52	0,68	0,51	0,74
0,58	0,53	0,64	0,52	0,66	0,50	0,72
0,57	0,52	0,63	0,51	0,65	0,49	0,70
0,56	0,51	0,62	0,50	0,64	0,49	0,69
0,55	0,51	0,60	0,49	0,62	0,48	0,67
0,54	0,50	0,59	0,49	0,61	0,47	0,65
0,53	0,49	0,58	0,48	0,59	0,46	0,64
0,52	0,48	0,57	0,47	0,58	0,46	0,62
0,51	0,47	0,55	0,46	0,57	0,45	0,61
0,5	0,47	0,54	0,45	0,56	0,44	0,59
0,49	0,46	0,53	0,45	0,54	0,44	0,58

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,45	0,52	0,44	0,53	0,43	0,56
0,47	0,44	0,51	0,43	0,52	0,42	0,55
0,46	0,43	0,49	0,42	0,50	0,41	0,53
0,45	0,42	0,48	0,42	0,49	0,41	0,52
0,44	0,42	0,47	0,41	0,48	0,40	0,50
0,43	0,41	0,46	0,40	0,47	0,39	0,49
0,42	0,40	0,45	0,39	0,45	0,38	0,47
0,41	0,39	0,43	0,38	0,44	0,38	0,46
0,4	0,38	0,42	0,37	0,43	0,37	0,45
0,39	0,37	0,41	0,37	0,42	0,36	0,43
0,38	0,36	0,40	0,36	0,41	0,35	0,42
0,37	0,35	0,39	0,35	0,39	0,34	0,41
0,36	0,35	0,38	0,34	0,38	0,34	0,39
0,35	0,34	0,37	0,33	0,37	0,33	0,38
0,34	0,33	0,35	0,32	0,36	0,32	0,37
0,33	0,32	0,34	0,31	0,35	0,31	0,36
0,32	0,31	0,33	0,31	0,34	0,30	0,34
0,31	0,30	0,32	0,30	0,32	0,29	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1,80	INF	1,30	INF	0,94	INF
60	1,75	INF	1,28	INF	0,93	INF
50	1,74	INF	1,27	INF	0,92	INF
30	1,71	INF	1,25	INF	0,91	INF
20	1,66	INF	1,23	INF	0,90	INF
15	1,62	INF	1,21	INF	0,89	INF
12	1,59	INF	1,19	INF	0,88	INF
10	1,55	INF	1,17	INF	0,87	INF
9	1,53	INF	1,16	INF	0,87	INF
8	1,50	INF	1,14	INF	0,86	INF
7	1,46	INF	1,12	INF	0,85	INF
6	1,42	INF	1,10	INF	0,84	INF
5,5	1,39	INF	1,08	INF	0,83	INF
5	1,36	INF	1,07	INF	0,82	INF
4,5	1,33	INF	1,05	INF	0,81	INF
4	1,29	INF	1,02	INF	0,79	INF
3,8	1,27	INF	1,01	INF	0,79	INF
3,6	1,25	INF	1,00	INF	0,78	INF
3,5	1,24	INF	0,99	INF	0,77	INF
3,4	1,22	INF	0,98	INF	0,77	INF
3,2	1,20	INF	0,97	INF	0,76	INF
3	1,17	INF	0,95	INF	0,75	INF
2,8	1,15	INF	0,93	INF	0,74	INF
2,6	1,12	INF	0,91	INF	0,73	INF
2,5	1,10	INF	0,90	INF	0,72	INF
2,4	1,08	INF	0,89	INF	0,72	INF
2,2	1,04	INF	0,87	INF	0,70	INF
2	1,00	INF	0,84	INF	0,69	INF
1,9	0,98	INF	0,82	INF	0,68	INF
1,8	0,95	INF	0,81	INF	0,67	INF
1,7	0,93	INF	0,79	INF	0,65	INF
1,6	0,90	INF	0,77	INF	0,64	INF
1,5	0,87	101,63	0,75	INF	0,63	INF
1,45	0,86	27,36	0,74	INF	0,62	INF
1,4	0,84	15,35	0,73	INF	0,61	INF
1,35	0,82	10,43	0,72	INF	0,61	INF
1,3	0,81	7,76	0,70	INF	0,60	INF
1,25	0,79	6,08	0,69	INF	0,59	INF
1,2	0,77	4,92	0,68	INF	0,58	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,75	4,08	0,66	INF	0,57	INF
1,1	0,73	3,44	0,65	114,51	0,56	INF
1,05	0,71	2,93	0,63	16,11	0,55	INF
1	0,69	2,53	0,62	8,29	0,54	INF
0,98	0,68	2,38	0,61	6,86	0,53	INF
0,96	0,67	2,25	0,61	5,82	0,53	INF
0,95	0,67	2,19	0,60	5,40	0,53	INF
0,94	0,67	2,13	0,60	5,02	0,52	INF
0,92	0,66	2,01	0,59	4,40	0,52	INF
0,9	0,65	1,91	0,58	3,89	0,51	INF
0,88	0,64	1,81	0,58	3,47	0,51	INF
0,86	0,63	1,71	0,57	3,12	0,50	INF
0,85	0,62	1,67	0,57	2,97	0,50	INF
0,84	0,62	1,62	0,56	2,82	0,50	INF
0,82	0,61	1,54	0,55	2,57	0,49	77,50
0,8	0,60	1,46	0,55	2,34	0,49	18,71
0,78	0,59	1,39	0,54	2,15	0,48	10,42
0,76	0,58	1,32	0,53	1,97	0,47	7,10
0,75	0,57	1,28	0,53	1,89	0,47	6,10
0,74	0,57	1,25	0,52	1,82	0,47	5,32
0,72	0,56	1,19	0,51	1,68	0,46	4,21
0,7	0,55	1,12	0,50	1,55	0,45	3,45
0,68	0,54	1,07	0,50	1,44	0,45	2,90
0,66	0,52	1,01	0,49	1,33	0,44	2,48
0,65	0,52	0,99	0,48	1,29	0,44	2,30
0,64	0,51	0,96	0,48	1,24	0,43	2,14
0,62	0,50	0,91	0,47	1,15	0,43	1,88
0,6	0,49	0,86	0,46	1,07	0,42	1,66
0,59	0,48	0,84	0,45	1,03	0,41	1,56
0,58	0,48	0,82	0,45	1,00	0,41	1,48
0,57	0,47	0,79	0,44	0,96	0,41	1,39
0,56	0,47	0,77	0,44	0,93	0,40	1,32
0,55	0,46	0,75	0,43	0,90	0,40	1,25
0,54	0,45	0,73	0,43	0,86	0,39	1,18
0,53	0,45	0,71	0,42	0,83	0,39	1,12
0,52	0,44	0,69	0,41	0,81	0,38	1,07
0,51	0,43	0,67	0,41	0,78	0,38	1,01
0,5	0,43	0,65	0,40	0,75	0,37	0,97
0,49	0,42	0,63	0,40	0,72	0,37	0,92

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,41	0,61	0,39	0,70	0,37	0,87
0,47	0,41	0,59	0,39	0,67	0,36	0,83
0,46	0,40	0,58	0,38	0,65	0,36	0,79
0,45	0,39	0,56	0,37	0,63	0,35	0,76
0,44	0,39	0,54	0,37	0,60	0,35	0,72
0,43	0,38	0,52	0,36	0,58	0,34	0,69
0,42	0,37	0,51	0,36	0,56	0,34	0,66
0,41	0,36	0,49	0,35	0,54	0,33	0,63
0,4	0,36	0,48	0,34	0,52	0,32	0,60
0,39	0,35	0,46	0,34	0,50	0,32	0,57
0,38	0,34	0,44	0,33	0,48	0,31	0,54
0,37	0,34	0,43	0,32	0,46	0,31	0,52
0,36	0,33	0,41	0,32	0,44	0,30	0,49
0,35	0,32	0,40	0,31	0,43	0,30	0,47
0,34	0,31	0,38	0,30	0,41	0,29	0,45
0,33	0,30	0,37	0,30	0,39	0,28	0,43
0,32	0,30	0,36	0,29	0,38	0,28	0,41
0,31	0,29	0,34	0,28	0,36	0,27	0,39
0,3	0,28	0,33	0,27	0,34	0,26	0,37

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,68	INF
60	0,68	INF
50	0,68	INF
30	0,67	INF
20	0,67	INF
15	0,66	INF
12	0,66	INF
10	0,65	INF
9	0,65	INF
8	0,65	INF
7	0,64	INF
6	0,63	INF
5,5	0,63	INF
5	0,62	INF
4,5	0,62	INF
4	0,61	INF
3,8	0,61	INF
3,6	0,60	INF
3,5	0,60	INF
3,4	0,60	INF
3,2	0,59	INF
3	0,59	INF
2,8	0,58	INF
2,6	0,58	INF
2,5	0,57	INF
2,4	0,57	INF
2,2	0,56	INF
2	0,55	INF
1,9	0,54	INF
1,8	0,54	INF
1,7	0,53	INF
1,6	0,52	INF
1,5	0,52	INF
1,45	0,51	INF
1,4	0,51	INF
1,35	0,50	INF
1,3	0,50	INF
1,25	0,49	INF
1,2	0,49	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
1,15	0,48	INF
1,1	0,47	INF
1,05	0,47	INF
1	0,46	INF
0,98	0,46	INF
0,96	0,45	INF
0,95	0,45	INF
0,94	0,45	INF
0,92	0,45	INF
0,9	0,44	INF
0,88	0,44	INF
0,86	0,44	INF
0,85	0,43	INF
0,84	0,43	INF
0,82	0,43	INF
0,8	0,42	INF
0,78	0,42	INF
0,76	0,41	INF
0,75	0,41	INF
0,74	0,41	INF
0,72	0,41	INF
0,7	0,40	INF
0,68	0,40	INF
0,66	0,39	INF
0,65	0,39	INF
0,64	0,39	INF
0,62	0,38	54,70
0,6	0,37	10,27
0,59	0,37	7,21
0,58	0,37	5,51
0,57	0,37	4,43
0,56	0,36	3,68
0,55	0,36	3,14
0,54	0,36	2,72
0,53	0,35	2,39
0,52	0,35	2,12
0,51	0,35	1,90
0,5	0,34	1,72
0,49	0,34	1,56

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
0,48	0,34	1,42
0,47	0,33	1,31
0,46	0,33	1,20
0,45	0,32	1,11
0,44	0,32	1,03
0,43	0,32	0,95
0,42	0,31	0,89
0,41	0,31	0,83
0,4	0,30	0,77
0,39	0,30	0,72
0,38	0,29	0,68
0,37	0,29	0,63
0,36	0,28	0,60
0,35	0,28	0,56
0,34	0,27	0,53
0,33	0,27	0,49
0,32	0,26	0,46
0,31	0,26	0,44
0,3	0,25	0,41

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	5,61	INF	4,64	INF	4,15	INF
10	3,64	INF	3,22	INF	2,98	INF
5	2,70	44,93	2,46	INF	2,32	INF
3	2,00	6,22	1,87	9,07	1,79	INF
2	1,52	3,00	1,44	3,51	1,40	7,53
1,7	1,34	2,35	1,29	2,65	1,25	4,38
1,5	1,22	1,97	1,17	2,17	1,14	3,19
1,3	1,09	1,63	1,05	1,76	1,03	2,36
1,1	0,95	1,32	0,92	1,40	0,90	1,74
1	0,88	1,17	0,85	1,24	0,84	1,48
0,9	0,80	1,03	0,78	1,08	0,77	1,26
0,8	0,72	0,90	0,71	0,93	0,70	1,06
0,75	0,68	0,84	0,67	0,86	0,66	0,97
0,7	0,64	0,77	0,63	0,80	0,62	0,88
0,65	0,60	0,71	0,59	0,73	0,59	0,80
0,6	0,56	0,65	0,55	0,66	0,55	0,72
0,55	0,52	0,59	0,51	0,60	0,51	0,64
0,5	0,47	0,53	0,47	0,54	0,46	0,57
0,48	0,46	0,51	0,45	0,52	0,45	0,54
0,46	0,44	0,48	0,43	0,49	0,43	0,52
0,44	0,42	0,46	0,42	0,47	0,41	0,49
0,42	0,40	0,44	0,40	0,44	0,40	0,46
0,4	0,39	0,42	0,38	0,42	0,38	0,44
0,39	0,38	0,41	0,37	0,41	0,37	0,43
0,38	0,37	0,39	0,36	0,40	0,36	0,41
0,37	0,36	0,38	0,36	0,39	0,35	0,40
0,36	0,35	0,37	0,35	0,38	0,34	0,39
0,35	0,34	0,36	0,34	0,36	0,34	0,38
0,34	0,33	0,35	0,33	0,35	0,33	0,36
0,33	0,32	0,34	0,32	0,34	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32
0,29	0,28	0,30	0,28	0,30	0,28	0,30
0,28	0,27	0,29	0,27	0,29	0,27	0,29
0,27	0,27	0,28	0,26	0,28	0,26	0,28
0,26	0,26	0,26	0,26	0,27	0,25	0,27
0,25	0,25	0,25	0,25	0,25	0,25	0,26
0,24	0,24	0,24	0,24	0,24	0,24	0,25

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3,21	INF	2,22	INF	1,50	INF
10	2,47	INF	1,84	INF	1,32	INF
5	2,01	INF	1,58	INF	1,19	INF
3	1,60	INF	1,33	INF	1,04	INF
2	1,28	INF	1,10	INF	0,91	INF
1,7	1,16	23,06	1,01	INF	0,85	INF
1,5	1,07	7,58	0,95	INF	0,80	INF
1,3	0,97	4,04	0,87	32,04	0,75	INF
1,1	0,86	2,47	0,78	5,10	0,69	INF
1	0,80	1,97	0,73	3,30	0,65	35,39
0,9	0,74	1,58	0,68	2,31	0,61	6,00
0,8	0,67	1,27	0,63	1,68	0,57	2,95
0,75	0,64	1,14	0,60	1,44	0,55	2,26
0,7	0,60	1,01	0,57	1,24	0,52	1,79
0,65	0,57	0,90	0,54	1,07	0,50	1,44
0,6	0,53	0,80	0,51	0,92	0,47	1,17
0,55	0,49	0,70	0,47	0,80	0,44	0,96
0,5	0,46	0,62	0,44	0,68	0,41	0,79
0,48	0,44	0,58	0,42	0,64	0,40	0,73
0,46	0,42	0,55	0,41	0,60	0,39	0,68
0,44	0,41	0,52	0,39	0,56	0,38	0,63
0,42	0,39	0,49	0,38	0,53	0,36	0,58
0,4	0,37	0,46	0,36	0,49	0,35	0,54
0,39	0,37	0,45	0,36	0,47	0,34	0,52
0,38	0,36	0,43	0,35	0,46	0,33	0,50
0,37	0,35	0,42	0,34	0,44	0,33	0,48
0,36	0,34	0,40	0,33	0,42	0,32	0,46
0,35	0,33	0,39	0,32	0,41	0,31	0,44
0,34	0,32	0,38	0,32	0,39	0,31	0,42
0,33	0,31	0,36	0,31	0,38	0,30	0,40
0,32	0,31	0,35	0,30	0,36	0,29	0,38
0,31	0,30	0,34	0,29	0,35	0,28	0,37
0,3	0,29	0,32	0,28	0,34	0,28	0,35
0,29	0,28	0,31	0,28	0,32	0,27	0,34
0,28	0,27	0,30	0,27	0,31	0,26	0,32
0,27	0,26	0,29	0,26	0,29	0,25	0,30
0,26	0,25	0,27	0,25	0,28	0,24	0,29
0,25	0,24	0,26	0,24	0,27	0,24	0,28
0,24	0,23	0,25	0,23	0,26	0,23	0,26

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,03	INF
10	0,95	INF
5	0,89	INF
3	0,81	INF
2	0,73	INF
1,7	0,69	INF
1,5	0,66	INF
1,3	0,63	INF
1,1	0,59	INF
1	0,56	INF
0,9	0,53	INF
0,8	0,50	INF
0,75	0,49	13,73
0,7	0,47	4,99
0,65	0,45	2,88
0,6	0,43	1,93
0,55	0,41	1,39
0,5	0,38	1,05
0,48	0,37	0,94
0,46	0,36	0,85
0,44	0,35	0,76
0,42	0,34	0,69
0,4	0,33	0,62
0,39	0,32	0,59
0,38	0,32	0,56
0,37	0,31	0,54
0,36	0,31	0,51
0,35	0,30	0,49
0,34	0,29	0,46
0,33	0,29	0,44
0,32	0,28	0,42
0,31	0,27	0,40
0,3	0,27	0,38
0,29	0,26	0,36
0,28	0,25	0,34
0,27	0,25	0,32
0,26	0,24	0,30
0,25	0,23	0,29
0,24	0,22	0,27

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	11,27	INF	9,68	INF	7,09	INF
12	5,86	INF	5,40	INF	4,50	INF
6	3,96	13,03	3,75	29,96	3,30	INF
4	2,99	6,19	2,87	8,42	2,60	17,02
3	2,40	4,06	2,32	4,90	2,15	6,89
2,5	2,07	3,19	2,02	3,67	1,88	4,67
2	1,72	2,41	1,68	2,67	1,59	3,15
1,8	1,57	2,12	1,54	2,32	1,46	2,66
1,6	1,42	1,84	1,39	1,99	1,33	2,24
1,4	1,26	1,58	1,24	1,68	1,19	1,85
1,2	1,10	1,33	1,09	1,40	1,05	1,51
1,1	1,02	1,20	1,00	1,26	0,97	1,35
1	0,93	1,08	0,92	1,13	0,90	1,20
0,9	0,85	0,97	0,84	1,00	0,82	1,05
0,85	0,80	0,91	0,79	0,94	0,78	0,98
0,8	0,76	0,85	0,75	0,88	0,73	0,91
0,75	0,71	0,79	0,71	0,81	0,69	0,85
0,7	0,67	0,74	0,66	0,75	0,65	0,78
0,65	0,62	0,68	0,62	0,70	0,61	0,72
0,6	0,58	0,63	0,57	0,64	0,57	0,66
0,58	0,56	0,60	0,56	0,61	0,55	0,63
0,56	0,54	0,58	0,54	0,59	0,53	0,61
0,54	0,52	0,56	0,52	0,57	0,51	0,58
0,52	0,50	0,54	0,50	0,55	0,50	0,56
0,5	0,49	0,52	0,48	0,52	0,48	0,54
0,48	0,47	0,49	0,46	0,50	0,46	0,51
0,46	0,45	0,47	0,45	0,48	0,44	0,49
0,44	0,43	0,45	0,43	0,46	0,42	0,47
0,42	0,41	0,43	0,41	0,44	0,41	0,44
0,39	0,38	0,40	0,38	0,40	0,38	0,41
0,38	0,37	0,39	0,37	0,39	0,37	0,40
0,37	0,36	0,38	0,36	0,38	0,36	0,39
0,36	0,35	0,37	0,35	0,37	0,35	0,37
0,35	0,34	0,36	0,34	0,36	0,34	0,36
0,34	0,33	0,35	0,33	0,35	0,33	0,35
0,33	0,32	0,34	0,32	0,34	0,32	0,34
0,32	0,32	0,32	0,31	0,33	0,31	0,33
0,31	0,31	0,31	0,31	0,32	0,30	0,32
0,3	0,30	0,30	0,30	0,31	0,29	0,31
0,29	0,29	0,29	0,29	0,30	0,28	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,29

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,93	INF	3,40	INF	2,36	INF
12	3,53	INF	2,68	INF	2,00	INF
6	2,75	INF	2,21	INF	1,73	INF
4	2,25	INF	1,88	INF	1,53	INF
3	1,91	14,33	1,64	INF	1,37	INF
2,5	1,70	7,15	1,49	26,43	1,26	INF
2	1,46	4,08	1,30	6,90	1,13	288,65
1,8	1,35	3,30	1,22	4,89	1,07	15,50
1,6	1,24	2,66	1,13	3,59	1,00	7,10
1,4	1,12	2,13	1,03	2,67	0,92	4,19
1,2	0,99	1,68	0,92	1,99	0,84	2,71
1,1	0,93	1,48	0,86	1,72	0,79	2,21
1	0,86	1,30	0,80	1,47	0,74	1,81
0,9	0,78	1,13	0,74	1,25	0,69	1,49
0,85	0,75	1,05	0,71	1,15	0,66	1,34
0,8	0,71	0,97	0,68	1,06	0,63	1,21
0,75	0,67	0,89	0,64	0,97	0,60	1,09
0,7	0,63	0,82	0,61	0,88	0,57	0,98
0,65	0,59	0,75	0,57	0,80	0,54	0,88
0,6	0,55	0,68	0,53	0,72	0,51	0,78
0,58	0,54	0,65	0,52	0,69	0,49	0,75
0,56	0,52	0,63	0,50	0,66	0,48	0,71
0,54	0,50	0,60	0,49	0,63	0,47	0,68
0,52	0,49	0,58	0,47	0,60	0,45	0,64
0,5	0,47	0,55	0,46	0,57	0,44	0,61
0,48	0,45	0,53	0,44	0,55	0,42	0,58
0,46	0,43	0,50	0,42	0,52	0,41	0,55
0,44	0,42	0,48	0,41	0,49	0,39	0,52
0,42	0,40	0,45	0,39	0,47	0,38	0,49
0,39	0,37	0,42	0,37	0,43	0,36	0,44
0,38	0,36	0,40	0,36	0,41	0,35	0,43
0,37	0,35	0,39	0,35	0,40	0,34	0,42
0,36	0,35	0,38	0,34	0,39	0,33	0,40
0,35	0,34	0,37	0,33	0,38	0,32	0,39
0,34	0,33	0,36	0,32	0,37	0,32	0,38
0,33	0,32	0,35	0,31	0,35	0,31	0,36
0,32	0,31	0,33	0,31	0,34	0,30	0,35
0,31	0,30	0,32	0,30	0,33	0,29	0,34
0,3	0,29	0,31	0,29	0,32	0,28	0,32
0,29	0,28	0,30	0,28	0,31	0,27	0,31
0,28	0,27	0,29	0,27	0,29	0,27	0,30

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	1,66	INF	1,18	INF
12	1,48	INF	1,09	INF
6	1,33	INF	1,01	INF
4	1,21	INF	0,95	INF
3	1,11	INF	0,89	INF
2,5	1,04	INF	0,84	INF
2	0,95	INF	0,79	INF
1,8	0,91	INF	0,76	INF
1,6	0,86	INF	0,73	INF
1,4	0,81	23,37	0,69	INF
1,2	0,74	5,61	0,64	INF
1,1	0,71	3,79	0,62	INF
1	0,67	2,72	0,59	10,51
0,9	0,63	2,03	0,56	4,39
0,85	0,60	1,76	0,54	3,27
0,8	0,58	1,54	0,52	2,54
0,75	0,56	1,34	0,50	2,03
0,7	0,53	1,17	0,48	1,65
0,65	0,50	1,02	0,46	1,36
0,6	0,48	0,89	0,44	1,13
0,58	0,46	0,84	0,43	1,05
0,56	0,45	0,80	0,42	0,97
0,54	0,44	0,75	0,41	0,91
0,52	0,43	0,71	0,40	0,84
0,5	0,42	0,67	0,39	0,78
0,48	0,40	0,63	0,38	0,73
0,46	0,39	0,59	0,37	0,67
0,44	0,38	0,56	0,36	0,63
0,42	0,36	0,52	0,34	0,58
0,39	0,34	0,47	0,33	0,52
0,38	0,34	0,45	0,32	0,50
0,37	0,33	0,44	0,31	0,48
0,36	0,32	0,42	0,31	0,46
0,35	0,31	0,41	0,30	0,44
0,34	0,31	0,39	0,29	0,42
0,33	0,30	0,38	0,29	0,40
0,32	0,29	0,36	0,28	0,39
0,31	0,28	0,35	0,27	0,37
0,3	0,28	0,34	0,27	0,35
0,29	0,27	0,32	0,26	0,34
0,28	0,26	0,31	0,25	0,32

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	13,91	INF	8,63	INF	8,71	INF
10	5,86	35,20	4,68	34,11	4,70	INF
5	3,71	7,71	3,21	7,66	3,22	18,69
3	2,49	3,78	2,26	3,76	2,27	5,25
2	1,77	2,31	1,65	2,30	1,65	2,76
1,6	1,45	1,78	1,37	1,78	1,38	2,04
1,4	1,29	1,54	1,23	1,54	1,23	1,72
1,2	1,12	1,30	1,07	1,30	1,07	1,42
1	0,94	1,06	0,91	1,06	0,91	1,14
0,9	0,86	0,95	0,83	0,95	0,83	1,01
0,8	0,77	0,84	0,75	0,84	0,75	0,88
0,75	0,72	0,78	0,70	0,78	0,70	0,82
0,7	0,67	0,73	0,66	0,73	0,66	0,76
0,65	0,63	0,67	0,62	0,67	0,62	0,70
0,6	0,58	0,62	0,57	0,62	0,57	0,64
0,55	0,54	0,57	0,53	0,57	0,53	0,58
0,5	0,49	0,51	0,48	0,51	0,48	0,53
0,48	0,47	0,49	0,46	0,49	0,46	0,50
0,46	0,45	0,47	0,45	0,47	0,45	0,48
0,44	0,43	0,45	0,43	0,45	0,43	0,46
0,42	0,41	0,43	0,41	0,43	0,41	0,44
0,4	0,39	0,41	0,39	0,41	0,39	0,41
0,39	0,38	0,40	0,38	0,40	0,38	0,40
0,38	0,37	0,39	0,37	0,39	0,37	0,39
0,37	0,36	0,38	0,36	0,38	0,36	0,38
0,36	0,35	0,37	0,35	0,37	0,35	0,37
0,35	0,35	0,35	0,34	0,35	0,34	0,36
0,34	0,34	0,34	0,33	0,34	0,33	0,35
0,33	0,33	0,33	0,32	0,33	0,32	0,34
0,32	0,32	0,32	0,31	0,32	0,31	0,33
0,31	0,31	0,31	0,30	0,31	0,30	0,32
0,3	0,30	0,30	0,30	0,30	0,30	0,31
0,29	0,29	0,29	0,29	0,29	0,29	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,29
0,27	0,27	0,27	0,27	0,27	0,27	0,27
0,26	0,26	0,26	0,26	0,26	0,26	0,26
0,25	0,25	0,25	0,25	0,25	0,25	0,25
0,24	0,24	0,24	0,24	0,24	0,24	0,24

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	7,85	INF	5,61	INF	3,69	INF
10	4,44	INF	3,64	INF	2,73	INF
5	3,10	INF	2,69	INF	2,17	INF
3	2,21	10,43	2,00	INF	1,70	INF
2	1,62	3,70	1,51	5,85	1,34	20,19
1,6	1,35	2,49	1,28	3,29	1,15	5,38
1,4	1,21	2,02	1,15	2,50	1,05	3,53
1,2	1,06	1,62	1,01	1,90	0,94	2,42
1	0,90	1,26	0,87	1,42	0,82	1,68
0,9	0,82	1,10	0,80	1,22	0,75	1,40
0,8	0,74	0,95	0,72	1,03	0,68	1,15
0,75	0,70	0,88	0,68	0,95	0,65	1,05
0,7	0,66	0,81	0,64	0,86	0,61	0,94
0,65	0,61	0,74	0,60	0,78	0,58	0,85
0,6	0,57	0,67	0,56	0,71	0,54	0,76
0,55	0,52	0,61	0,51	0,64	0,50	0,67
0,5	0,48	0,54	0,47	0,57	0,46	0,60
0,48	0,46	0,52	0,45	0,54	0,44	0,57
0,46	0,44	0,50	0,44	0,51	0,43	0,54
0,44	0,43	0,47	0,42	0,49	0,41	0,51
0,42	0,41	0,45	0,40	0,46	0,39	0,48
0,4	0,39	0,42	0,38	0,44	0,38	0,45
0,39	0,38	0,41	0,37	0,42	0,37	0,44
0,38	0,37	0,40	0,37	0,41	0,36	0,42
0,37	0,36	0,39	0,36	0,40	0,35	0,41
0,36	0,35	0,38	0,35	0,39	0,34	0,40
0,35	0,34	0,37	0,34	0,37	0,33	0,38
0,34	0,33	0,36	0,33	0,36	0,32	0,37
0,33	0,32	0,34	0,32	0,35	0,32	0,36
0,32	0,31	0,33	0,31	0,34	0,31	0,35
0,31	0,30	0,32	0,30	0,33	0,30	0,33
0,3	0,29	0,31	0,29	0,32	0,29	0,32
0,29	0,29	0,30	0,28	0,30	0,28	0,31
0,28	0,28	0,29	0,27	0,29	0,27	0,30
0,27	0,27	0,28	0,26	0,28	0,26	0,29
0,26	0,26	0,27	0,26	0,27	0,25	0,27
0,25	0,25	0,26	0,25	0,26	0,24	0,26
0,24	0,24	0,25	0,24	0,25	0,23	0,25

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	2,44	INF	1,65	INF
10	1,99	INF	1,44	INF
5	1,68	INF	1,27	INF
3	1,39	INF	1,11	INF
2	1,14	INF	0,95	INF
1,6	1,01	38,34	0,86	INF
1,4	0,93	7,91	0,80	INF
1,2	0,84	3,84	0,74	24,22
1	0,75	2,24	0,67	4,24
0,9	0,69	1,75	0,62	2,73
0,8	0,64	1,38	0,58	1,90
0,75	0,61	1,22	0,56	1,60
0,7	0,58	1,08	0,53	1,36
0,65	0,54	0,95	0,50	1,16
0,6	0,51	0,84	0,48	0,99
0,55	0,48	0,74	0,45	0,84
0,5	0,44	0,64	0,42	0,72
0,48	0,43	0,60	0,40	0,67
0,46	0,41	0,57	0,39	0,63
0,44	0,40	0,54	0,38	0,59
0,42	0,38	0,50	0,36	0,55
0,4	0,36	0,47	0,35	0,51
0,39	0,36	0,46	0,34	0,49
0,38	0,35	0,44	0,34	0,47
0,37	0,34	0,43	0,33	0,45
0,36	0,33	0,41	0,32	0,44
0,35	0,32	0,40	0,31	0,42
0,34	0,32	0,38	0,31	0,40
0,33	0,31	0,37	0,30	0,39
0,32	0,30	0,36	0,29	0,37
0,31	0,29	0,34	0,28	0,36
0,3	0,28	0,33	0,28	0,34
0,29	0,28	0,32	0,27	0,33
0,28	0,27	0,30	0,26	0,31
0,27	0,26	0,29	0,25	0,30
0,26	0,25	0,28	0,24	0,29
0,25	0,24	0,27	0,24	0,27
0,24	0,23	0,25	0,23	0,26

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	21,86	INF	22,35	INF	18,09	INF
10	6,90	18,29	6,95	42,61	6,48	INF
6	4,74	8,20	4,76	10,98	4,54	19,38
4	3,41	4,86	3,42	5,69	3,30	7,31
3	2,66	3,45	2,66	3,84	2,59	4,50
2,5	2,26	2,80	2,26	3,05	2,21	3,45
2	1,85	2,18	1,85	2,33	1,82	2,55
1,8	1,68	1,95	1,68	2,06	1,65	2,23
1,6	1,50	1,71	1,50	1,80	1,48	1,92
1,4	1,33	1,48	1,33	1,55	1,31	1,64
1,3	1,24	1,37	1,24	1,42	1,22	1,50
1,2	1,15	1,26	1,15	1,30	1,14	1,36
1,1	1,06	1,15	1,06	1,18	1,05	1,23
1	0,96	1,04	0,96	1,07	0,96	1,11
0,95	0,92	0,99	0,92	1,01	0,91	1,05
0,9	0,87	0,93	0,87	0,95	0,87	0,98
0,85	0,82	0,88	0,82	0,90	0,82	0,92
0,8	0,78	0,82	0,78	0,84	0,77	0,86
0,75	0,73	0,77	0,73	0,78	0,73	0,80
0,7	0,68	0,72	0,68	0,73	0,68	0,75
0,65	0,64	0,66	0,64	0,67	0,63	0,69
0,6	0,59	0,61	0,59	0,62	0,59	0,63
0,58	0,57	0,59	0,57	0,60	0,57	0,61
0,56	0,55	0,57	0,55	0,58	0,55	0,59
0,54	0,53	0,55	0,53	0,56	0,53	0,56
0,52	0,51	0,53	0,51	0,53	0,51	0,54
0,5	0,49	0,51	0,49	0,51	0,49	0,52
0,49	0,48	0,50	0,48	0,50	0,48	0,51
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,47	0,46	0,48	0,46	0,48	0,46	0,49
0,46	0,45	0,47	0,45	0,47	0,45	0,48
0,45	0,44	0,46	0,44	0,46	0,44	0,47
0,44	0,43	0,45	0,43	0,45	0,43	0,45
0,43	0,42	0,44	0,42	0,44	0,42	0,44
0,42	0,42	0,43	0,42	0,43	0,41	0,43
0,41	0,41	0,41	0,41	0,42	0,40	0,42
0,4	0,40	0,40	0,40	0,41	0,39	0,41
0,39	0,39	0,39	0,39	0,40	0,39	0,40
0,38	0,38	0,38	0,38	0,39	0,38	0,39
0,37	0,37	0,37	0,37	0,38	0,37	0,38
0,36	0,36	0,36	0,36	0,37	0,36	0,37
0,35	0,35	0,35	0,35	0,35	0,35	0,36
0,34	0,34	0,34	0,34	0,34	0,34	0,35
0,33	0,33	0,33	0,33	0,33	0,33	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,32
0,3	0,30	0,30	0,30	0,30	0,30	0,30

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	12,50	INF	8,14	INF	5,28	INF
10	5,60	INF	4,53	INF	3,50	INF
6	4,09	INF	3,50	INF	2,85	INF
4	3,06	10,99	2,72	29,65	2,32	INF
3	2,45	5,65	2,23	8,29	1,96	21,52
2,5	2,11	4,07	1,94	5,26	1,74	8,55
2	1,74	2,87	1,63	3,40	1,49	4,49
1,8	1,59	2,46	1,50	2,84	1,38	3,56
1,6	1,44	2,09	1,36	2,36	1,26	2,82
1,4	1,27	1,76	1,22	1,93	1,14	2,23
1,3	1,19	1,60	1,14	1,74	1,07	1,97
1,2	1,11	1,44	1,07	1,56	1,00	1,74
1,1	1,02	1,30	0,99	1,39	0,94	1,53
1	0,94	1,16	0,91	1,23	0,86	1,33
0,95	0,89	1,09	0,87	1,15	0,83	1,24
0,9	0,85	1,02	0,83	1,07	0,79	1,15
0,85	0,81	0,96	0,78	1,00	0,75	1,07
0,8	0,76	0,89	0,74	0,93	0,72	0,99
0,75	0,72	0,83	0,70	0,86	0,68	0,91
0,7	0,67	0,77	0,66	0,79	0,64	0,83
0,65	0,63	0,71	0,61	0,73	0,60	0,76
0,6	0,58	0,65	0,57	0,66	0,55	0,69
0,58	0,56	0,62	0,55	0,64	0,54	0,66
0,56	0,54	0,60	0,53	0,61	0,52	0,63
0,54	0,52	0,57	0,52	0,59	0,50	0,61
0,52	0,51	0,55	0,50	0,56	0,49	0,58
0,5	0,49	0,53	0,48	0,54	0,47	0,55
0,49	0,48	0,52	0,47	0,53	0,46	0,54
0,48	0,47	0,51	0,46	0,52	0,45	0,53
0,47	0,46	0,49	0,45	0,50	0,44	0,52
0,46	0,45	0,48	0,44	0,49	0,44	0,50
0,45	0,44	0,47	0,43	0,48	0,43	0,49
0,44	0,43	0,46	0,43	0,47	0,42	0,48
0,43	0,42	0,45	0,42	0,46	0,41	0,47
0,42	0,41	0,44	0,41	0,44	0,40	0,45
0,41	0,40	0,43	0,40	0,43	0,39	0,44
0,4	0,39	0,42	0,39	0,42	0,38	0,43
0,39	0,38	0,40	0,38	0,41	0,37	0,42
0,38	0,37	0,39	0,37	0,40	0,37	0,41
0,37	0,36	0,38	0,36	0,39	0,36	0,39
0,36	0,35	0,37	0,35	0,38	0,35	0,38
0,35	0,34	0,36	0,34	0,36	0,34	0,37
0,34	0,34	0,35	0,33	0,35	0,33	0,36
0,33	0,33	0,34	0,32	0,34	0,32	0,35
0,32	0,32	0,33	0,31	0,33	0,31	0,34
0,31	0,31	0,32	0,30	0,32	0,30	0,32
0,3	0,30	0,31	0,29	0,31	0,29	0,31

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	3,52	INF	2,40	INF
10	2,64	INF	1,96	INF
6	2,26	INF	1,75	INF
4	1,92	INF	1,54	INF
3	1,66	INF	1,38	INF
2,5	1,51	69,69	1,27	INF
2	1,32	8,19	1,14	INF
1,8	1,23	5,50	1,07	25,65
1,6	1,14	3,90	1,00	8,64
1,4	1,04	2,84	0,93	4,66
1,3	0,99	2,43	0,89	3,63
1,2	0,93	2,08	0,84	2,89
1,1	0,87	1,78	0,79	2,33
1	0,81	1,52	0,74	1,89
0,95	0,78	1,40	0,72	1,70
0,9	0,75	1,28	0,69	1,53
0,85	0,71	1,18	0,66	1,38
0,8	0,68	1,08	0,63	1,24
0,75	0,64	0,98	0,60	1,12
0,7	0,61	0,89	0,57	1,00
0,65	0,57	0,81	0,54	0,89
0,6	0,53	0,73	0,51	0,79
0,58	0,52	0,70	0,50	0,75
0,56	0,50	0,67	0,48	0,72
0,54	0,49	0,64	0,47	0,68
0,52	0,47	0,61	0,45	0,65
0,5	0,46	0,58	0,44	0,61
0,49	0,45	0,56	0,43	0,60
0,48	0,44	0,55	0,42	0,58
0,47	0,43	0,54	0,42	0,57
0,46	0,42	0,52	0,41	0,55
0,45	0,42	0,51	0,40	0,53
0,44	0,41	0,49	0,40	0,52
0,43	0,40	0,48	0,39	0,50
0,42	0,39	0,47	0,38	0,49
0,41	0,38	0,45	0,37	0,47
0,4	0,38	0,44	0,36	0,46
0,39	0,37	0,43	0,36	0,45
0,38	0,36	0,42	0,35	0,43
0,37	0,35	0,40	0,34	0,42
0,36	0,34	0,39	0,33	0,40
0,35	0,33	0,38	0,32	0,39
0,34	0,32	0,37	0,32	0,38
0,33	0,32	0,35	0,31	0,36
0,32	0,31	0,34	0,30	0,35
0,31	0,30	0,33	0,29	0,34
0,3	0,29	0,32	0,28	0,32

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	46,20	INF	54,25	INF	52,28	INF
20	13,99	35,18	14,64	INF	14,49	INF
10	8,24	12,73	8,46	17,21	8,41	30,40
7	6,10	8,23	6,21	9,88	6,18	13,12
5	4,52	5,59	4,59	6,30	4,57	7,46
4	3,69	4,37	3,73	4,78	3,72	5,42
3,5	3,26	3,78	3,29	4,08	3,29	4,53
3	2,83	3,20	2,85	3,41	2,84	3,72
2,5	2,38	2,63	2,40	2,78	2,39	2,97
2,2	2,11	2,30	2,12	2,41	2,12	2,56
2	1,92	2,08	1,93	2,17	1,93	2,29
1,8	1,74	1,87	1,75	1,94	1,74	2,03
1,6	1,55	1,65	1,56	1,70	1,56	1,77
1,5	1,46	1,55	1,46	1,59	1,46	1,65
1,4	1,36	1,44	1,37	1,48	1,37	1,53
1,3	1,27	1,33	1,27	1,37	1,27	1,41
1,2	1,17	1,23	1,18	1,26	1,18	1,29
1,1	1,08	1,12	1,08	1,15	1,08	1,18
1	0,98	1,02	0,98	1,04	0,98	1,06
0,95	0,93	0,97	0,94	0,98	0,93	1,00
0,9	0,89	0,92	0,89	0,93	0,89	0,95
0,85	0,84	0,86	0,84	0,88	0,84	0,89
0,8	0,79	0,81	0,79	0,82	0,79	0,84
0,78	0,77	0,79	0,77	0,80	0,77	0,81
0,76	0,75	0,77	0,75	0,78	0,75	0,79
0,74	0,73	0,75	0,73	0,76	0,73	0,77
0,72	0,71	0,73	0,71	0,74	0,71	0,75
0,7	0,69	0,71	0,69	0,72	0,69	0,73
0,68	0,67	0,69	0,67	0,70	0,67	0,70
0,66	0,65	0,67	0,65	0,67	0,65	0,68
0,64	0,63	0,65	0,63	0,65	0,63	0,66
0,62	0,61	0,63	0,61	0,63	0,61	0,64
0,6	0,59	0,61	0,59	0,61	0,59	0,62
0,59	0,58	0,60	0,58	0,60	0,58	0,61
0,58	0,57	0,59	0,58	0,59	0,57	0,60
0,57	0,56	0,58	0,57	0,58	0,56	0,59
0,56	0,55	0,57	0,56	0,57	0,56	0,58
0,55	0,55	0,55	0,55	0,56	0,55	0,57
0,54	0,54	0,54	0,54	0,55	0,54	0,55
0,53	0,53	0,53	0,53	0,54	0,53	0,54
0,52	0,52	0,52	0,52	0,53	0,52	0,53
0,51	0,51	0,51	0,51	0,52	0,51	0,52
0,5	0,50	0,50	0,50	0,51	0,50	0,51
0,49	0,49	0,49	0,49	0,50	0,49	0,50
0,48	0,48	0,48	0,48	0,49	0,48	0,49
0,47	0,47	0,47	0,47	0,48	0,47	0,48
0,46	0,46	0,46	0,46	0,47	0,46	0,47
0,45	0,45	0,45	0,45	0,46	0,45	0,46

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	33,43	INF	19,44	INF	11,69	INF
20	12,54	INF	9,89	INF	7,41	INF
10	7,72	INF	6,63	INF	5,42	INF
7	5,80	19,75	5,17	48,13	4,41	INF
5	4,36	9,20	4,00	12,65	3,53	24,45
4	3,58	6,27	3,33	7,69	3,01	10,85
3,5	3,18	5,11	2,98	6,01	2,72	7,76
3	2,76	4,10	2,61	4,65	2,41	5,63
2,5	2,33	3,21	2,23	3,53	2,08	4,06
2,2	2,07	2,72	1,99	2,95	1,87	3,31
2	1,89	2,42	1,82	2,60	1,72	2,87
1,8	1,71	2,13	1,66	2,26	1,58	2,47
1,6	1,53	1,85	1,49	1,95	1,42	2,10
1,5	1,44	1,72	1,40	1,80	1,34	1,92
1,4	1,35	1,59	1,31	1,66	1,26	1,76
1,3	1,26	1,46	1,23	1,52	1,18	1,60
1,2	1,16	1,33	1,14	1,38	1,10	1,45
1,1	1,07	1,21	1,05	1,25	1,02	1,30
1	0,97	1,09	0,96	1,12	0,93	1,16
0,95	0,93	1,03	0,91	1,05	0,89	1,09
0,9	0,88	0,97	0,87	0,99	0,84	1,03
0,85	0,83	0,91	0,82	0,93	0,80	0,96
0,8	0,78	0,85	0,77	0,87	0,76	0,89
0,78	0,76	0,83	0,75	0,85	0,74	0,87
0,76	0,75	0,81	0,74	0,82	0,72	0,84
0,74	0,73	0,78	0,72	0,80	0,70	0,82
0,72	0,71	0,76	0,70	0,77	0,69	0,79
0,7	0,69	0,74	0,68	0,75	0,67	0,77
0,68	0,67	0,72	0,66	0,73	0,65	0,74
0,66	0,65	0,69	0,64	0,70	0,63	0,72
0,64	0,63	0,67	0,62	0,68	0,61	0,70
0,62	0,61	0,65	0,60	0,66	0,60	0,67
0,6	0,59	0,63	0,59	0,64	0,58	0,65
0,59	0,58	0,61	0,58	0,62	0,57	0,64
0,58	0,57	0,60	0,57	0,61	0,56	0,62
0,57	0,56	0,59	0,56	0,60	0,55	0,61
0,56	0,55	0,58	0,55	0,59	0,54	0,60
0,55	0,54	0,57	0,54	0,58	0,53	0,59
0,54	0,53	0,56	0,53	0,57	0,52	0,58
0,53	0,52	0,55	0,52	0,56	0,51	0,56
0,52	0,51	0,54	0,51	0,54	0,50	0,55
0,51	0,50	0,53	0,50	0,53	0,49	0,54
0,5	0,49	0,52	0,49	0,52	0,48	0,53
0,49	0,48	0,51	0,48	0,51	0,48	0,52
0,48	0,47	0,49	0,47	0,50	0,47	0,51
0,47	0,47	0,48	0,46	0,49	0,46	0,50
0,46	0,46	0,47	0,45	0,48	0,45	0,48
0,45	0,45	0,46	0,44	0,47	0,44	0,47

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	7,41	INF	4,88	INF
20	5,44	INF	3,94	INF
10	4,29	INF	3,31	INF
7	3,64	INF	2,91	INF
5	3,02	INF	2,50	INF
4	2,63	25,17	2,23	INF
3,5	2,41	13,04	2,07	INF
3	2,16	7,94	1,89	18,86
2,5	1,90	5,13	1,69	8,15
2,2	1,72	3,98	1,55	5,56
2	1,60	3,35	1,45	4,40
1,8	1,47	2,81	1,34	3,50
1,6	1,34	2,34	1,23	2,79
1,5	1,27	2,13	1,17	2,49
1,4	1,20	1,92	1,11	2,22
1,3	1,12	1,73	1,05	1,97
1,2	1,05	1,56	0,99	1,74
1,1	0,97	1,39	0,92	1,53
1	0,90	1,23	0,85	1,33
0,95	0,86	1,15	0,81	1,24
0,9	0,82	1,08	0,78	1,15
0,85	0,78	1,00	0,74	1,07
0,8	0,73	0,93	0,70	0,99
0,78	0,72	0,90	0,69	0,96
0,76	0,70	0,88	0,67	0,93
0,74	0,68	0,85	0,66	0,89
0,72	0,67	0,82	0,64	0,86
0,7	0,65	0,79	0,63	0,83
0,68	0,63	0,77	0,61	0,81
0,66	0,62	0,74	0,60	0,78
0,64	0,60	0,72	0,58	0,75
0,62	0,58	0,69	0,56	0,72
0,6	0,56	0,66	0,55	0,69
0,59	0,56	0,65	0,54	0,68
0,58	0,55	0,64	0,53	0,66
0,57	0,54	0,63	0,52	0,65
0,56	0,53	0,61	0,52	0,64
0,55	0,52	0,60	0,51	0,62
0,54	0,51	0,59	0,50	0,61
0,53	0,50	0,58	0,49	0,60
0,52	0,49	0,57	0,48	0,58
0,51	0,49	0,55	0,47	0,57
0,5	0,48	0,54	0,47	0,56
0,49	0,47	0,53	0,46	0,54
0,48	0,46	0,52	0,45	0,53
0,47	0,45	0,50	0,44	0,52
0,46	0,44	0,49	0,43	0,51
0,45	0,43	0,48	0,42	0,49

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	121,68	INF	103,91	INF	80,76	INF
50	35,48	84,80	33,79	INF	30,92	INF
20	17,20	23,90	16,80	26,73	16,06	32,48
15	13,37	17,08	13,13	18,48	12,67	21,04
12	10,94	13,29	10,77	14,12	10,47	15,56
10	9,25	10,88	9,14	11,42	8,91	12,35
8	7,52	8,55	7,44	8,88	7,29	9,43
7	6,63	7,42	6,57	7,66	6,45	8,06
6	5,73	6,30	5,68	6,48	5,60	6,76
5,5	5,27	5,75	5,23	5,90	5,16	6,13
5	4,81	5,21	4,78	5,32	4,72	5,51
4,5	4,35	4,67	4,32	4,76	4,27	4,91
4	3,88	4,13	3,86	4,20	3,82	4,32
3,8	3,69	3,92	3,67	3,98	3,64	4,08
3,6	3,50	3,70	3,49	3,76	3,45	3,85
3,4	3,31	3,49	3,30	3,54	3,27	3,62
3,2	3,12	3,28	3,11	3,33	3,08	3,40
3	2,93	3,07	2,92	3,11	2,90	3,17
2,8	2,74	2,86	2,73	2,90	2,71	2,95
2,6	2,55	2,65	2,54	2,68	2,52	2,73
2,4	2,36	2,44	2,35	2,47	2,34	2,51
2,2	2,16	2,24	2,16	2,26	2,15	2,29
2	1,97	2,03	1,97	2,05	1,96	2,07
1,9	1,87	1,93	1,87	1,94	1,86	1,96
1,8	1,78	1,82	1,77	1,84	1,76	1,86
1,7	1,68	1,72	1,68	1,73	1,67	1,75
1,6	1,58	1,62	1,58	1,63	1,57	1,64
1,5	1,48	1,52	1,48	1,53	1,48	1,54
1,4	1,39	1,41	1,38	1,42	1,38	1,43
1,3	1,29	1,31	1,29	1,32	1,28	1,33
1,2	1,19	1,21	1,19	1,22	1,18	1,22
1,1	1,09	1,11	1,09	1,11	1,09	1,12
1	0,99	1,01	0,99	1,01	0,99	1,02

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	56,79	INF	38,32	INF	25,68	INF
50	26,63	INF	21,74	INF	17,01	INF
20	14,82	43,89	13,18	79,52	11,29	INF
15	11,89	25,29	10,81	34,05	9,51	63,13
12	9,93	17,76	9,17	21,66	8,22	30,60
10	8,52	13,69	7,96	15,88	7,23	20,19
8	7,03	10,18	6,64	11,34	6,13	13,37
7	6,25	8,61	5,94	9,42	5,53	10,77
6	5,44	7,14	5,21	7,68	4,89	8,56
5,5	5,03	6,44	4,83	6,88	4,56	7,56
5	4,61	5,76	4,44	6,11	4,21	6,64
4,5	4,18	5,10	4,04	5,37	3,85	5,78
4	3,75	4,47	3,64	4,67	3,48	4,97
3,8	3,57	4,22	3,47	4,40	3,33	4,66
3,6	3,39	3,97	3,30	4,13	3,18	4,36
3,4	3,22	3,73	3,14	3,87	3,02	4,07
3,2	3,04	3,49	2,97	3,61	2,86	3,78
3	2,86	3,25	2,79	3,35	2,70	3,50
2,8	2,68	3,01	2,62	3,10	2,54	3,23
2,6	2,49	2,78	2,44	2,86	2,38	2,97
2,4	2,31	2,55	2,27	2,62	2,21	2,71
2,2	2,12	2,33	2,09	2,38	2,04	2,45
2	1,94	2,10	1,91	2,15	1,87	2,20
1,9	1,84	1,99	1,82	2,03	1,78	2,08
1,8	1,75	1,88	1,73	1,92	1,69	1,96
1,7	1,66	1,77	1,63	1,80	1,60	1,84
1,6	1,56	1,66	1,54	1,69	1,52	1,72
1,5	1,47	1,56	1,45	1,58	1,43	1,61
1,4	1,37	1,45	1,36	1,47	1,34	1,49
1,3	1,27	1,34	1,26	1,36	1,25	1,38
1,2	1,18	1,23	1,17	1,25	1,15	1,26
1,1	1,08	1,13	1,07	1,14	1,06	1,15
1	0,99	1,02	0,98	1,03	0,97	1,04

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	17,47	INF	12,01	INF
50	12,98	INF	9,71	INF
20	9,37	INF	7,54	INF
15	8,11	INF	6,71	INF
12	7,16	72,59	6,05	INF
10	6,40	32,60	5,50	INF
8	5,53	17,85	4,84	33,71
7	5,03	13,49	4,46	20,89
6	4,50	10,17	4,04	13,86
5,5	4,22	8,80	3,81	11,42
5	3,92	7,57	3,57	9,42
4,5	3,61	6,47	3,31	7,77
4	3,28	5,47	3,04	6,37
3,8	3,15	5,10	2,92	5,86
3,6	3,01	4,74	2,80	5,39
3,4	2,87	4,39	2,68	4,95
3,2	2,73	4,06	2,56	4,53
3	2,58	3,74	2,43	4,13
2,8	2,43	3,43	2,30	3,75
2,6	2,28	3,13	2,16	3,40
2,4	2,13	2,84	2,03	3,06
2,2	1,97	2,56	1,88	2,73
2	1,81	2,29	1,74	2,43
1,9	1,73	2,16	1,66	2,28
1,8	1,65	2,03	1,59	2,13
1,7	1,56	1,90	1,51	1,99
1,6	1,48	1,78	1,43	1,85
1,5	1,39	1,65	1,35	1,72
1,4	1,31	1,53	1,27	1,59
1,3	1,22	1,41	1,19	1,46
1,2	1,13	1,29	1,11	1,33
1,1	1,05	1,17	1,02	1,21
1	0,96	1,06	0,94	1,08

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	159,86	INF	142,81	INF	99,47	INF
100	61,58	INF	58,87	INF	49,93	INF
90	57,64	INF	55,26	INF	47,31	INF
80	53,37	INF	51,33	INF	44,40	INF
70	48,74	INF	47,03	INF	41,14	INF
60	43,68	95,94	42,30	INF	37,48	INF
50	38,13	72,67	37,08	97,15	33,33	INF
45	35,16	62,55	34,26	79,86	31,03	INF
40	32,03	53,28	31,29	65,33	28,58	89,23
35	28,75	44,75	28,15	52,94	25,94	67,60
30	25,29	36,88	24,83	42,26	23,09	51,09
25	21,65	29,59	21,31	32,95	20,02	38,07
20	17,80	22,83	17,57	24,77	16,69	27,54
15	13,73	16,53	13,59	17,52	13,06	18,86
14	12,89	15,32	12,77	16,16	12,30	17,30
13	12,04	14,13	11,93	14,84	11,52	15,79
12	11,18	12,96	11,09	13,55	10,73	14,33
11	10,31	11,80	10,23	12,29	9,93	12,92
10	9,42	10,65	9,36	11,05	9,11	11,56
9,5	8,98	10,09	8,92	10,44	8,69	10,90
9	8,53	9,52	8,48	9,84	8,27	10,24
8,5	8,08	8,96	8,04	9,24	7,85	9,60
8	7,63	8,41	7,59	8,65	7,42	8,96
7,5	7,17	7,86	7,14	8,07	6,99	8,34
7	6,72	7,31	6,68	7,49	6,55	7,72
6,5	6,25	6,77	6,23	6,92	6,12	7,11
6	5,79	6,22	5,77	6,35	5,67	6,52
5,5	5,32	5,69	5,30	5,80	5,22	5,93
5	4,86	5,15	4,84	5,24	4,77	5,35
4,8	4,67	4,94	4,65	5,02	4,59	5,12
4,6	4,48	4,73	4,46	4,80	4,41	4,89
4,5	4,38	4,62	4,37	4,69	4,32	4,78
4,4	4,29	4,52	4,28	4,58	4,22	4,67
4,2	4,10	4,31	4,09	4,37	4,04	4,44
4	3,91	4,10	3,90	4,15	3,85	4,22
3,8	3,72	3,89	3,71	3,94	3,67	4,00
3,6	3,53	3,68	3,52	3,72	3,48	3,77
3,5	3,43	3,57	3,42	3,61	3,39	3,66
3,4	3,33	3,47	3,33	3,51	3,30	3,55
3,2	3,14	3,26	3,13	3,29	3,11	3,34
3	2,95	3,05	2,94	3,08	2,92	3,12
2,9	2,85	2,95	2,85	2,98	2,82	3,01
2,8	2,76	2,85	2,75	2,87	2,73	2,90
2,7	2,66	2,74	2,65	2,77	2,63	2,79
2,6	2,56	2,64	2,56	2,66	2,54	2,69

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,47	2,54	2,46	2,56	2,44	2,58
2,4	2,37	2,43	2,36	2,45	2,35	2,47
2,3	2,27	2,33	2,27	2,35	2,25	2,37
2,2	2,17	2,23	2,17	2,24	2,16	2,26
2,1	2,08	2,12	2,07	2,14	2,06	2,15
2	1,98	2,02	1,98	2,03	1,97	2,05
1,95	1,93	1,97	1,93	1,98	1,92	2,00
1,9	1,88	1,92	1,88	1,93	1,87	1,94
1,85	1,83	1,87	1,83	1,88	1,82	1,89
1,8	1,78	1,82	1,78	1,83	1,77	1,84
1,75	1,73	1,77	1,73	1,78	1,72	1,79
1,7	1,68	1,72	1,68	1,72	1,68	1,73
1,65	1,64	1,66	1,63	1,67	1,63	1,68
1,6	1,59	1,61	1,58	1,62	1,58	1,63
1,55	1,54	1,56	1,54	1,57	1,53	1,58
1,5	1,49	1,51	1,49	1,52	1,48	1,53
1,45	1,44	1,46	1,44	1,47	1,43	1,47
1,4	1,39	1,41	1,39	1,42	1,38	1,42
1,35	1,34	1,36	1,34	1,36	1,34	1,37
1,3	1,29	1,31	1,29	1,31	1,29	1,32
1,25	1,24	1,26	1,24	1,26	1,24	1,27
1,2	1,19	1,21	1,19	1,21	1,19	1,22
1,15	1,14	1,16	1,14	1,16	1,14	1,16
1,1	1,09	1,11	1,09	1,11	1,09	1,11
1,05	1,04	1,06	1,04	1,06	1,04	1,06
1	1,00	1,00	0,99	1,01	0,99	1,01
0,98	0,98	0,98	0,97	0,99	0,97	0,99
0,96	0,96	0,96	0,96	0,97	0,95	0,97
0,95	0,95	0,95	0,95	0,96	0,94	0,96
0,94	0,94	0,94	0,94	0,95	0,93	0,95
0,92	0,92	0,92	0,92	0,93	0,91	0,93
0,9	0,90	0,90	0,90	0,91	0,89	0,91
0,88	0,88	0,88	0,88	0,89	0,87	0,89
0,86	0,86	0,86	0,86	0,86	0,85	0,87
0,85	0,85	0,85	0,85	0,85	0,84	0,86
0,84	0,84	0,84	0,84	0,84	0,84	0,85
0,82	0,82	0,82	0,82	0,82	0,82	0,83
0,8	0,80	0,80	0,80	0,80	0,80	0,81
0,78	0,78	0,78	0,78	0,78	0,78	0,79
0,76	0,76	0,76	0,76	0,76	0,76	0,77
0,75	0,75	0,75	0,75	0,75	0,75	0,75
0,74	0,74	0,74	0,74	0,74	0,74	0,74
0,72	0,72	0,72	0,72	0,72	0,72	0,72
0,7	0,70	0,70	0,70	0,70	0,70	0,70

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	68,77	INF	47,46	INF	32,70	INF
100	40,81	INF	32,24	INF	24,69	INF
90	39,04	INF	31,13	INF	24,04	INF
80	37,04	INF	29,85	INF	23,26	INF
70	34,75	INF	28,34	INF	22,34	INF
60	32,10	INF	26,56	INF	21,22	INF
50	29,01	INF	24,41	INF	19,83	INF
45	27,26	INF	23,16	INF	19,00	INF
40	25,35	INF	21,77	INF	18,05	INF
35	23,25	INF	20,20	INF	16,97	INF
30	20,94	71,26	18,44	INF	15,71	INF
25	18,38	48,22	16,43	76,11	14,23	INF
20	15,54	32,48	14,12	43,08	12,47	78,12
15	12,35	21,03	11,44	25,00	10,34	33,74
14	11,67	19,11	10,85	22,32	9,86	29,03
13	10,97	17,28	10,25	19,86	9,35	25,00
12	10,25	15,55	9,62	17,61	8,83	21,51
11	9,51	13,90	8,97	15,52	8,28	18,47
10	8,76	12,34	8,30	13,59	7,70	15,79
9,5	8,37	11,58	7,95	12,68	7,41	14,57
9	7,98	10,84	7,60	11,79	7,10	13,41
8,5	7,59	10,12	7,24	10,94	6,79	12,32
8	7,19	9,42	6,88	10,12	6,47	11,29
7,5	6,78	8,73	6,51	9,33	6,14	10,31
7	6,37	8,05	6,13	8,56	5,80	9,38
6,5	5,96	7,40	5,74	7,82	5,46	8,49
6	5,54	6,75	5,35	7,10	5,10	7,65
5,5	5,11	6,12	4,95	6,41	4,74	6,85
5	4,68	5,51	4,54	5,74	4,37	6,08
4,8	4,50	5,26	4,38	5,47	4,21	5,79
4,6	4,33	5,02	4,21	5,21	4,06	5,50
4,5	4,24	4,90	4,13	5,08	3,98	5,35
4,4	4,15	4,78	4,05	4,95	3,90	5,21
4,2	3,97	4,55	3,88	4,70	3,75	4,93
4	3,79	4,31	3,71	4,45	3,59	4,65
3,8	3,61	4,08	3,54	4,20	3,43	4,38
3,6	3,43	3,85	3,36	3,96	3,27	4,12
3,5	3,34	3,73	3,28	3,84	3,18	3,98
3,4	3,25	3,62	3,19	3,72	3,10	3,85
3,2	3,07	3,39	3,01	3,48	2,94	3,60
3	2,88	3,17	2,84	3,24	2,77	3,34
2,9	2,79	3,06	2,75	3,12	2,68	3,22
2,8	2,70	2,94	2,66	3,01	2,60	3,09
2,7	2,61	2,83	2,57	2,89	2,51	2,97
2,6	2,51	2,72	2,48	2,78	2,43	2,85

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,42	2,61	2,39	2,66	2,34	2,73
2,4	2,33	2,50	2,30	2,55	2,25	2,61
2,3	2,23	2,39	2,20	2,43	2,16	2,49
2,2	2,14	2,29	2,11	2,32	2,08	2,37
2,1	2,04	2,18	2,02	2,21	1,99	2,26
2	1,95	2,07	1,93	2,10	1,90	2,14
1,95	1,90	2,02	1,88	2,04	1,85	2,08
1,9	1,86	1,96	1,84	1,99	1,81	2,02
1,85	1,81	1,91	1,79	1,93	1,76	1,97
1,8	1,76	1,85	1,74	1,88	1,72	1,91
1,75	1,71	1,80	1,70	1,82	1,67	1,85
1,7	1,66	1,75	1,65	1,77	1,63	1,80
1,65	1,62	1,70	1,60	1,71	1,58	1,74
1,6	1,57	1,64	1,56	1,66	1,54	1,68
1,55	1,52	1,59	1,51	1,61	1,49	1,63
1,5	1,47	1,54	1,46	1,55	1,44	1,57
1,45	1,43	1,48	1,41	1,50	1,40	1,52
1,4	1,38	1,43	1,37	1,44	1,35	1,46
1,35	1,33	1,38	1,32	1,39	1,31	1,41
1,3	1,28	1,33	1,27	1,34	1,26	1,35
1,25	1,23	1,27	1,22	1,28	1,21	1,30
1,2	1,18	1,22	1,18	1,23	1,17	1,24
1,15	1,14	1,17	1,13	1,18	1,12	1,19
1,1	1,09	1,12	1,08	1,13	1,07	1,14
1,05	1,04	1,07	1,03	1,07	1,03	1,08
1	0,99	1,01	0,98	1,02	0,98	1,03
0,98	0,97	0,99	0,97	1,00	0,96	1,01
0,96	0,95	0,97	0,95	0,98	0,94	0,99
0,95	0,94	0,96	0,94	0,97	0,93	0,97
0,94	0,93	0,95	0,93	0,96	0,92	0,96
0,92	0,91	0,93	0,91	0,94	0,90	0,94
0,9	0,89	0,91	0,89	0,92	0,88	0,92
0,88	0,87	0,89	0,87	0,89	0,86	0,90
0,86	0,85	0,87	0,85	0,87	0,84	0,88
0,85	0,84	0,86	0,84	0,86	0,83	0,87
0,84	0,83	0,85	0,83	0,85	0,83	0,86
0,82	0,81	0,83	0,81	0,83	0,81	0,84
0,8	0,79	0,81	0,79	0,81	0,79	0,82
0,78	0,77	0,79	0,77	0,79	0,77	0,80
0,76	0,75	0,77	0,75	0,77	0,75	0,77
0,75	0,74	0,76	0,74	0,76	0,74	0,76
0,74	0,73	0,75	0,73	0,75	0,73	0,75
0,72	0,72	0,73	0,71	0,73	0,71	0,73
0,7	0,70	0,71	0,69	0,71	0,69	0,71

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	22,55	INF	15,66	INF
100	18,44	INF	13,57	INF
90	18,07	INF	13,37	INF
80	17,64	INF	13,13	INF
70	17,10	INF	12,83	INF
60	16,44	INF	12,46	INF
50	15,60	INF	11,97	INF
45	15,08	INF	11,66	INF
40	14,48	INF	11,30	INF
35	13,78	INF	10,87	INF
30	12,94	INF	10,35	INF
25	11,92	INF	9,69	INF
20	10,66	INF	8,84	INF
15	9,07	65,32	7,72	INF
14	8,70	49,65	7,46	INF
13	8,31	38,89	7,17	INF
12	7,89	31,04	6,86	82,54
11	7,45	25,06	6,52	50,40
10	6,98	20,36	6,16	34,35
9,5	6,74	18,36	5,97	29,00
9	6,48	16,56	5,77	24,73
8,5	6,22	14,92	5,57	21,23
8	5,95	13,43	5,35	18,31
7,5	5,68	12,06	5,13	15,85
7	5,39	10,80	4,89	13,73
6,5	5,09	9,64	4,65	11,90
6	4,78	8,57	4,39	10,30
5,5	4,46	7,57	4,12	8,89
5	4,13	6,64	3,84	7,63
4,8	3,99	6,29	3,72	7,16
4,6	3,86	5,95	3,60	6,72
4,5	3,79	5,78	3,54	6,50
4,4	3,72	5,61	3,48	6,29
4,2	3,57	5,29	3,35	5,88
4	3,43	4,97	3,23	5,49
3,8	3,28	4,66	3,10	5,12
3,6	3,13	4,36	2,97	4,75
3,5	3,06	4,21	2,90	4,58
3,4	2,98	4,06	2,83	4,40
3,2	2,83	3,78	2,69	4,07
3	2,67	3,50	2,55	3,74
2,9	2,60	3,36	2,48	3,59
2,8	2,52	3,23	2,41	3,43
2,7	2,44	3,09	2,34	3,28
2,6	2,36	2,96	2,26	3,13

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
2,5	2,27	2,83	2,19	2,98
2,4	2,19	2,70	2,11	2,84
2,3	2,11	2,57	2,03	2,70
2,2	2,03	2,45	1,96	2,56
2,1	1,94	2,32	1,88	2,42
2	1,86	2,20	1,80	2,29
1,95	1,81	2,14	1,76	2,22
1,9	1,77	2,08	1,72	2,16
1,85	1,73	2,02	1,68	2,09
1,8	1,68	1,96	1,64	2,03
1,75	1,64	1,90	1,60	1,96
1,7	1,60	1,84	1,56	1,90
1,65	1,55	1,78	1,52	1,83
1,6	1,51	1,72	1,47	1,77
1,55	1,47	1,66	1,43	1,71
1,5	1,42	1,60	1,39	1,65
1,45	1,38	1,55	1,35	1,59
1,4	1,33	1,49	1,30	1,53
1,35	1,29	1,43	1,26	1,47
1,3	1,24	1,37	1,22	1,41
1,25	1,20	1,32	1,18	1,35
1,2	1,15	1,26	1,13	1,29
1,15	1,11	1,21	1,09	1,23
1,1	1,06	1,15	1,04	1,17
1,05	1,01	1,09	1,00	1,11
1	0,97	1,04	0,95	1,06
0,98	0,95	1,02	0,94	1,03
0,96	0,93	1,00	0,92	1,01
0,95	0,92	0,98	0,91	1,00
0,94	0,91	0,97	0,90	0,99
0,92	0,89	0,95	0,88	0,97
0,9	0,88	0,93	0,86	0,94
0,88	0,86	0,91	0,85	0,92
0,86	0,84	0,89	0,83	0,90
0,85	0,83	0,88	0,82	0,89
0,84	0,82	0,87	0,81	0,88
0,82	0,80	0,84	0,79	0,85
0,8	0,78	0,82	0,77	0,83
0,78	0,76	0,80	0,76	0,81
0,76	0,74	0,78	0,74	0,79
0,75	0,73	0,77	0,73	0,78
0,74	0,72	0,76	0,72	0,77
0,72	0,71	0,74	0,70	0,74
0,7	0,69	0,72	0,68	0,72

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	298,48	INF	243,82	INF	169,32	INF
60	49,99	76,62	48,20	86,53	44,36	104,26
30	27,28	33,63	26,74	35,40	25,52	38,03
15	14,29	15,85	14,15	16,22	13,80	16,75
12	11,54	12,53	11,45	12,77	11,22	13,09
10	9,68	10,37	9,62	10,52	9,46	10,74
9	8,74	9,30	8,69	9,42	8,56	9,59
8	7,80	8,23	7,75	8,33	7,65	8,46
7	6,84	7,18	6,81	7,25	6,73	7,35
6	5,89	6,13	5,86	6,18	5,80	6,25
5,5	5,40	5,61	5,39	5,65	5,34	5,71
5	4,92	5,09	4,91	5,12	4,86	5,17
4,5	4,44	4,57	4,42	4,60	4,39	4,64
4	3,95	4,06	3,94	4,08	3,91	4,11
3,8	3,76	3,85	3,75	3,87	3,72	3,90
3,6	3,56	3,64	3,55	3,66	3,53	3,69
3,4	3,36	3,44	3,36	3,45	3,34	3,48
3,2	3,17	3,23	3,16	3,25	3,15	3,27
3	2,97	3,03	2,97	3,04	2,95	3,06
2,8	2,78	2,83	2,77	2,84	2,76	2,85
2,6	2,58	2,62	2,58	2,63	2,57	2,64
2,4	2,38	2,42	2,38	2,43	2,37	2,44
2,2	2,19	2,22	2,18	2,22	2,18	2,23
2	1,99	2,01	1,99	2,02	1,98	2,02
1,9	1,89	1,91	1,89	1,92	1,88	1,92
1,8	1,79	1,81	1,79	1,81	1,78	1,82
1,7	1,69	1,71	1,69	1,71	1,69	1,72
1,6	1,59	1,61	1,59	1,61	1,59	1,61
1,5	1,49	1,51	1,49	1,51	1,49	1,51
1,4	1,39	1,41	1,39	1,41	1,39	1,41
1,3	1,30	1,30	1,29	1,31	1,29	1,31
1,2	1,20	1,20	1,20	1,21	1,19	1,21
1,1	1,10	1,10	1,10	1,10	1,09	1,11
1	1,00	1,00	1,00	1,00	1,00	1,00

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	117,66	INF	81,81	INF	57,05	INF
60	39,80	146,24	34,69	334,33	29,32	INF
30	23,95	42,45	22,01	50,68	19,73	69,67
15	13,33	17,54	12,72	18,79	11,93	20,88
12	10,91	13,56	10,50	14,29	9,96	15,46
10	9,24	11,06	8,94	11,53	8,55	12,28
9	8,38	9,84	8,14	10,22	7,81	10,80
8	7,51	8,66	7,31	8,94	7,05	9,38
7	6,62	7,49	6,47	7,71	6,27	8,03
6	5,72	6,36	5,61	6,51	5,46	6,73
5,5	5,27	5,80	5,17	5,92	5,04	6,11
5	4,81	5,24	4,73	5,34	4,62	5,49
4,5	4,35	4,69	4,28	4,77	4,19	4,89
4	3,88	4,15	3,83	4,21	3,76	4,30
3,8	3,69	3,93	3,64	3,99	3,58	4,07
3,6	3,50	3,72	3,46	3,77	3,40	3,84
3,4	3,31	3,51	3,28	3,55	3,23	3,61
3,2	3,12	3,29	3,09	3,33	3,05	3,39
3	2,93	3,08	2,90	3,11	2,87	3,16
2,8	2,74	2,87	2,72	2,90	2,68	2,94
2,6	2,55	2,66	2,53	2,68	2,50	2,72
2,4	2,36	2,45	2,34	2,47	2,32	2,50
2,2	2,17	2,24	2,15	2,26	2,13	2,28
2	1,97	2,03	1,96	2,05	1,94	2,07
1,9	1,87	1,93	1,86	1,94	1,85	1,96
1,8	1,78	1,83	1,77	1,84	1,75	1,85
1,7	1,68	1,72	1,67	1,73	1,66	1,75
1,6	1,58	1,62	1,58	1,63	1,56	1,64
1,5	1,49	1,52	1,48	1,52	1,47	1,53
1,4	1,39	1,41	1,38	1,42	1,37	1,43
1,3	1,29	1,31	1,28	1,32	1,28	1,32
1,2	1,19	1,21	1,19	1,21	1,18	1,22
1,1	1,09	1,11	1,09	1,11	1,09	1,12
1	0,99	1,01	0,99	1,01	0,99	1,01

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	39,93	INF	28,06	INF
60	24,05	INF	19,19	INF
30	17,21	148,20	14,58	INF
15	10,97	24,77	9,85	33,67
12	9,28	17,49	8,47	21,48
10	8,05	13,51	7,43	15,76
9	7,39	11,74	6,87	13,39
8	6,71	10,08	6,28	11,27
7	6,00	8,53	5,65	9,36
6	5,25	7,08	4,99	7,64
5,5	4,87	6,39	4,64	6,84
5	4,47	5,72	4,28	6,07
4,5	4,07	5,07	3,92	5,34
4	3,66	4,44	3,54	4,65
3,8	3,50	4,19	3,38	4,37
3,6	3,33	3,95	3,22	4,11
3,4	3,16	3,71	3,06	3,85
3,2	2,98	3,47	2,90	3,59
3	2,81	3,23	2,74	3,34
2,8	2,64	3,00	2,57	3,09
2,6	2,46	2,77	2,40	2,84
2,4	2,28	2,54	2,23	2,60
2,2	2,10	2,32	2,06	2,37
2	1,92	2,09	1,89	2,13
1,9	1,83	1,98	1,80	2,02
1,8	1,74	1,87	1,71	1,91
1,7	1,64	1,76	1,62	1,79
1,6	1,55	1,66	1,53	1,68
1,5	1,46	1,55	1,44	1,57
1,4	1,36	1,44	1,35	1,46
1,3	1,27	1,33	1,26	1,35
1,2	1,17	1,23	1,16	1,24
1,1	1,08	1,12	1,07	1,13
1	0,98	1,02	0,98	1,03